

## Product datasheet for **KN411866**

### Glucuronic Acid Epimerase (GLCE) Human Gene Knockout Kit (CRISPR)

#### Product data:

Product Type:	Knockout Kits (CRISPR)
Format:	2 gRNA vectors, 1 linear donor
Donor DNA:	EF1a-GFP-P2A-Puro
Symbol:	Glucuronic Acid Epimerase
Locus ID:	26035
Components:	<p><b>KN411866G1</b>, Glucuronic Acid Epimerase gRNA vector 1 in pCas-Guide CRISPR vector (GE100002)</p> <p><b>KN411866G2</b>, Glucuronic Acid Epimerase gRNA vector 2 in pCas-Guide CRISPR vector (GE100002)</p> <p><b>KN411866D</b>, Linear donor DNA containing LoxP-EF1A-tGFP-P2A-Puro-LoxP: The sequence below is cassette sequence only. The linear donor DNA also contains proprietary target sequence.</p>

LoxP-EF1A-tGFP-P2A-Puro-LoxP (2739 bp)

ATAACTTCGT ATAATGTATG CTATACGAAG TTATCGTGAG GCTCCGGTGC CCGTCAGTGG GCAGAGCGCA  
CATCGCCAC AGTCCCCGAG AAGTTGGGGG GAGGGTTCGG CAATTGAACC GGTGCCTAGA GAAGGTGGCG  
CGGGTAAAC TGGGAAAGTG ATGTCGTGTA CTGGCTCCG CTTTTCCCG AGGGTGGGG AGAACCGTAT  
ATAAGTGAC TAGTCGCCGT GAACGTTCTT TTTCCGAACG GGTTCGCCG CAGAACACAG GTAAGTGCCG  
TGTGTGGTTC CCGCGGGCCT GGCCTCTTA CGGGTTATGG CCCTTGCGTG CCTTGAATA CTCCACCTG  
GCTGCAGTAC GTGATTCTTG ATCCCGAGCT TCGGGTTGGA AGTGGGTGGG AGAGTCCGAG GCCTTGCCT  
TAAGGAGCCC CTCGCCTCG TGCTTGAGTT GAGGCCTGGC CTGGGCGCTG GGGCCGCCG GTGCGAATCT  
GGTGGCACCT TCGCGCCTGT CTCGCTGCT TCGATAAGTC TCTAGCCATT TAAAATTTTT GATGACCTGC  
TGCGACGCTT TTTTCTGGC AAGATAGTCT TGTAATGCG GGCCAAGATC TGCACACTGG TATTTGCGTT  
TTTGGGGCG CGGGCGGCGA CGGGGCCCGT GCGTCCCAGC GCACATGTTC GGCGAGGCGG GGCCTGCGAG  
CGCGGCCACC GAGAATCGGA CGGGGTAGT CTCAAGCTGG CCGGCCTGCT CTGGTGCCTG GCCTCGCGCC  
GCCGTGTATC GCCCCGCCCT GGGCGGCAAG GCTGGCCCG TCGGCACCAG TTGCGTGAGC GGAAAGATGG  
CCGCTTCCG GCCCTGCTG AGGGAGCTCA AAATGGAGGA CGCGGCCTC GGGAGAGCGG GCGGGTGAGT  
CACCCACACA AAGGAAAAG GCCTTCCGT CTCAGCCGT CGTTCATGT GACTCCAGG AGTACCGGGC  
GCCGTCCAG CACCTCGATT AGTTCTCGAG CTTTTGAGT ACGTCTGCT TAGGTTGGGG GGAGGGGTTT  
TATGCGATGG AGTTTCCCA CACTGAGTGG GTGGAGACTG AAGTTAGGCC AGCTTGGCAC TTGATGTAAT  
TCTCCTTGA ATTTGCCCT TTTGAGTTG GATCTTGGT CATTCTCAAG CCTCAGACAG TGGTTCAAAG  
TTTTTTCTT CCATTTCAAG TGTCGTGAAT GGAGAGCGAC GAGAGCGGCC TGCCCGCCAT GGAGATCGAG  
TGCCGCATCA CCGGCACCCT GAACGGCGTG GAGTTCGAGC TGGTGGGCGG CGGAGAGGGC ACCCCCAGC  
AGGGCCGCAT GACCAACAAG ATGAAGAGCA CCAAAGGCGC CCTGACCTTC AGCCCCTACC TGCTGAGCCA  
CGTGATGGG TACGGCTTCT ACCACTTCG CACCTACCC AGCGGCTACG AGAACCCCTT CCTGCACGCC  
ATCAACAACG GCGGCTACAC CAACACCCG ATCGGAAGT ACGAGGACGG CGGCGTGCT CACGTGAGCT  
TCAGTACCG CTACGAGGCC GGCCCGTGGA TCGGCGACTT CAAGGTGATG GGCACCGGCT TCCCCGAGGA  
CAGCGTGATC TTCACCGACA AGATCATCCG CAGCAACGCC ACCGTGGAGC ACCTGCACCC CATGGGCGAT



```

AACGATCTGG ATGGCAGCTT CACCCGCACC TTCAGCCTGC GCGACGGCGG CTACTIONACAGC TCCGTGGTGG
ACAGCCACAT GCACTTCAAG AGCGCCATCC ACCCCAGCAT CCTGCAGAAC GGGGGCCCCA TGTTCCGCTT
CCGCCGCGTG GAGGAGGATC ACAGCAACAC CGAGCTGGGC ATCGTGGAGT ACCAGCACGC CTTCAAGACC
CCGGATGCAG ATGCCGGTGA AGAAAGAGGA AGCGGAGCTA CTACTIONCAG CCTGCTGAAG CAGGCTGGAG
ACGTGGAGGA GAACCTGGA CCTATGACCG AGTACAAGCC CACGGTGCGC CTCGCCACCC GCGACGACGT
CCCCAGGGCC GTACGCACCC TCGCCGCCGC GTTCGCCGAC TACCCCGCCA CGCGCCACAC CGTCGATCCG
GACCGCCACA TCGAGCGGGT CACCGAGCTG CAAGAACTCT TCCTCACGCG CGTCGGGCTC GACATCGGCA
AGGTGTGGGT CGCGGACGAC GGCGCCCGG TGGCGGTCTG GACCACGCCG GAGAGCGTCG AAGCGGGGGC
GGTGTTCGCC GAGATCGGCC CGCGCATGGC CGAGTTGAGC GGTTCGCCGC TGGCCCGCA GCAACAGATG
GAAGGCCTCC TGGCGCCGCA CCGGCCAAG GAGCCCGCT GTTTCCTGGC CACCCTCGGC GTCTCGCCCG
ACCACCAGGG CAAGGTCTG GGCAGCGCCG TCGTGTCCC CGGAGTGGAG GCGGCCGAGC GCGCCGGGT
GCCCGCTTC CTGGAGACCT CCGCGCCCG CAACCTCCC TTCTACGAGC GGCTCGGCTT CACCGTCACC
GCCGACGTCG AGGTGCCGA AGGACCGCG ACCTGGTGA TGACCCGAA GCCCGGTGCC TGAAACTTGT
TTATTGCAGC TTATAATGGT TACAAATAAA GCAATAGCAT CACAAATTC ACAAATAAAG CATTTTTTTC
ACTGCATTCT AGTTGTGGT TGTCCAACT CATCAATGA TCTTAATAAC TTCGTATAAT GTATGCTATA CGAAGTTAT

```


**Disclaimer:**

These products are manufactured and supplied by OriGene under license from ERS. The kit is designed based on the best knowledge of CRISPR technology. The system has been functionally validated for knocking-in the cassette downstream the native promoter. The efficiency of the knock-out varies due to the nature of the biology and the complexity of the experimental process.

**RefSeq:**

[NM\\_001324091](#), [NM\\_001324092](#), [NM\\_001324093](#), [NM\\_001324094](#), [NM\\_015554](#), [N41364](#)

**UniProt ID:**

[O94923](#)

**Synonyms:**

HSEPI

**Summary:**

Converts D-glucuronic acid residues adjacent to N-sulfate sugar residues to L-iduronic acid residues, both in maturing heparan sulfate (HS) and heparin chains. This is important for further modifications that determine the specificity of interactions between these glycosaminoglycans and proteins.[UniProtKB/Swiss-Prot Function]

Product images:

