

Product datasheet for **KN517435**

Tex19.2 Mouse Gene Knockout Kit (CRISPR)

Product data:

Product Type:	Knockout Kits (CRISPR)
Format:	2 gRNA vectors, 1 linear donor
Donor DNA:	EFla-GFP-P2A-Puro
Symbol:	Tex19.2
Locus ID:	70956



Components:

KN517435G1, Tex19.2 gRNA vector 1 in pCas-Guide CRISPR vector (GEI00002)

KN517435G2, Tex19.2 gRNA vector 2 in pCas-Guide CRISPR vector (GEI00002)

KN517435D, Linear donor DNA containing LoxP-EF1A-tGFP-P2A-Puro-LoxP:

The sequence below is cassette sequence only. The linear donor DNA also contains proprietary target sequence.

LoxP-EF1A-tGFP-P2A-Puro-LoxP (2739 bp)

ATAACTTCGT ATAATGTATG CTATACGAAG TTATCGTGAG GCTCCGGTGC CCGTCAGTGG GCAGAGCGCA CATCGCCAC
AGTCCCGCAG AAGTTGGGGG GAGGGGTCGG CAATTGAACC GGTGCCTAGA GAAGGTGGCG CGGGGTAAC TGGGAAAGTG
ATGTCGTGTA CTGGCTCCGC CTTTTTCCCG AGGGTGGGG AGAACCGTAT ATAAGTCAG TAGTCGCCGT GAACGTTCTT
TTTCGCAACG GGTTCGCCG CAGAACACAG GTAAGTGCCG TGTGTGGTTC CCGCGGGCCT GGCCTCTTTA CGGGTTATGG
CCCTTGCGTG CCTTGAATTA CTTCCACCTG GCTGCAGTAC GTGATTCTTG ATCCCGAGCT TCGGGTTGGA AGTGGGTGGG
AGAGTTCGAG GCCTTGCGCT TAAGGAGCCC CTTCGCCTCG TGCTTGAGTT GAGGCTGGC CTGGGCGCTG GGGCCGCCG
GTGCGAATCT GGTGGCACCT TCGCGCTGT CTCGCTGCT TCGATAAGTC TCTAGCCATT TAAATTTTTT GATGACCTGC
TGCGACGCTT TTTTCTGGC AAGATAGTCT TGTAATGCG GGCCAAGATC TGCACACTGG TATTTCGGTT TTTGGGGCCG
CGGGCGGCGA CGGGGCCCGT GCGTCCCAGC GCACATGTTT GGCGAGGCGG GGCTGCGAG CGCGGCCACC GAGAATCGGA
CGGGGGTAGT CTAAGCTGG CCGGCTGCT CTGGTGCCTG GCCTCGCGCC GCCGTGTATC GCGCCGCCCT GGGCGGCAAG
GCTGGCCCGG TCGGCACCAG TTGCGTGAGC GGAAGATGG CCGCTCCCG GCCCTGCTGC AGGGAGCTCA AAATGGAGGA
CGCGGCGCTC GGGAGAGCGG GCGGGTGAGT CACCCACACA AAGGAAAAGG GCCTTTCGT CCTCAGCCGT CGCTTCATGT
GACTCCACGG AGTACCGGGC GCCGTCCAGG CACCTCGATT AGTTCGCGA CTTTGGAGT ACCTCGCTT TAGGTTGGGG
GGAGGGGTTT TATGCGATGG AGTTTCCCA CACTGAGTGG GTGGAGACTG AAGTTAGGCC AGCTTGGCAC TTGATGTAAT
TCTCCTTGA ATTTGCCCTT TTTGAGTTG GATCTTGTT CATTCTCAAG CTTGAGACAG TGGTTCAAAG TTTTCTCTT
CCATTTACAG TGTCGTGAAT GGAGAGCGAC GAGAGCGGCG TGCCCGCCAT GGAGATCGAG TGCCGCATCA CCGGCACCTC
GAACGCGCTG GAGTTCGAGC TGGTGGGCGG CGGAGAGGCG ACCCCGAGC AGGGCCGCAT GACCAACAAG ATGAAGAGCA
CCAAAGGCGC CCTGACCTTC AGCCCTACC TGCTGAGCCA CGTGATGGG TACGGCTTCT ACCACTTCGG CACTACCCC
AGCGGCTACG AGAACCCCTT CCTGCACGCC ATCAACAACG GCGGCTACAC CAACACCCG ATCGAGAAGT ACGAGGACGG
CGGCGTGCTG CACGTGAGCT TCAGCTACCG CTACGAGGCC GGCCGCGTGA TCGCGCACTT CAAGGTGATG GGCACCGGCT
TCCCCGAGGA CAGCGTGATC TTCACCGACA AGATCATCCG CAGCAACGCC ACCGTGGAGC ACCTGCACCC CATGGGCGAT
AACGATCTGG ATGGCAGCTT CACCCGCACC TTCAGCCTGC GCGACGGCGG CTAACAGC TCCGTGGTGG ACAGCCACAT
GCATTTCAAG AGCGCCATCC ACCCCAGCAT CCTGCAGAAC GGGGGCCCCA TGTTGCGCTT CCGCCGCGTG GAGGAGGATC
ACAGCAACAC CGAGCTGGG ATCGTGAGT ACCAGCACGC CTTCAAGACC CCGGATGCGA ATGCCGGTGA AGAAAGAGGA
AGCGGAGCTA CTAACCTCAG CCTGCTGAAG CAGGCTGGAG ACGTGGAGGA GAACCCCTGA CCTATGACCG AGTACAAGCC
CACGGTGCGC CTCGCCACCC GCGACGAGT CCCCAGGGCC GTACGCACCC TCGCCGCGCG GTTCGCCGAC TACCCGCCA
CGCGCCACAC CGTCGATCCG GACCGCCACA TCGAGCGGT CACCGAGCTG CAAGAACTCT TCCTCACGCG CGTCGGGCTC
GACATCGGCA AGGTGTGGT CGCGGACGAC GCGCGCGCGG TGCGGTCTG GACCACGCCG GAGAGCGTCG AAGCGGGGGC
GGTGTTCGCC GAGATCGGCC CGCGCATGGC CGAGTTGAGC GGTTCGCCG TGCGCGCGCA GCAACAGATG GAAGGCCTCC
TGGCGCCGCA CCGGCCAAG GAGCCCGCT GGTTCCTGCG CACCGTCGGC GTCTCGCCCG ACCACAGGG CAAGGGTCTG
GGCAGCGCCG TCGTGCTCCC CGGAGTGGAG GCGGCCGAGC GCGCCGGGT GCCCGCCTTC CTGGAGACCT CCGCGCCCCG
CAACCTCCCC TTCTACGAGC GGCTCGGCTT CACCGTCACC GCGGACGTCG AGGTGCCGA AGGACCGCGC ACCTGGTGCA
TGACCCGCAA GCCCGGTGCC TGAAACTTGT TTATTGCAGC TTATAATGGT TACAAATAAA GCAATAGCAT CACAAATTC
ACAAATAAAG CATTTTTTTC ACTGCATTCT AGTTGTGGTT TGTCCAACT CATCAATGTA TCTTAATAAC TTCGTATAAT
GTATGCTATA CGAAGTTAT



OTI Disclaimer:	These products are manufactured and supplied by OriGene under license from ERS. The kit is designed based on the best knowledge of CRISPR technology. The system has been functionally validated for knocking-in the cassette downstream the native promoter. The efficiency of the knock-out varies due to the nature of the biology and the complexity of the experimental process.
RefSeq:	<u>NM_027622</u>
UniProt ID:	<u>Q9D5S1</u>
Synonyms:	4921530G04Rik; Tex19b
Summary:	May be required during spermatogenesis, probably by participating in the repression of retrotransposable elements and prevent their mobilization (Probable). With its paralog, Tex19.1, collaborates with the Piwi-interacting RNA (piRNA) pathway, which mediates the repression of transposable elements during meiosis by forming complexes composed of piRNAs and Piwi proteins. Interacts with Piwi proteins and directly binds piRNAs, a class of 24 to 30 nucleotide RNAs that are generated by a Dicer-independent mechanism and are primarily derived from transposons and other repeated sequence elements (PubMed:28254886).[UniProtKB/Swiss-Prot Function]

Product images:

