

## **Product datasheet for LC418183**

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## PP2A-beta (PPP2CB) (NM 004156) Human Over-expression Lysate

**Product data:** 

**Product Type:** Over-expression Lysates

**Description:** PPP2CB HEK293T cell transient overexpression lysate (as WB positive control)

Species: Human HEK293T **Expression Host:** 

**Expression cDNA Clone** 

TrueORF Clone RC219083

or AA Sequence:

Tag: C-Myc/DDK

**Detection Antibodies:** Clone OTI4C5, Anti-DDK (FLAG) monoclonal antibody (TA50011-100)

ACCN: NM 004156, NP 004147

Al115466; D8Ertd766e; PP2Ac; PP2CB; protein phosphatase 2 (formerly 2A), catalytic subunit, Synonyms:

beta isoform; protein phosphatase 2a, catalytic subunit, beta isoform

Predicted MW: 35.4 kDa

1 vial of 20 ug lyophilized gene specific transient over-expression cell lysate Components:

The lysate can be shipped at ambient temperature. Upon receiving, store the sample at -Storage:

> 20°C. Lysate samples can be reconstituted with SDS Sample Buffer. Avoid repeated freezethaw cycles after reconstitution. Lysate samples are stable for 12 months from date of receipt

when stored at -20°C.

Preparation: HEK293T cells in 10-cm dishes were transiently transfected withMegaTran Transfection

> Reagent (TT200002) and 5ug TrueORF cDNA plasmid. Transfected cells were cultured for 48hrs before collection. The cells were lysed in modified RIPA buffer (25mM Tris-HCl pH7.6, 150mM NaCl, 1% NP-40, 1mM EDTA, 1xProteinase inhibitor cocktail mix (Sigma), 1mM PMSF and 1mM Na3VO4), and then centrifuged to clarify the lysate. Protein concentration was measured by BCA kit (Thermo Scientific Inc.). To facilitate transportation and protein, the

products are supplied as lyophilized proteins.

RefSeq: NP 004147

Locus ID: 5516 Cytogenetics: 8p12

**Protein Families:** Druggable Genome, Phosphatase






**Protein Pathways:** 

Long-term depression, Oocyte meiosis, TGF-beta signaling pathway, Tight junction, Wnt signaling pathway

## **Product images:**



Western blot validation of overexpression lysate (Cat# [LY418183]) using anti-DDK antibody (Cat# [TA50011-100]). Left: Cell lysates from untransfected HEK293T cells; Right: Cell lysates from HEK293T cells transfected with [RC219083] using transfection reagent MegaTran 2.0 (Cat# [TT210002]).