

## Product datasheet for LC420062

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## CAMK2B (NM 001220) Human Over-expression Lysate

**Product data:** 

**Product Type:** Over-expression Lysates

**Description:** CAMK2B HEK293T cell transient overexpression lysate (as WB positive control)

Species: Human HEK293T **Expression Host:** 

**Expression cDNA Clone** 

TrueORF Clone RC215639

or AA Sequence:

Tag: C-Myc/DDK

**Detection Antibodies:** Clone OTI4C5, Anti-DDK (FLAG) monoclonal antibody (TA50011-100)

ACCN: NM 001220, NP 001211

CAM2; CAMK2; CAMKB; CaMKIIbeta; MRD54 Synonyms:

**Predicted MW:** 60.4 kDa

Components: 1 vial of 20 ug lyophilized gene specific transient over-expression cell lysate

The lysate can be shipped at ambient temperature. Upon receiving, store the sample at -Storage:

20°C. Lysate samples can be reconstituted with SDS Sample Buffer. Avoid repeated freezethaw cycles after reconstitution. Lysate samples are stable for 12 months from date of receipt

when stored at -20°C.

Preparation: HEK293T cells in 10-cm dishes were transiently transfected with MegaTran Transfection

> Reagent (TT200002) and 5ug TrueORF cDNA plasmid. Transfected cells were cultured for 48hrs before collection. The cells were lysed in modified RIPA buffer (25mM Tris-HCl pH7.6, 150mM NaCl, 1% NP-40, 1mM EDTA, 1xProteinase inhibitor cocktail mix (Sigma), 1mM PMSF and 1mM Na3VO4), and then centrifuged to clarify the lysate. Protein concentration was measured by BCA kit (Thermo Scientific Inc.). To facilitate transportation and protein, the

products are supplied as lyophilized proteins.

NP 001211 RefSeq:

Locus ID: 816 Cytogenetics: 7p13

**Protein Families:** Druggable Genome, Protein Kinase






**Protein Pathways:** 

Calcium signaling pathway, ErbB signaling pathway, Glioma, GnRH signaling pathway, Longterm potentiation, Melanogenesis, Neurotrophin signaling pathway, Olfactory transduction, Oocyte meiosis, Wnt signaling pathway

## **Product images:**



Western blot validation of overexpression lysate (Cat# [LY420062]) using anti-DDK antibody (Cat# [TA50011-100]). Left: Cell lysates from untransfected HEK293T cells; Right: Cell lysates from HEK293T cells transfected with [RC215639] using transfection reagent MegaTran 2.0 (Cat# [TT210002]).