

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product datasheet for LY408725

RFXANK (NM_134440) Human Over-expression Lysate

Product data:

| Product Type: | Over-expression Lysates |
|------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Description: | Transient overexpression lysate of regulatory factor X-associated ankyrin-containing protein (RFXANK), transcript variant 2 |
| Species: | Human |
| Expression Host: | HEK293T |
| Expression cDNA Clone or AA Sequence: | TrueORF Clone RC223081 |
| Tag: | C-Myc/DDK |
| Detection Antibodies: | Clone OTI4C5, Anti-DDK (FLAG) monoclonal antibody (TA50011-100) |
| ACCN: | <u>NM 134440, NP 604389</u> |
| Synonyms: | ANKRA1; BLS; F14150_1; RFX-B |
| Predicted MW: | 25.7 kDa |
| Components: | 1 vial of 100 μg gene specific transient over-expression cell lysate in RIPA buffer 1 vial of 100 μg whole HEK293T cell lysate in RIPA buffer 1 vial of 250ul 2xSDS Sample Buffer (4% SDS, 125mM Tris-HCl pH6.8, 10% Glycerol, 0.002% Bromophenol blue, 100mM DTT) |
| Storage: | The lysate is shipped with dry ice. Upon receiving, store the sample at -80°C. Also after dilution, the protein sample should be aliquoted and stored at -80°C for long term storage. Avoid repeated freeze-thaw cycles. Lysate samples can be diluted with 2xSDS Sample Buffer provided. Lysate samples are stable for 12 months from the date of receipt when stored at -80°C. |
| Preparation: | HEK293T cells in 10-cm dishes were transiently transfected with <u>MegaTran</u> Transfection Reagent (TT200002) and 5ug <u>TrueORF</u> cDNA plasmid. Transfected cells were cultured for 48hrs before collection. The cells were lysed in modified RIPA buffer (25mM Tris-HCl pH7.6, 150mM NaCl, 1% NP-40, 1mM EDTA, 1xProteinase inhibitor cocktail mix (Sigma), 1mM PMSF and 1mM Na3VO4), and then centrifuged to clarify the lysate. Protein concentration was measured by BCA kit (Thermo Scientific Inc.). |
| RefSeq: | <u>NP 604389</u> |
| Locus ID: | 8625 |



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

| | ANK (NM_134440) Human Over-expression Lysate – LY408725 |
|-------------------|---------------------------------------------------------------|
| Cytogenetics: | 19p13.11 |
| Protein Families: | WB |
| Protein Pathways: | Antigen processing and presentation, Primary immunodeficiency |
| Product images: | |
| | 158- |

Western blot validation of overexpression lysate

(Cat# LY408725) using anti-DDK antibody (Cat# [TA50011-100]). Left: Cell lysates from un-

transfected HEK293T cells; Right: Cell lysates from HEK293T cells transfected with [RC223081] using transfection reagent MegaTran 2.0 (Cat#

[TT210002]).

106 -

79-

48-

35-

23 -

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US