

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product datasheet for LY427787

CPSF7 (NM_001136040) Human Over-expression Lysate

Product data:

| Product Type: | Over-expression Lysates | |
|------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| Description: | Transient overexpression lysate of cleavage and polyadenylation specific factor 7, 59kDa (CPSF7), transcript variant 2 | |
| Species: | Human | |
| Expression Host: | HEK293T | |
| Expression cDNA Clone or AA Sequence: | TrueORF Clone RC227409 | |
| Tag: | C-Myc/DDK | |
| Detection Antibodies: | Clone OTI4C5, Anti-DDK (FLAG) monoclonal antibody (TA50011-100) | |
| ACCN: | <u>NM 001136040, NP 001129512</u> | |
| Synonyms: | CFIm59 | |
| Predicted MW: | 52.1 kDa | |
| Components: | 1 vial of 100 μg gene specific transient over-expression cell lysate in RIPA buffer 1 vial of 100 μg whole HEK293T cell lysate in RIPA buffer 1 vial of 250ul 2xSDS Sample Buffer (4% SDS, 125mM Tris-HCl pH6.8, 10% Glycerol, 0.002% Bromophenol blue, 100mM DTT) | |
| Storage: | The lysate is shipped with dry ice. Upon receiving, store the sample at -80°C. Also after dilution, the protein sample should be aliquoted and stored at -80°C for long term storage. Avoid repeated freeze-thaw cycles. Lysate samples can be diluted with 2xSDS Sample Buffer provided. Lysate samples are stable for 12 months from the date of receipt when stored at -80°C. | |
| Preparation: | HEK293T cells in 10-cm dishes were transiently transfected with <u>MegaTran</u> Transfection Reagent (TT200002) and 5ug <u>TrueORF</u> cDNA plasmid. Transfected cells were cultured for 48hrs before collection. The cells were lysed in modified RIPA buffer (25mM Tris-HCl pH7.6, 150mM NaCl, 1% NP-40, 1mM EDTA, 1xProteinase inhibitor cocktail mix (Sigma), 1mM PMSF and 1mM Na3VO4), and then centrifuged to clarify the lysate. Protein concentration was measured by BCA kit (Thermo Scientific Inc.). | |
| RefSeq: | <u>NP 001129512</u> | |
| Locus ID: | 79869 | |



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

| CPSF7 (NM_001136040) Human Over-expression Lysate – LY427787 | | |
|--------------------------------------------------------------|---------------|---------------------------------------------------------------------------------------------------|
| Cytogenetics: | 11q12.2 | |
| Protein Families: | WB | |
| Product images: | | |
| | 158- | |
| | 106 — 79 — | Western blot validation of overexpression lysate (Cat# LY427787) using anti-DDK antibody (Cat# |
| | 48- | [TA50011-100]). Left: Cell lysates from un- transfected HEK293T cells; Right: Cell lysates |

35-

23 -

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US from HEK293T cells transfected with [RC227409] using transfection reagent MegaTran 2.0 (Cat#

[TT210002]).