

## Product datasheet for **MC200471**

### **Dnajib6 (NM\_011847) Mouse Untagged Clone**

#### Product data:

**Product Type:** Expression Plasmids  
**Product Name:** Dnajib6 (NM\_011847) Mouse Untagged Clone  
**Tag:** Tag Free  
**Symbol:** Dnajib6  
**Synonyms:** HSJ-2; mDj4; Mrj  
**Mammalian Cell Selection:** Neomycin  
**Vector:** PCMV6-Kan/Neo (PCMV6KN)  
**E. coli Selection:** Kanamycin (25 ug/mL)

**Fully Sequenced ORF:** >BC003702 sequence for NM\_011847  
 CGAGGAGACGCCGCCGCCGCCACCAGCCAGCGCAGCTGTGCCACAGCCGCGAGGAGACCGGCCGCCCTG  
 ACTTCCCTCCTCGCTGGCCGCCGTGCTCCTCGGATTTATTCCAACAGTCAGTTAAAACATGGTGGATTACT  
 ATGAAGTGCTGGGCGTGCAGAGACATGCCTCACCTGAGGACATTAATAAGGCGTATCGAAAAACAGGCACT  
 TAAATGGCACCCGGACAAAAATCCTGAAAAATAAGAAAGCAGAGCGGAAGTTCAAACAAGTAGCTGAG  
 GCATATGAAGTGTATCGGATGTAAAAAGCGGGACATCTACGACAAATATGGCAAAGAAGGATTAATG  
 GTGGTGGAGGAGGAGGTGAATTCAATTTGACAGTCCATTTGAGTTTGGCTTCACATTCGGAAACCCAGA  
 TGATGCTTCAGGGAATTTTTGGTGAAGGGACCCATTTTCATTTGACTTCTTTGAAGACCCATTTGAT  
 GACTTTTTTGGAAACCGAAGGGTCCCGAGGAAATAGAAGCCGAGGTGCCGGCTCATTTTTCTCTACCT  
 TCAGTGGATTTCTTTCTTTTGAAGTGGATTTCTGCTTTTGATACAGGCTTCACTCCATTTGGGTCCT  
 AGGTCATGGGGTCTCACTTCATTTTCTCAACGTCATTTGGCGCAGTGAATGGGCAACTTCAAATCA  
 ATATCAACTTCAACTAAGATAGTTAATGGCAAAAAATCACGACAAAGAGGATTGTGGAGAACGGTCAAG  
 AAAGAGTAGTAGTTGAAGAAGATGGGCAGTTAAAGTCCTTGACAATAAATGGTAAGGAGCACCTGTACG  
 CTTGGATAACAAGTAACCAACGCACGCATTTAACAGAAATGTTAAACCAATAACAAGCACCATTTGAGGA  
 ATAACAGGAACTTTTTTTTGAAGATTTGAAACGAACTCGACTTTCTGTATAACTGTACCTAAACTAAAG  
 TATTTATAAAAAAGCTCATTGGAGCCTCCATCTATCAGATTTTGGAGTTTGTGTTGGGACCACAAAATA  
 GGACCTTATTTCTATTTCTTTTGCTTAAAAATGTTGTAATCTCTGTATGCATTTGCTTTAAACCAA  
 TCGTAATCTGAGGTGAGCCCTGTGACTTTTGTAGTAGTGTAGTAGTGTAGTGTAGTGTAGTGTAGTGTAGT  
 AATCTACAGAAATACTTCAATTTTATTTTCAGTATTTAGTGATGAAAGCTATTACTGCATCAATGGTAAT  
 ACATTTCTGGTTTGTAGTACACTAAGGATGTTTTCTAGTTGTGCATGGATGTCGGCAACCTCGTCAGTTT  
 GACTATTGTTTAAATATGTAATGTTAAGCTTAGGTTTAAAAAAGCTGGTAATTTGGGTTTTTGTCAATTTG  
 CTAAAAA

**Restriction Sites:** RsrII-NotI  
**ACCN:** NM\_011847



[View online »](#)

|                               |   |
|-------------------------------|---|
| <b>Insert Size:</b>           | 729 bp  |
| <b>OTI Disclaimer:</b>        | Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).  |
| <b>Components:</b>            | The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).  |
| <b>Reconstitution Method:</b> | <ol style="list-style-type: none"><li>1. Centrifuge at 5,000xg for 5min.</li><li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li><li>3. Close the tube and incubate for 10 minutes at room temperature.</li><li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li><li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li></ol>   |
| <b>RefSeq:</b>                | <a href="#">BC003702</a> , <a href="#">AAH03702</a>   |
| <b>RefSeq Size:</b>           | 1488 bp   |
| <b>RefSeq ORF:</b>            | 729 bp  |
| <b>Locus ID:</b>              | 23950   |
| <b>UniProt ID:</b>            | <a href="#">O54946</a>  |
| <b>Cytogenetics:</b>          | 5 B1  |
| <b>Gene Summary:</b>          | <p>Plays an indispensable role in the organization of KRT8/KRT18 filaments. Acts as an endogenous molecular chaperone for neuronal proteins including huntingtin. Suppresses aggregation and toxicity of polyglutamine-containing, aggregation-prone proteins (By similarity). Has a stimulatory effect on the ATPase activity of HSP70 in a dose-dependent and time-dependent manner and hence acts as a co-chaperone of HSP70. Also reduces cellular toxicity and caspase-3 activity (By similarity).[UniProtKB/Swiss-Prot Function]</p> <p>Transcript Variant: This variant (3) differs in the 3' coding region and 3' UTR when compared to variant 1. Variant 3 encodes isoform c, which has a shorter, distinct C-terminus when compared to isoform a.</p> |