

## Product datasheet for **MC200685**

### Golga2 (BC011407) Mouse Untagged Clone

#### Product data:

Product Type:	Expression Plasmids
Product Name:	Golga2 (BC011407) Mouse Untagged Clone
Tag:	Tag Free
Symbol:	Golga2
Synonyms:	GM130, golgin-95, GM-130, GM 130, mKIAA4150
Mammalian Cell Selection:	Neomycin
Vector:	PCMV6-Kan/Neo (PCMV6KN)
E. coli Selection:	Kanamycin (25 ug/mL)
Fully Sequenced ORF:	>BC011407

```
AAGAAACCAGGCAGAGCAAATTGGCTGCGGCCAAGAAAAAGCTGAGAGAGTATCAGCAGAAGAACAGCCC
GGGTGTTCTGCAGGAGCAAAGAAGAAGAAAAAGATTAATAATGGCCATAGCCCAGAGAGACCCACTGCC
AGTGACTGTCAGTCACCAGAGAATAGCCATGATGCTGGCAATTGCTCTAACCTCATGGAGGAGACCAAGA
CTTTCTCATCGACTGAGAGTCTGCGACAACCTTTCTCAACAGCTCAATGGCCTTGTGTCTGAGTCTACATC
CTACATCAACGGGGAGGGCCTCACATCTTCCAACATGAAGGAACTGGAGAACCGGTACCAAGAGCTAGCA
GTAGCCCTGGACTCCAGCTATGTAAACAACAACAACCTCAGTAGCAGGATAGAGGAATTGAAACAACAGA
ACCAAGACTCTGGATCAACTGGAGAAAGAGAAGGATTATCAGCAGAAGCTGGCAAAGGAGCAGGG
CTCTCTCAGGGAACAGCTGCAGGTTACATTACAGCCATAGGCATCCTGGTGTCTGAGAAGGCAGAAATTA
CAGACGGCCCTGGCCCACTCAGCAAGCAGCCAGGCAGAAAGCAGGAGAGTCGGAGGATCTTGCCAGCC
GACTACAGTCCTCCCGACAGCGTGTGGGAGAGCTGGAGCGGACACTGTCTACCGTGTCAACGCAACAGAA
ACAGGCAGACAGGTATAACAAGGACCTAACCAAAGAGCGGGATGCCCTCAAGCTGGAGCTGTATAAGAAC
AGCAAAAGCAATGAGGACCTGAGGCAGCAGAACTCAGAACTGGAAGAGAACTCCGAGTCTGGTGGCAG
AGAAAGCAGCTGCACAGTTGGGGGTGGAGGAGCTGCAGAAGAAGTTAGAGATGTCAGAGCTGCTGTGCA
GCAGTTTTCTAGTCAGTCTTCGGCCGAGGCGGTAATGAGCAGTTACAACATGCCATGGAGGAGCGGGCT
CAGCTGGAGACCCATGTTAGCCAGCTGATGGAATCACTGAAGCAGCTCCAGGTGGAGAGAGACCAGTATG
CGGAGAACCTAAAAGGAGAGAGTGCCATGTGGCAGCAGAGGTTACAGCAAATGGCGGAGCAGGTGCATAC
ACTGAAGGAAGAGAAGGAGCACAGAGAACGGCAGGTACAAGAGCTGGAGACCAGCTTGGCCGCACTCCGG
AGTCAGATGGAGGAGCCACCGCCTCCAGAGCCTCCAGCTGGGCCCTCCGAGGCGGAAGAGCAGCTGCAGG
GAGAGGTCGAGCAGCTGCACAAGGAACTGGAGAGGCTGACGGGACAGCTACGGGCTCAGGTGCAGGACAA
TGAGAGCCTGAGCCACCTCAACCGGAGCAGGAGGGCGTCTGCTGGAGCTGGAGCGGGAGGCCACGCGC
TGGAGCGAGCAGGCCGAGGAGCGCAAGCAGATCCTGGAGAGCATGCAGAGTGACCGCACCACCATCAGCA
GAGCACTGTCACAGAACCAGAGCTGAAGGAGCAGCTGGCCGAGCTGCAGAACGGCTTCTCAGGCTGAC
CAATGAGAACATGGAGATCACCAGTGGCTGCAGTCAGAGCAGCATGTCAAGAAAGAGCTAGCCCGAAG
CTGGGAGAGCTGCAGGAGAGACTGGGAGAGCTGAAGGAGACGGTGGAGCTCAAGAGCCAAGAAGCACAGG
GTCTACAGGAGCAGGAGACAGTGCCTGTCCCACCTGCAGCAGTACGCTGCTGCTTACCAACAGCACTT
GGCGGCCTATGAGCAGCTGACCTCTGAGAAGGAGGCAATACACAAGCAGTCTCTGCTGCAGACTCAGCTC
```



[View online »](#)

```

ATGGACCAGCTGCAGCATGAGGAGGTACAGGGCAAGATGGCAGCCGAGCTGGCCCCCAGGAGCTGCAGG
AGGCCCAGGAGCGCCTAAAAGCTACCAGCCAGGAGAACCAACAGCTCCAAGCCCAGCTGAGCCTCTTGGT
CCTCCCTGGGGAAGGAGATGTGGACCAGGAGGAAGAAGATGAGGAGGTTCTCAGTCGAGTCTGGCCATC
CCAGAAGACCTAGACAGTAGAGAGGCCATGGTGGCATTCTTTAATGCCGCTATAGCCAGAGCAGAGGAAG
AACAGGCCCGACTACGTGTGCAGCTGAAAGAGCAGAAGGCACGTTGCCGGAGTTTGTCTCACTTGGCAGC
CCCAGTCCAAAGCAAGCTTGAAAAGGAGGCAGTGGTCCCAGGAATGTGGATGACTCTGCATCTGAGGAG
AGCAATCAGGCCCTACATGTAGCCATGGAGAAGCTGCAGAGCCGTTCTGGAGGTCATGCAGGAGAAAG
TGGAGCTCAAGGAGAGGGTAGAGGAGCTTGAACATTGCTGCATTAGCTTCTGGAGAGACAGACCCAT
TGGAGAGTACATTGCCCTTACCAAAATCAGAGGGCGGTGCTGAAGGCTCGGCATTTGGAGAAGGAAGAA
TACATCAGCCGGCTGGCTCAGGACAAGGAGGAGATGAAGGTGAAGCTGCTGGAGCTCCAGGAGCTGGTGT
TGAGGCTTGTGAACGAGCGCAATGAATGGCAGGGCAAGTTCTGGCCGTCTCAGAACCCCTGGTACGT
GCTCACCCAGTGCCACAGGCTCCAGGAATTTGGTGTGCTGACCAGCAGGATGACCTCAGGGAGGTG
AGCCTGGTGACGATATAGAGCTGCACAAGGAGAGGCAGGGGTACCTGCTCCCCATGAGAACCCCTACTG
CACAGCAGATCATGCAGCTGCTGCGTGAGATCCAGAACCCCGGAGCGCCAGGCTGGTAGCAACCC
TTGCATCCCTTTTTCTACCGTGCCGATGAGAACGACGAGGTGAAGATCATGGTTGTATAAAGACTGGC
GGCAAAGCCTCAGCAAGGGCAGCCAGAGGTTCTGCCCAACCCACACCTTCTCAGCCACCTTATCT
TTATAATAATAAATAAGGTGAGTCCATCCCCTCCAGGGGCTGGGGAAGTAGCTCAGTTGGTAGAGTGCT
TGCTGTGTGCACACAGCCTTGGGTCCCAGTACCTCTGAAAAGGCTGATACCTGTAATTTGAGTGCTT
GGGAAGTGGAGGTGGAAGAATCAGCCATCCTCATCTACCTAGTGAGTTTGAGGCCACACTGGGCTACATG
CGACCCTGTCTGAAAAACAAAAGATCAGGCTCCTATCTTAATGAGGGACACAGACTGGTACAGATCTG
CCTTTAGCCAGGGCAGTTTTACTTTGTAATTCCTGTTACAGAAAGAACGCCAGAGACTCAGTGATGGA
GCAGACTGTGCTGGTGGCTGGGGCTTCTCACCAAGGAGGGCCTCAGGCCTTACTCAGGACTCTGGG
GCAGAACAGAGTGGCAGCATTCTCGTGCCAGGTGCAGTGCAGGCTGGTAAACTGGCCTAGCATTACAGCA
GGGCTTCTAAGTTTTACCGGCTCAGTCCCTCCCTATCCTCCTTTTCTCCCGCCCAATTTATCTTCA
TTTTCTTACGGAGTGTCTCCTGTAGCCGAGCTGAGCCCTGCCTCACCGCTGTGCCTGGTGGTTGGCA
GTGCTAAGCAGGCACTCTACCAAGTGATTTACCCCGAGCACTCCCTGCCTTTTTCTTTGTGGTGATG
CTGGGGATGGAACCCAGGGCACAGCAGTCCCCAGATCAACTCCCATCTTCTCAGAGGCACTTTAGGGCA
GTGGGGCTGGGCAGCACTTATGGTCTCAGGCAGTTGGGGCTAACTGCCTCAGGAAGGCATCCCCTT
TGGAGGGCTTCCATCTTTTTGAGGCACCTTGGGACAGGAAAGTGGTACCATTCTCAGGCCTTATGA
CAATTGGGGTAACTACGCCAAGCAGGACAGAGGCTGCTGGGGCAGGTGGCTTCCCTCCCCCGGTGTA
CATATTGTACCTGTGTACTATTTTGTATATACCGGGTAGGGACACCCCTGTATCATAGTGGAGGTTGGA
GCTGGCAAATGGGAAGAGCTTCTAATAATCACTTTGGGCTGGGAACCTTATTTATTGGTAGTGTAGGTC
AGAGGGCAGGAGCGGAGACAAGTTGTGGCACCTGCTGATGCAGCTCCTTTATTTGCTTTTTACTT
GGGAAATAAATGGATTTAGCCATAAAAAAAAAAAAAAAAAAAAAA
    
```

- Restriction Sites:** RsrII-NotI
- ACCN:** BC011407
- Insert Size:** 1854 bp
- OTI Disclaimer:** Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).
- Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:**

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

**RefSeq:** [BC011407](#), [AAH11407](#)

**RefSeq Size:** 4174 bp

**RefSeq ORF:** 1854 bp

**Locus ID:** 99412

**Cytogenetics:** 2 B

**Gene Summary:** Peripheral membrane component of the cis-Golgi stack that acts as a membrane skeleton that maintains the structure of the Golgi apparatus, and as a vesicle tether that facilitates vesicle fusion to the Golgi membrane (PubMed:28028212). Required for normal protein transport from the endoplasmic reticulum to the Golgi apparatus and the cell membrane (PubMed:28028212). Together with p115/USO1 and STX5, involved in vesicle tethering and fusion at the cis-Golgi membrane to maintain the stacked and inter-connected structure of the Golgi apparatus. Plays a central role in mitotic Golgi disassembly: phosphorylation at Ser-37 by CDK1 at the onset of mitosis inhibits the interaction with p115/USO1, preventing tethering of COPI vesicles and thereby inhibiting transport through the Golgi apparatus during mitosis. Also plays a key role in spindle pole assembly and centrosome organization (By similarity). Promotes the mitotic spindle pole assembly by activating the spindle assembly factor TPX2 to nucleate microtubules around the Golgi and capture them to couple mitotic membranes to the spindle: upon phosphorylation at the onset of mitosis, GOLGA2 interacts with importin-alpha via the nuclear localization signal region, leading to recruit importin-alpha to the Golgi membranes and liberate the spindle assembly factor TPX2 from importin-alpha. TPX2 then activates AURKA kinase and stimulates local microtubule nucleation. Upon filament assembly, nascent microtubules are further captured by GOLGA2, thus linking Golgi membranes to the spindle (By similarity). Regulates the meiotic spindle pole assembly, probably via the same mechanism (PubMed:21552007). Also regulates the centrosome organization (By similarity). Also required for the Golgi ribbon formation and glycosylation of membrane and secretory proteins (By similarity).[UniProtKB/Swiss-Prot Function]