

Product datasheet for MC201213

Lamtor1 (NM_025605) Mouse Untagged Clone

Product data:

Product Type: Expression Plasmids

Product Name: Lamtor1 (NM 025605) Mouse Untagged Clone

Tag: Tag Free
Symbol: Lamtor1

Synonyms: 2400001E08Rik; p18; Pdro

Mammalian Cell

Selection:

Neomycin

Vector: PCMV6-Kan/Neo (PCMV6KN)

E. coli Selection: Kanamycin (25 ug/mL)

Fully Sequenced ORF: >BC020142 sequence for NM_025605

GGGGTGCTGCTATAGCAGCGAAAACGAGGACTCGGACCAGGATCGGGAGGAGAGGAAGCTGCTGCTGGAC CCCAGTAGCACCCCTACCAAAGCCCTCAATGGAGCCGAGCCCAACTACCATAGCCTACCTTCAGCTCGCA CAGATGAGCAGGCCCTGCTTTCCTCCATCCTTGCCAAGACAGCTAGCAACATCATTGATGTGTCTGCCGC AGACTCCCAGGGCATGGAACAGCATGAGTACATGGACCGGGCAAGGCAGTACAGTACCCGCTTGGCTGTG TGCTGGCCAGTGAGCCTATCCCCTTCTCTGACTTGCAGCAGGTCTCCAGGATAGCTGCGTATGCCTATAG TGCACTTTCTCAGATCCGCGTGGATGCGAAAGAAGAGGTTGTACAGTTTGGGATCCCATGAAGAGGG GCCCTAGGACAGCTCTTCCCTCGTCTTCACCCCGTCTCCACCCCACCTCTTCTGGCCCCCAGCCTCACTG TGGCTCTCTACAGTACCTAACCTGCTACTAATCACGGAGAAGAATGTGGAGGGAAAGAACAAGGCTGGAG GCCGGAGCAAGTGAGGACTAAGCAAGGGAAGGGAGGACCGATTGCCATCGGCCTTCATGCTCTGGTTAGG GTGAGGTTGGGGCCAAGAGGACAGGGCCTGGCAGATCTTCAGTCATTGGGAAGATGGAGATACCACTGTA GGGGTGACACCGGGAGACCTAGGAGATCCCTTCCTGCCCTCTTTCTCTTGGCCTCCGATTCACTCCTGTC CCCTTCCCTGACTTGGTGCTCACAGGCACCTCACTGGGGATTATGACCAGGGTCTAGACGAGCTTGAGTC

Restriction Sites: RsrII-NotI

ACCN: NM 025605

Insert Size: 486 bp

OTI Disclaimer: Our molecular clone sequence data has been matched to the reference identifier above as a

point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative

RNA splicing form or single nucleotide polymorphism (SNP).



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com

Lamtor1 (NM_025605) Mouse Untagged Clone - MC201213

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

Note: Plasmids are not sterile. For experiments where strict sterility is required, filtration with

0.22um filter is required.

RefSeq: <u>BC020142</u>, <u>AAH20142</u>

RefSeq Size: 1090 bp
RefSeq ORF: 486 bp
Locus ID: 66508
UniProt ID: Q9CQ22
Cytogenetics: 7 E2

Gene Summary: As part of the Ragulator complex it is involved in amino acid sensing and activation of

mTORC1, a signaling complex promoting cell growth in response to growth factors, energy levels, and amino acids. Activated by amino acids through a mechanism involving the lysosomal V-ATPase, the Ragulator functions as a guanine nucleotide exchange factor

activating the small GTPases Rag. Activated Ragulator and Rag GTPases function as a scaffold recruiting mTORC1 to lysosomes where it is in turn activated. LAMTOR1 is directly responsible

for anchoring the Ragulator complex to membranes. Also required for late

endosomes/lysosomes biogenesis it may regulate both the recycling of receptors through endosomes and the MAPK signaling pathway through recruitment of some of its components to late endosomes. May be involved in cholesterol homeostasis regulating LDL uptake and cholesterol release from late endosomes/lysosomes. May also play a role in RHOA activation.

[UniProtKB/Swiss-Prot Function]