

## Product datasheet for **MC202317**

### Gpx3 (NM\_008161) Mouse Untagged Clone

#### Product data:

**Product Type:** Expression Plasmids  
**Product Name:** Gpx3 (NM\_008161) Mouse Untagged Clone  
**Symbol:** Gpx3  
**Synonyms:** AA960521; EGP; EGPx; GP; GPx; GSHPx-3; GSHPx-P  
**Mammalian Cell Selection:** Neomycin  
**Vector:** PCMV6-Kan/Neo (PCMV6KN)  
**E. coli Selection:** Kanamycin (25 ug/mL)  
**Fully Sequenced ORF:** >BC049235 sequence for NM\_008161

```
GCCACCCCAAGACGCGCCCCAGCCGCCATGGCCCGGATCCTCCGGGCATCCTGCCTTCTGTCCCTGCTC
CTGGCCGGGTTTGTCCGCCGGGCGGGGACAAGAGAAGTCTAAGACAGACTGCCATGGCCGTATGAGTG
GTACCATCTACGAGTATGGAGCCCTCACCATCGATGGGGAGGAATACATTCCTTTAAGCAGTATGCAGG
CAAATATATCCTCTTTGTCAACGTAGCCAGCTACTGAGGTCTGACAGACCAATACCTTGAAGTGAATGCA
CTACAAGAAGAACTTGGGCCATTTGGCTTGGTCATTCTGGGCTTCCCTTCCAACCAATTTGGCAAACAGG
AGCCAGGCGAGAAGTCCGGAGATACTCCCGAGTCTCAAGTATGTTCCGACCAGGTGGGGGCTTTGTGCCTAA
TTTCCAGCTCTTTGAGAAAGGAGATGTGAACGGGGAGAAAGAGCAGAAATTTACACTTTCTGAAGAAC
TCCTGCCTCCCACTGCAGAAGTCTGGGCTCACCTGGCCGCCTCTTTGGGAACCCATGAAGATCCATG
ACATCCGCTGGAACCTTTGAGAAGTTCCTGGTGGGGCCAGATGGCATAACCGTTATGCGCTGGTACCACCG
GACCACAGTCAGCAACGTCAAGATGGACATCCTGTCTTACATGAGGCGGCAGGCAGCCCTGAGCGCCAGG
GGGAAGTAACTGATGCCCCACCCACCCCTACCCCTGCCCATCATGCAAGGGCCGAGGAGGGGCTCTT
CAGGAAGGAAGCCACATTCCAGTCATTCTACCCACCCAGATTCTCTTTCTATTACATAAAAGACA
AGCCTGGCACAAGTGTGTCTGAACCACTGTGGACACGTGACAATTGTCCAGTGTGTGCATGGCTACA
CAGCCACGTATCTGCCTGCTTGAACCCAGGGATGGTCCATCTGTGTTTACGGCTTGGCACAACACCCTC
ATATTTTTTTCAGCTTTCTGTTCCAAATGAGCCCAAAGGAAACACAAGTTCTAGGTCCAATGTTTCTGCT
CAAACCTGAACATCATTCTTGGGGCCAGCATCTCCACATGCCACACTACACACCAGCCTCCTTCT
TCCTTCTGAAGGACCCTCCTGAGCCCCAAGCCATCCCACAGTCTCCTGAGACCAGCCAAGACAAGT
GTGAGCGCGATGGCCGTGTACCCAGGTGAGGGTGGTGTCTATGAAGGAGGGGCCCGAAGCCCTTGT
GGGCGGGCCTCCCTGAGCCCGTCTGTGGTGCCAGCCCTTAGTGCAATTCAGGCTTAGGCTCCAGGCAGG
GACACTACCCCGCGCCTCTGGAGGACATGCTATCCTCTCACTCTGTCCACTGGTATCTCAACACCCCA
TCTGCCAGTAAAGGTCTTTCTGCAGCAAAAAAAAAAAAAA
```

**Restriction Sites:** RsrII-NotI  
**ACCN:** NM\_008161



[View online »](#)

|                               |  |
|-------------------------------|--|
| <b>OTI Disclaimer:</b>        | Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP). The expression of this clone is not guaranteed due to the nature of selenoproteins.   |
| <b>OTI Annotation:</b>        | This clone encodes a selenoprotein containing the rare amino acid selenocysteine (Sec). Sec is encoded by UGA codon, which normally signals translational termination. Expression of this clone is not guaranteed due to the nature of selenoproteins.   |
| <b>Components:</b>            | The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).   |
| <b>Reconstitution Method:</b> | <ol style="list-style-type: none"><li>1. Centrifuge at 5,000xg for 5min.</li><li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li><li>3. Close the tube and incubate for 10 minutes at room temperature.</li><li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li><li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li></ol>  |
| <b>RefSeq:</b>                | <a href="#">BC049235</a> , <a href="#">AAH49235</a>  |
| <b>RefSeq Size:</b>           | 1442 bp  |
| <b>Locus ID:</b>              | 14778  |
| <b>UniProt ID:</b>            | <a href="#">P46412</a>   |
| <b>Cytogenetics:</b>          | 11 B1.3  |
| <b>Gene Summary:</b>          | <p>The protein encoded by this gene belongs to the glutathione peroxidase family, members of which catalyze the reduction of organic hydroperoxides and hydrogen peroxide (H<sub>2</sub>O<sub>2</sub>) by glutathione, and thereby protect cells against oxidative damage. Several isozymes of this gene family exist in vertebrates, which vary in cellular location and substrate specificity. This isozyme is secreted and is highly expressed in mouse kidney, which appears to be the major source of the enzyme in plasma. It has a role in mouse organogenesis, and dysregulation of this isozyme has been associated with obesity-related metabolic complications, platelet-dependent thrombosis, colitis-associated carcinoma, and thermosensitive phenotype. This isozyme is also a selenoprotein, containing the rare amino acid selenocysteine (Sec) at its active site. Sec is encoded by the UGA codon, which normally signals translation termination. The 3' UTRs of selenoprotein mRNAs contain a conserved stem-loop structure, designated the Sec insertion sequence (SECIS) element, that is necessary for the recognition of UGA as a Sec codon, rather than as a stop signal. Alternatively spliced transcript variants have been found for this gene. [provided by RefSeq, Aug 2016]</p> <p>Transcript Variant: This variant (1) represents the predominant transcript and encodes isoform 1.</p> |