

Product datasheet for MC202656

Dclre1b (NM_001025312) Mouse Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Dclre1b (NM_001025312) Mouse Untagged Clone
Tag:	Tag Free
Symbol:	Dclre1b
Synonyms:	AI452214; Apollo; mSNM1B; SNMIB
Mammalian Cell Selection:	Neomycin
Vector:	PCMV6-Kan/Neo (PCMV6KN)
E. coli Selection:	Kanamycin (25 ug/mL)

Fully Sequenced ORF: >BC067017 sequence for NM_001025312
 GTTGGGCGCTTTCATCCTGATCGTCCCAGCGCGCCACCTTCTTTTTTCTCACTCTGTCTACTAATTCC
 GTTCTGGGATGGTTTTCTTTAGGGCTTCTGGACTTGTCCAGAGTCCACTTGTCAATTGGGACGCTGTC
 GTGAAAACCTCACTCAGGAGTGCAGTCCCGCGAAGACCCCACTGGGTGACACCTCAACTCTGCCACCAT
 GAACGGGGTCTAATCCCCCAAACGCCATTGCTGTGGACTTTTGGAGCCTGCGCGGTGCCGGTTCGGCG
 CGGCTCTTCTTAAACCCACATGCACTGTGACCACACGGTGGTGTGTAGCACTTGGGCCCGGCCCC
 TCTACTGCTCTCCATCACTGCTTGCTTGCATCGTCGCTGCAGGTGATTTTCGATATACACCATCC
 ATGCTGAAGAACCTGCTCTGATACTGGGAAACAGATTCATACTTTGTATCTAGACAACACTAATTGCA
 ATCCAGCCCTGGTTCTTCTTCCCAGAACAGGCTACTCAGCAGATTGTCCAGCTAATCCGACAGTTCCC
 ACAACACAACATAAAAAATTGGACTCTATAGTCTAGGAAAAGAATCACTGCTGGAGCAACTAGCCCTTGAG
 TTTCCGACCTGGGTGGTATTAAGTCTCAACGCCTGGAGTTGGTACAGTTGCTGGCCTGGCAGACGTGT
 TCACAGTTGAGGAAGAAGCCGGGCGCATCCATGCTGTGGACCATACGGAGATCTGCCACTTGCCATGCT
 TCAGTGGAACCAGAGTCAACCTACCATTGCTATTTTCCCACAAGCCGAAAGTGCAGCCCTCACCCC
 AGCATCTACACCGTCCCCTACTCTGACCATTACTTACTCCGAGCTCCGTGCTTTTGTGGCAGCGCTGA
 GGCCTTGTGAGGTGGTCCCATCGTCCATCAAAAGCCTTGTGGAGAGTTCTTTCAGGACAGCTTGAGTCC
 TAGGCTCGCTATGCCTCTGATCCACACTCTGTGAGCAGTACATGAGTTCTCTCTAGGAAAACAAAT
 GTGCTTTGGCAGTTAGAAAGGAGGCTCAAGAGGCCAAGAAGTCAAGGTTGTGTTTGAATCCCCTGAGG
 AGAAAGCTAATCAGGTTAAAGTTGACAGAGACTCAAAGAAGCACAAAAAGGAAAACCTCTCTCCCTGGGC
 TGGCACCTTGAGAGGCTTTCGCCCATCCTCTGCAGGCCAAGCAGTTGTTCCAGACTTCTGCAGG
 AAAGAACGTGATGAGCCAGTCTCTTTTGTGACTCCAACAAGATGGCGACTGTGTTGACTGCCCCACTGG
 AATTCTCAGTGCAATTACAACCTATAGATGAGTTTCTCTTTCCAGAAAACAGGGAGAAAATTGGCTTAGA
 GTCCCCATTGCTGTCAAGGGGAGACAGTGGCTCACCAGCGAGAGGGAACCAAAGTACTGCGTAGGCTGT
 GGTCTCCCCCGGCTCACATTAGCAGAGCTGTTCTTAACCTCCTGAGTCCAGGGCCTGGCGCTAAAAAT
 ACCTTCTCACTCCAGTGCATTTCTCCAAGCAGGCTTCTCTCCAGGAACCTCGACAAGCAAGTGGAAAA
 ACACCAGAGAGTACAGCGTAGCAGTCTGCAGTCTGAGCCCGGTGGATGTTGGCTAGTGACAGGAGGTG
 GCTTGCTGTCTTTTAAAAGAACCCTGGGGCTCACCCAGCAGCTCTTCTGAAGCTTTTCATGAAGTC
 CTAGTGCCTATGAGACCCGTAGCTTTATAGTACTATATTGTTATTTTATTATTTAAGAA



[View online »](#)

```

ACAGATTCATTATAAACTATTCAGTGTTTCATAAGCACATTA AAAAGTTCTAAGAAGTTCCATAGCAATTT
AATTTGTTCCACTTGGTTTAAACCCAGTTTTTCTCAAACCTTTATCAACATGCAGTTTCGTTTTGTTTTTTG
TTTTGTTTTGTTTGAGTGGAAAAATAGAGTCTGAATCAAAAAGAACCAGTATATTGTTATTAATTTGT
CCTGTCCCATCCTCAAGTCCCAGATAAAAAGATGTCGGTTATTTGTTTTTCAGATTGTAATTCATGGTGCT
GGAGGATAAAGTAGGAGTCTGTCTAACCCCTGACTGTCACTGACTTGCTGTGACATGACCCTAACCAAG
GAATTCCTGTCTTTGCCTCTCGGAGCGAACAGGAAACCATGAAGAGGCCACTGAAACAGTGTAGGAAAA
TAACACCTTCTTCTTCATGAAGGGGTTTCGTAAGTGTGATGAGACATCCATCTGGAACATAGCCATTTG
GAGGTTAGGCACCCACGCACCAAGGGGGTACACGGAATAAGCTGAACATTAAAGGGTTAGAGTATGTCAGAG
CTACTGGATGCTTGAGACACTACTTTGTTAAAGCTACAGGGATCAAATGTGCTGCCAGATATTCTCCAA
TTGTTTCATAGCTGGGATTTTCCCCCACCACCAAGTTTGAATTAGGGAGCCAGAGCACAGAGCTTG
TTTTTTTTAGTATCCAGGGGAGAGACCAAGGAGCCAGCTGGCTGGAACGGGTGAGAGTGTGACAGTTCTAC
CCTGTCTGTCTATAACCTGACAAAATGCCAAACCAATAAGCAAGACAGCTGATAGCACAGCCATGAGGA
AATGCGGTCTGGGAGGTGCAGGCGAGGAACGGCCTGGCCTGGAACCTTGAGCCATAGCAGTAAAGAAA
GCCATCTCTTACCCTTGGGAGGAGGGAGGAGCTTTGCTACTTTAGGAGGGAGAAGTGAAGTTTAGTGAG
CAAATAAGACTTTGCTCTTGGACACGCTGTACTCAGTTCTGTTTTTGTGAGTGACCTTACAAACCTCTA
AGGGCTTCATAGGAACCTGCAGCAGGTGAGGCATGTGGTTCAACAGGAAACCTGGACATTGGCTGGCTGGA
ATCCAGGGCACATGGCAAATTGTTAAATAGAGGAGCCTTACTCAGCTGTAATGTGGGGGCTGGGATGCC
TACCTCTCATGATTGCTATACAGATTATTGGTAAAATTCCTAGTTTATTGCCTGGCACATGATTGGTTT
TCGTAGCTAAAGGTGTAGCTTTGGTAGGATGTGTGTTTAGCAAGCTGAAGCTTGGGTTCTATCCTGAGT
TGTGTCCCCCCCCCCCCAAAAAAGCCTTTGATCTTCTATGAGAATACAAAGTAAAATGTCTTCCAT
GTAGACTAGTTAATGGGCATTTTTTTTCTAGTCTTTCTGAGGATATAAATGTTAGATTTATACATTTTCA
GAATTAGGATAATTTACATGTGTGTGTACATGTGTGTACACACAAAGGGTGTGAACAGATGGCCCA
GTGGTTAAGAGCTCTTAATGTGCTCTTGAAGAAAACCTAGTTTTGGTTTTCCAGCACCAACATCAAATTGA
TCATAACTCAAGTTCTCAGGTCTGATGCCTTCTGACCTCTGAACAACCTGCACACAACCTCATACAGTCTC
ACACAATACATATAAATAAATAAATTTAAGTAAATGTTTTTAAAAGATGATTTTGTATTTTATGAT
TCATATACACTGTCACTGTCTTCTGAGACACCAGAAGAGGGCATCAGATCCTATTCCAGGTGGTTGTGAC
CCACCATGTGGTTGCTGGGATTTGAACTCAGGACCTCTGGATGAGCAGTCACTGCTTAAACCACTGAGC
ACTCCAGCCCTTAAATAATGTTTTAAAGGGCCAGTGAGATGGCTTAGTGGGTAAAAGCACTTGCCACATA
AACTGGTGAGCTGGATTCAATCCCTAGAGCCACATAAAAATGGAAAAGGAGATCTGAGTGCATAAGGTT
GTCCTTTGGCTGCCATGCTTGCCTATAAACAGTACTAAAAGGGGTGGGTAAAGAATAACTGTATATGA
TTTTAGATTCTGCATTTTACTTAATTCCTAATTGGAACCTCAAAATGCCATTATCAAAAATGCTTACCC
AAAAGGATGTAACATACATGTTAATAAATCATTCTATTCAAAAAAAAAAAAAAAAAAAAAAAAAA
  
```

- Restriction Sites:** Ascl-NotI
- ACCN:** NM_001025312
- Insert Size:** 1248 bp
- OTI Disclaimer:** Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).
- Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [BC067017](#), [AAH67017](#)

RefSeq Size: 4052 bp

RefSeq ORF: 1248 bp

Locus ID: 140917

UniProt ID: [Q8C7W7](#)

Cytogenetics: 3 F2.2

Gene Summary: 5'-3' exonuclease that plays a central role in telomere maintenance and protection during S-phase. Participates in the protection of telomeres against non-homologous end-joining (NHEJ)-mediated repair, thereby ensuring that telomeres do not fuse. Plays a key role in telomeric loop (T loop) formation by being recruited by TERF2 at the leading end telomeres and by processing leading-end telomeres immediately after their replication via its exonuclease activity: generates 3' single-stranded overhang at the leading end telomeres avoiding blunt leading-end telomeres that are vulnerable to end-joining reactions and expose the telomere end in a manner that activates the DNA repair pathways. Together with TERF2, required to protect telomeres from replicative damage during replication by controlling the amount of DNA topoisomerase (TOP1, TOP2A and TOP2B) needed for telomere replication during fork passage and prevent aberrant telomere topology. Also involved in response to DNA damage: plays a role in response to DNA interstrand cross-links (ICLs) by facilitating double-strand break formation. In case of spindle stress, involved in prophase checkpoint. [UniProtKB/Swiss-Prot Function]