

## Product datasheet for MC203073

## 9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com

OriGene Technologies, Inc.

EU: info-de@origene.com CN: techsupport@origene.cn

## Selenok (NM\_019979) Mouse Untagged Clone

**Product data:** 

**Product Type:** Expression Plasmids

**Product Name:** Selenok (NM\_019979) Mouse Untagged Clone

Symbol: Selenok

**Synonyms:** 30kD; 1110001C03Rik; AA673253; Hsp30; HSPC0; HSPC030; Se; Selk

**Mammalian Cell** 

Selection:

Neomycin

Vector: PCMV6-Kan/Neo (PCMV6KN)

E. coli Selection: Kanamycin (25 ug/mL)

Fully Sequenced ORF: >BC038049

**Restriction Sites:** Rsrll-Notl **ACCN:** NM 019979

**OTI Disclaimer:** Our molecular clone sequence data has been matched to the reference identifier above as a

point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP). The expression of this clone is

not guaranteed due to the nature of selenoproteins.

**OTI Annotation:** This clone encodes a selenoprotein containing the rare amino acid selenocysteine (Sec). Sec is

encoded by UGA codon, which normally signals translational termination. Expression of this

clone is not guaranteed due to the nature of selenoproteins.



Components:

The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 

- 1. Centrifuge at 5,000xg for 5min.
- 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
- 3. Close the tube and incubate for 10 minutes at room temperature.
- 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

**Note:** Plasmids are not sterile. For experiments where strict sterility is required, filtration with

0.22um filter is required.

**RefSeq:** <u>BC038049</u>, <u>AAH38049</u>

 RefSeq Size:
 916 bp

 Locus ID:
 80795

 UniProt ID:
 Q9]L]1

 Cytogenetics:
 14 A3

**Gene Summary:** The protein encoded by this gene belongs to the selenoprotein K family. It is a

transmembrane protein that is localized in the endoplasmic reticulum (ER), and is involved in ER-associated degradation (ERAD) of misfolded, glycosylated proteins. It also has a role in the protection of cells from ER stress-induced apoptosis. Knockout studies in mice show the importance of this gene in promoting Ca(2+) flux in immune cells and mounting effective immune response. This protein is a selenoprotein, containing the rare amino acid

selenocysteine (Sec). Sec is encoded by the UGA codon, which normally signals translation termination. The 3' UTRs of selenoprotein mRNAs contain a conserved stem-loop structure, designated the Sec insertion sequence (SECIS) element, that is necessary for the recognition of UGA as a Sec codon, rather than as a stop signal. Multiple pseudogenes of this locus have

been identified. [provided by RefSeq, Sep 2017]