

Product datasheet for **MC204478**

Tardbp (NM_145556) Mouse Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Tardbp (NM_145556) Mouse Untagged Clone
Tag:	Tag Free
Symbol:	Tardbp
Synonyms:	1190002A23Rik; C85084; TDP-43; Tdp43
Mammalian Cell Selection:	Neomycin
Vector:	PCMV6-Kan/Neo (PCMV6KN)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)

Fully Sequenced ORF: >BC025544
 CCACGCGTCCGCGGAGCGGTAGCGCGGCTGTTGTGCGGATTCTTCCCCTCTCTGCTTCTCCTTGTGCTT
 CCTAGCAGTGGCCTAGCGGATTTAAGCAAAGATGTCTGAATATATTCCGGTAACAGAAGATGAGAACGAT
 GAACCCATTGAAATACCATCAGAAGACGATGGGACGGTGTGCTGTCCACAGTTACAGCCCAGTTTCCAG
 GGGCATGCGGCCCTGCGCTACCGGAATCCCGTGTCTCAGTGTATGAGAGGAGTCCGACTGGTGAAGGAAT
 TCTGCATGCCCCAGATGCTGGCTGGGGCAATCTGGTATATGTTGTCAACTATCCCAAAGATAACAAAAGG
 AAAATGGATGAGACAGATGCTTCTCTGCAGTGAAGTGAAGAGCAGTCCAGAAAACATCTGACCTCA
 TAGTGTTGGGTCTCCCTGGAAAACAACCTGAGCAGGATCTGAAAGACTATTTTCAGTACTTTTGGAGAGGT
 TCTTATGGTTTCAAGTCAAGAAAGATCTTAAAACCTGGTCACTCGAAAAGGGTTTGGCTTTGTTGATTACA
 GAATATGAAACCAAGTGAAGTAAATGTCAACGACATATGATAGATGGGCGATGGTGTGACTGTAAAC
 TTCCCAACTCTAAGCAAAGCCCAGACGAGCCTTTGAGAAGCAGAAAGGTGTTTGTGGACGTTGTACAGA
 GGACATGACTGCTGAAGAGCTTCAGCAGTTTTTCTGTGATGGAGAAGTGGTAGATGCTTTCATTCCC
 AAACCATTCAGAGCTTTTGCCTTCGTACCTTTGCAGATGATAAGTTGCCAGTCTCTTTGTGGAGAGG
 ATTTGATCATTAAAGGAATCAGCGTGCATATATCCAATGCTGAACCTAAGCATAAATAGCAATAGACAGT
 AGAAAAGTGAAGATTTGGTGGTAATCCAGGTGGCTTTGGGAATCAGGGTGGGTTTGGTAACAGTAGA
 GGGGGTGGAGCTGGCTTGGGAAATAACAGGGTGGTAATATGGGTGGAGGGATGAACTTTGGTGCTTTTA
 GCATTAACCCAGCGATGATGGCTGCGGCTCAGGCAGCGTTCAGAGCAGTTGGGGTATGATGGGCATGTT
 AGCCAGCCAGCAGAACCAGTCCGGCCCATCTGGGAATAACCAAAGCCAGGGCAGCATGCAGAGGGAACCA
 AATCAGGCTTTTGGTTCTGGAAATAATCTACAGTGGTCTAATTCTGGTGCCCCCTTGGTTGGGGGT
 CAGCATCAATGCAGGATCGGGCAGTGGTTTTAATGGGGCTTTGGCTCGAGCATGGATTCTAAGTCTTC
 TGGCTGGGAAATGAGTGGTGGGGGTGGTTAGTAGGTTGGTTATTAGGTTAGGTAGATTTAGAATGGT
 GGGATTCAAATTTTTCTAACTCATGGTAAGTATATTGTAATAACATATGACTAAAATTTTCAGATTG
 GTTTGTTTAAAGTATTTGTTATATAAAGGGTTAAAATACTGAGTGGGTGAAAGTGAACGCTGCTGTTG
 CCTAATTGGTAAACCAACTACAAATTGATCTCAGAAGTTTCTCTGTAATATTCTATCATTGAAATTGT
 TAATGAATCTTTGCATGTTTCAAGTAGAAACCATTGGTTAGAACTACATTCTTTTCTCCTTATTTTAAT
 TTGAATCCACCCTATGAATTTTTTCTTAGGAAAATCTCCATTTGGGAGATCATGATGTCATGGTGT
 GATTCTTTTGGTTTTGTTTTAACACTGTCTTCTTTCATATACGAAAGTACAATATGAAGCCTTCATTT
 AATCTCTGCAGTTCATCTCATTTCAAATGTTTATGGAAGAAGCACTTCATTGAAAGTAGTGTGAAATA
 TTCTGCCATAGGAATACTTCTGTCTACATGCTTCTCATCAAGAATTCGTCATCAGCTGCACAGGCTG
 CGTCTTTGACGGTGGGTGTTCCATTTTTATCCGCTACTCTTATTTTCATGGAGTCGATCAACGCTATGA
 ACGCAAGGCTGTGATATGGAACCAGAAGGCTGTTGAACTTTTGAACCTTTGTGTGGGATTGATGGTGGT
 GCCGAGGCATGAAAGGCTAGTATGAGCGAGAAAAGGAGAGCGCGTGCAGAGACTTGGTGGTGGAAAATGG
 ATATTTTTAACTTGGAGAGATGTGCACTCAATCCTGTGGCTTTGGTGAAGAGATGTGCAGAGAGCAAT
 GATAGCAAATAACGTACGAATGTTTTACATCAAAGGACATCCACATCAGTTGGAAGACTTTGAGTCTTGT
 TCTTAGGAAACCCACTTTAGTTGAATGTGTTAAGTGAATACTTGTACTCCCTCCCTCTGTCAACTG
 CTGTGAATGCTGTATGGTGTGTTCTCCTCTGTACTGATCTGGAAGTGTGGAAACGTGAACTGAAGCT
 GATGGGCTGCGAACATGGACTGAGCTTTGGTGTGCTTTGCAGGAGAATTGGAAGCAGAGTTACCAGT
 GAGCTCAGGTGTCTCAAAGAAGGGTGAAGTTCTCATGTCTGTTAGCTATTGATAAAGATGCTGTTTGT
 GCAGTTCTGTCTGTGCTGGATGCTTTTTATAAGAGTTGTATTGTTGGAAATCTTAAATAAAAC
 TGATTTAAATAATATGTGCTTTTGTGTTTGCAGCCCTGAATGCAAAGAATTCATAGCAGTTAATCCCTT
 TTTGACCTTTTGGAGTGAACCTTTCATAAAGTTTCTTGGCAGTAGTTTATTTGCTTCAAATAAACTTA
 TTTGAAAAGTAAAAAAAAAAAAAAAAAAAAAAAAAAAAA

Restriction Sites: RsrII-NotI
ACCN: NM_145556
Insert Size: 1245 bp

OTI Disclaimer:	Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	BC025544 , AAH25544
RefSeq Size:	2908 bp
RefSeq ORF:	1245 bp
Locus ID:	230908
UniProt ID:	Q921F2
Cytogenetics:	4 E2
Gene Summary:	<p>RNA-binding protein that is involved in various steps of RNA biogenesis and processing. Preferentially binds, via its two RNA recognition motifs RRM1 and RRM2, to GU-repeats on RNA molecules predominantly localized within long introns and in the 3' UTR of mRNAs. In turn, regulates the splicing of many non-coding and protein-coding RNAs including proteins involved in neuronal survival, as well as mRNAs that encode proteins relevant for neurodegenerative diseases. Plays a role in maintaining mitochondrial homeostasis by regulating the processing of mitochondrial transcripts. Regulates also mRNA stability by recruiting CNOT7/CAF1 deadenylase on mRNA 3' UTR leading to poly(A) tail deadenylation and thus shortening. In response to oxidative insult, associates with stalled ribosomes localized to stress granules (SGs) and contributes to cell survival. Participates also in the normal skeletal muscle formation and regeneration, forming cytoplasmic myo-granules and binding mRNAs that encode sarcomeric proteins. Plays a role in the maintenance of the circadian clock periodicity via stabilization of the CRY1 and CRY2 proteins in a FBXL3-dependent manner (PubMed:27123980).[UniProtKB/Swiss-Prot Function]</p> <p>Transcript Variant: This variant (1) represents the longest transcript and encodes the longest isoform (1).</p>