

## Product datasheet for MC204737

### Pdgfrb (NM\_008809) Mouse Untagged Clone

#### Product data:

**Product Type:** Expression Plasmids  
**Product Name:** Pdgfrb (NM\_008809) Mouse Untagged Clone  
**Tag:** Tag Free  
**Symbol:** Pdgfrb  
**Synonyms:** AI528809; CD140b; Pdgfr; PDGFR-1  
**Mammalian Cell Selection:** Neomycin  
**Vector:** PCMV6-Kan/Neo (PCMV6KN)  
**E. coli Selection:** Kanamycin (25 ug/mL)  
**Fully Sequenced ORF:** >BC055311

```
AAGAGGTAATCCGGGCGAGAAAAGCCACAGTGGTGTGAGCTCTGGGGTGTCTGTGGCCACAGTCCCC
GCTACCTATCTGGGACCTAGGATTGCTCTGGGAGTAACCTTTGAGAGAGAGGAGAACAGAGAGGAAACAG
TCCAGAGCCAGAGCGGGCCAGACCAGTCGTCTCCTGCCTGCCAGCTAGACCTAGGCGGCCCTC
GGGCTGTCCGCTCCTCCCGAGGATGCTTTTGGAGTGAGGAGGGCCGGGCTGCTTCTACCCCTGAGC
ACCCTCTCCATCCCTGATTCTCTCAGGGTTTTCCGCAATCAGGCCAGCCCTTCTACTGCTGTCCGTTT
TTTGGGTCAGCAAAAATAACAGAAGACAGCGAGGTGGACTTCTGGAGGGGGTGATAGCTCACATCAGAA
GCCATCTGTAGCCCGACACCATGGGGCTTCCAGGAGTGATACCAGCTTTAGTCTCAGAGGCCAGTTGT
TGCTGTCCGTGTTATGGCTCCTGGGACCGCAGACCTCCCGGGCCTAGTCATCACGCCCTGGGCCAGA
GTTTGTCTCAACATCTCAGCACCTTTGTTCTGACCTGCTCGGGCTCAGCTCCGGTGATGTGGAAACAG
ATGTCCCAGGTGCCCTGGCAAGAAGCGCCATGAATCAGGACGGCACCTTCTCCAGTGTGCTGACTGTA
CCAATGTCACTGGGGGAGACACTGGGGAATACTTTTGTGTCTACAACAACCTCACTAGGGCCGGAGCTCAG
TGAGAGGAAGCGTATCTATATCTTTGTGCCAGATCCCACCATGGACTTCTCCCTATGGACTCCGAGGAC
CTGTTCATTTTTGTACGGATGTCACTGAGACGACAATCCGTGCCGAGTGACAGACCCCGAGCTGGAGG
TGACGCTACATGAGAAGAAAGTGGATAATCCCTACACGTACCCTACGACCACCGAGGTTTCACTGG
TACTTTTGGAGACAAGACTTACATTTGCAAAACCACATTGGGGACAGGGAAGTGGACTCCGATACTTAC
TACGTCTACAGCCTCCAGGTGCATCCATCAACGTCTCTGTGAATGCCGTGCAGACTGTGGTCCGCCAGG
GCGAGAGCATCACCATCCGGTGCATTGTGATGGCAATGATGTGGTGAACCTCCAATGGACGTACCCCGC
CATGAAGAGTGGCGGCTGGTGGAGCCAGTGACAGACTACCTTTTGGAGTGCCCTCCCGATTGGCTCC
ATCCTGCATATCCCACGGCTGAGCTGAGTGATTGGGGACCTATACTTGAACGTGTGAGTGTGA
ACGACCATGGCGATGAGAAAGCCATCAACATCTCTGTGATCGAGAATGGTACGTGCGGCTGCTGGAGAC
ACTGGGAGATGTAGAAATTGCTGAGCTGCACCGGAGTCGGACGCTGCGGGTGGTGTTCGAGGCTTATCCG
ATGCCCTCTGCTGTGGCTCAAGGACAACCGTACCTTGGGTGACTCCGGCGCTGGCGAGTTAGTTTTGT
CTACTCGAACATGTCTGAGACCCGGTACGTGTCAGAAGTATCCTGGTACGTGTGAAGGTGTCAGAAGC
GGGCTACTATACTATGCGAGCCTTCCACGAGGACGATGAGGTCCAGCTCTCCTTCAAGCTGCAGGTCAAT
GTCCCGTCCGTGTGCTGGAGCTGAGTGAGAGTACCCTGCCAATGGGGAGCAGACAATCCGCTGTCGTG
GCCGGGCATGCCTCAGCCAAATGTCACCTGGTCTACCTGCAGAGACCTAAAAGTAGGTGTCCACGAAA
```



[View online »](#)

ACTGTCACCCACACCCCTTGGGAATAGTTCCAAGGAGGAGAGCCAGCTAGAAACGAATGTGACTTTCTGG  
 GAGGAAGATCAGGAATACGAGGTGGTGAGCACACTGCGCCTGCGCCACGTGGATCAGCCACTGTCCGTAC  
 GCTGCATGCTGCAGAACTCCATGGGTGGAGATTGCGAGGAGGTACCCGTGGTCCCACATTCTTGCCTT  
 CAAAGTGGTGGTATCTCAGCCATCCTGGCCTTAGTGGTCTTACCGTCATCTCTCATCATCCTCATC  
 ATGCTGTGGCAGAAGAAGCCACGCTATGAGATCCGATGGAAGGTCATTGAGTCTGTGAGCTTGACGGTC  
 ATGAGTACATCTACGTGGACCCTGTGCAGTTGCCTTACGACTCCACCTGGGAGCTGCCACGGGACCAGCT  
 TGTTCTGGGACGCACTTGGCTCTGGGCTTTCGGACAGGTGGTGGAGGCCACAGCTCACGGTCTGAGC  
 CATTTCGACAGGCCACCATGAAAGTGGCTGTCAAGATGCTGAAATCGACAGCCAGAAGTAGCGAGAAGCAAG  
 CCTTAATGTCCGAGCTGAAGATTATGAGTCATCTTGGACCCACCTGAACGTGGTCAACCTGCTGGGGC  
 CTGCACCAAAGGAGGGCCATCTACATCATCACGGAATACTGCCGATACGGTGTCTGGTGGACTACCTG  
 CACCGGAACAACACACCTTCTTGCAGCGACACTCCAACAAGCATTGTCCGCCAGTGTGAGCTTACA  
 GCAACGCCCTGCCAGTGGGTTCTCCCTACCCAGCCACTTGAACCTGACTGGGAGAGTGACGGTGGCTA  
 CATGGATATGAGCAAGGATGAATCTATAGATTACGTGCCATGTTGGACATGAAAGGAGACATCAAATAC  
 GCAGACATTGAGTCCCCAGCTACATGGCCCTTATGATAACTATGTCCATCTGCCCTGAAAGGACCT  
 ATCGCGCCACCTTAATCAACGACTCACCAAGTGTCTGAGCTACACAGACCTCGTGGGCTTACAGTACCAAGT  
 GGCAACGGCATGGACTTCTTAGCCTCTAAGAAGTGTGTTACCCGAGACTTGGCGCCAGGAATGTGCTC  
 ATCTGCGAGGGCAAGCTGGTCAAGATCTGTGACTTCCGGCTGGCTCGAGACATCATGAGGGACTCAAAT  
 ACATCTCAAAGGCAGCACCTTCTGCCTCTGAAGTGGATGGCCCAGAGAGCATCTTCAACAGCCTCTA  
 CACCACTTTGAGTGATGTCTGGTCTTTGGGATCCTACTCTGGGAGATCTTCACTGGTGGCACCCCT  
 TACCCAGAGCTGCCATGAACGACCAGTTCTACAATGCCATCAAGAGGGGCTACCGCATGGCCCAGCCTG  
 CTCATGCCTCCGACGAGATCTATGAGATCATGCAGAAATGCTGGGAAGAAAAGTTGAGACTCGACCCCT  
 TTTCTCCAGCTGGTGTCTCTGGAGAGGCTTCTGGGTGAAGGCTATAAAAAGAAGTACCAGCAGGTA  
 GATGAGGAGTTCTGAGGAGTGACCATCTGCCATCTGAGGTCCAAGCCGCTTTCGGGGATCCACA  
 GCCTCCGATCCCCCTGAGACACCAGCTCTGTTCTTACTGCTGACCGTGCAGCCCAATGAGAGTGACAATGA  
 CTACATCATCCCCCTTACCTGACCCCAAGCCTGACGTTGCTGATGAAGGTCTCCAGAGGGGTCCCCAGC  
 CTTGCCAGTTCCACCTTGAATGAAGTCAACACTTCTCCACCATCTCTGCGACAGTCCCCTGGAGCTCC  
 AAGAAGAGCCACAGCAAGCAGAGCCTGAGGCACAACCTGGAGCAGCCACAGGATTCAGGCTGCCAGGACC  
 TCTGGCTGAAGCAGAGGACAGCTTCTGTAGGAACTGACATCACTCCATTTTGCCTGAATCTCCCTTCTG  
 CCTCCAGAACCAACCTTCTGGCCTGGCCTGGCCTGGCCTCCCAGCAGCTACTGCCACAAG  
 CTGTCCCCTCGAGGAAAGCCCTTGGTTTGCAGCACTCAAGGTCCAGGGACCCAGCTTAGCTTAGGAGGCA  
 AGAGAACTCTGCCTCGGGAAGGTCATGGGACTCTGAACCAGGTTCTCCAGGGGACTCAGTTTCCCAA  
 ATGTAAGAGGAAGAGTTGTAAGTGGCTACAGGACAGGTCTGGAGCCCGGATTCCTGCAGAAATCCAGGAC  
 TGTACGGTGGTGTTCATATCCTCTGTGTAGCAGCTGCCCCCTCAGCTGGATTGCTCTACTTTGATCTT  
 CCTAAGAATCAGGCAAGGACCTGGTGTCTGGCTCCTGGCCAAACTGTAACCAGCCTTGGACAAGGTCTTT  
 TCATTCAGAGCCACCTCCCCTGGTCTTAGCTTTCCAGGCCCGAGCTGGTCTGGGGCCAGCCATGCTTA  
 ATGAATGCTGTTAGTGGTGAAGGTAGGCCGAGTACAGAATGCTCTGGCCTGCAGCCCTGCCTGGGCACTC  
 AGGGCACACCTGGCCACAGGAAGCACCCACTCCTTTCAGCCCCACCAGTCTAGAATAGTCCCCAGGTCA  
 CTCTCAGCTGACCCACCCAGAGTCTGCAGGGCCATTGTCCAGCCTGTGATAGGCTAAGCATCTGCC  
 TGAAGTGTGTACCTACCCTAGGAGCCCTGGCTCTGCGCTGGACCTGCTATGAGACCTTGGGGGCTTCC  
 TTGTTCTCTCTGGGACCAAGTTTTCTTTCCCTTTGAAAAGCAAGTTGGACACATAGACTCTGAGTACCC  
 TGCAATAGTACAATTCTTGTATGTTCTGGGAGTTTGTCTTGTCCCGAGGAAGCAGGGTCAAGTCTTA  
 AACTGATCTTTCTAGGGTCTGAGCTCTTGGAAAGTCCCTGATACACTTCACTCTGGGGTTCAG  
 GAACCGAGCCTCTTCTCAAGTCTCAAGTGAACCTGCCAGACCTTGAAGTGGAGTGACAGTGTGTC  
 CTAGGAAACCCCTTACAGCTGTCTGAGGACACAGAAGAGACCAGACCCCTTTTTTTCATATCATGA  
 AGCCAGCAAGAGTGGCAGAGAAGGCAAGCCAGGTTACCTCGGGCACTGTACCAGCAGCGTGTGGACAG  
 ACATGATGGACAGTGGAGACAGAGTCCATGCAGGACAAGAGACTTGAGATGGGCAATGAGAGGAAGAT  
 GCTGACGGGATTACCACCTCAACTGCCAGCTGCCCCCTGCCAGGGAGCACCCACAGAACAGTTCTA  
 ACCCTGAACCAATGAACATTGCAAGTGCCTGGGACTAGGGAGTGGGGGAAGTCAAGCCTTCTGGGGAC  
 CCTCCCTGCTAGCTGGTTGGCTAGCTGGCATCTCCCCGCTTGGAGCAGCAGAGGCTGGGGAGTACTGCTC  
 ACAATGGTACAAAGATAGAATCACCTAGGTTTACAAGTACTTGTAGGACTCGAGATAACCCACATTTAG  
 ACACCGGAAGTGTATTTTATATGCTGTTAAGTTTTCTATCTGTACTTTTTTTTTAAATGGGAAAGATT  
 TTAATATTAACCTGGTGTCTCTACTGAAAAAAAAAAAAAAAAAAAA

<b>Restriction Sites:</b>	RsrII-NotI
<b>ACCN:</b>	NM_008809
<b>Insert Size:</b>	3300 bp
<b>OTI Disclaimer:</b>	<p>Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at <a href="mailto:custsupport@origene.com">custsupport@origene.com</a> or by calling 301.340.3188 option 3 for pricing and delivery.</p> <p>The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <a href="#">More info</a></p>
<b>Components:</b>	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
<b>Reconstitution Method:</b>	<ol style="list-style-type: none"> <li>1. Centrifuge at 5,000xg for 5min.</li> <li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li> <li>3. Close the tube and incubate for 10 minutes at room temperature.</li> <li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li> <li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li> </ol>
<b>RefSeq:</b>	<a href="#">BC055311</a> , <a href="#">AAH55311</a>
<b>RefSeq Size:</b>	5435 bp
<b>RefSeq ORF:</b>	3300 bp
<b>Locus ID:</b>	18596
<b>UniProt ID:</b>	<a href="#">P05622</a>
<b>Cytogenetics:</b>	18 34.41 cM

**Gene Summary:**

Tyrosine-protein kinase that acts as cell-surface receptor for homodimeric PDGFB and PDGFD and for heterodimers formed by PDGFA and PDGFB, and plays an essential role in the regulation of embryonic development, cell proliferation, survival, differentiation, chemotaxis and migration. Plays an essential role in blood vessel development by promoting proliferation, migration and recruitment of pericytes and smooth muscle cells to endothelial cells. Plays a role in the migration of vascular smooth muscle cells and the formation of neointima at vascular injury sites. Required for normal development of the cardiovascular system. Required for normal recruitment of pericytes (mesangial cells) in the kidney glomerulus, and for normal formation of a branched network of capillaries in kidney glomeruli. Promotes rearrangement of the actin cytoskeleton and the formation of membrane ruffles. Binding of its cognate ligands - homodimeric PDGFB, heterodimers formed by PDGFA and PDGFB or homodimeric PDGFD -leads to the activation of several signaling cascades; the response depends on the nature of the bound ligand and is modulated by the formation of heterodimers between PDGFRA and PDGFRB. Phosphorylates PLCG1, PIK3R1, PTPN11, RASA1/GAP, CBL, SHC1 and NCK1. Activation of PLCG1 leads to the production of the cellular signaling molecules diacylglycerol and inositol 1,4,5-trisphosphate, mobilization of cytosolic Ca(2+) and the activation of protein kinase C. Phosphorylation of PIK3R1, the regulatory subunit of phosphatidylinositol 3-kinase, leads to the activation of the AKT1 signaling pathway. Phosphorylation of SHC1, or of the C-terminus of PTPN11, creates a binding site for GRB2, resulting in the activation of HRAS, RAF1 and down-stream MAP kinases, including MAPK1/ERK2 and/or MAPK3/ERK1. Promotes phosphorylation and activation of SRC family kinases. Promotes phosphorylation of PDCD6IP/ALIX and STAM (By similarity). Receptor signaling is down-regulated by protein phosphatases that dephosphorylate the receptor and its down-stream effectors, and by rapid internalization of the activated receptor.[UniProtKB/Swiss-Prot Function]

Transcript Variant: This variant (2) contains an alternate in-frame splice site, compared to variant 1, that results in an isoform (2) that is one amino acid shorter than isoform 1.