

Product datasheet for **MC205232**

Itch (NM_008395) Mouse Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Itch (NM_008395) Mouse Untagged Clone
Tag:	Tag Free
Symbol:	Itch
Synonyms:	6720481N21Rik; 8030492O04Rik; A130065M08; AIP4; C230047C07Rik
Mammalian Cell Selection:	Neomycin
Vector:	PCMV6-Kan/Neo (PCMV6KN)
E. coli Selection:	Kanamycin (25 ug/mL)
Fully Sequenced ORF:	>BC062934

```

ACCGGCTGCCATCTTAGCGGAGGGACTGAGGAGTCGTCGCCGCCCGAGTCCCGGTAACATGCATTTAC
AGTGGCCTTCTGGAACAACGCCTTAACCCTAAGAAGTGACTCAGCCATTGAGAATTCAGGTTTGTGT
CTTATTGATGGTATGTCTGACAGTGACCACAGCTTGATTCCATGGGTAGTCTGACCATGAAATCTCAAC
TTCAGATCACTGTCATCTCAGCCAACTTAAAGAAAATAAAAAGAATTGGTTTGGACCAAGTCCTTATGT
AGAAGTCACAGTAGATGGACAGTCAAAGAAGACAGAAAAATGCAATAATACAAACAGTCCCAAGTGAAG
CAGCCCCACAGTTATTGTTACCCCTACGAGTAAATTATGTTTTCGTGTGTGGAGTACCAGACCCCTGA
AGTCTGATGTTTTATTGGGAAGTCTGGATTAGATATTTATGAAACATTAAGTCAAACAATATGAAACT
TGAAGAAGTAGTTATGACTTTGCAGCTTGTAGGTGACAAAGAGCCAACAGAGACGATGGGAGATTTGTCA
GTTTTGCTTGATGGGCTGCAAGTAGAAGCTGAGGTTGTTACTAACGGTGAACCGTCATGCTCCGAGAGTA
CTACACAGAATGATGATGGCTGCAGAACCAGAGATGATACAAGAGTGAGCACAAATGGATCAGAGGACCC
TGAGGTTGCAGCGTCAGGGGAAAACAAGAGGGCCAATGGGAACAATTCTCCGTCCCTTTCAAATGGTGGT
TTTAAGCCTTCTAGACCTCCTAGACCTTCGAGACCACCTCCACCCACCCACGAAGACCAGCTTCTGTCA
ATGGCTCACCATCCACGAATTCTGACAGTGATGGATCTAGTACAGGCTCCTTGCCACCAACAAAATACAAA
TGTAATAACAAGTACATCTGAAGGAGCAACATCTGGATTAATAATTCCTTACTATATCTGGAGGCTCG
GGCCCTAGGCCTCTGAATACTGTAAAGCCAAGCTCCCTACCACCTGGGTGGGAGCAGAGAGTAGACCAGC
ATGGGCGTGTACTATGTAGACCATGTTGAAAAGCGAACAACATGGGATAGACCAGAACCTCTACCTCC
TGGCTGGGAACGGCGTGTGGACAATATGGGACGTATTTATTATGTTGATCATTTCACAAGAACCACAACA
TGGCAGAGGCCAACCTTGAATCTGTCCGGAATGAAACAGTGGCAGCTACAGCTAGTCAGCTTCAGG
GAGCAATGCAGCAGTTTAAACCAGAGATTCTATGGGAATCAAGATTTGTTTGCTACACAAAACAA
AGAATTTGATCCGCTTGGTCCGTTGCCCTGGATGGGAGAAGAGAAGTATAGCAACGGCAGAGTGTAT
TTTGTCACACCACAACACTCGGATTACTCAGTGGGAAGACCCAGAAAGCCAAGGTCAGTTAAATGAAAAGC
CCTTACCAGAAGGCTGGGAAATGAGATTCACAGTGGATGGAATTCATATTTTGTGGACCACAATAGAAG
AGCAACTACTTATATAGATCCACGAACGGGAAAATCAGCCTTAGACAATGGGCCCCAGATAGCCTATGTG
CGGGACTTCAAGGCAAAAAGTTCAGTATTTCCGGTTCTGGTGCCAGCAACTGGCCATGCCACAGCATATAA
AGATCACAGTGACAAGAAAAACATTGTTTGAGGATTCCTTTCAGCAGATCATGAGCTTCAGCCCGAAGA
CCTGAGAAGACGTTTGTGGGTGATTTTCCAGGAGAAGAAGGTTTAGATTATGGAGGTGTAGCAAGAGAA

```



[View online >](#)

TGGTTCCTTTCTTTGTCACATGAAGTGTGAACCCAATGTATTGCCTGTTGAATATGCAGGGAAGGATA
 ACTACTGCCTGCAGATAAACCCCGCTTCTTACATCAATCCAGACCACCTGAAACTTTTCGTTTTATTGG
 CAGATTTATTGCCATGGCTCTGTTTCATGGGAAATTCATAGATACCGGATTTTCTTTACCATTCTATAAA
 CGTATCCTGAATAAACAGTTGGACTGAAGGATTTAGAATCTATTGATCCAGAATTTTATAATTCGCTCA
 TCTGGGTTAAAGAAAACAACATTGAAGAATGTGGTTTGGAAATGACTTCTCAGTTGATAAAGAAATTC
 AGGTGAAATTAAGAGTCATGATTTGAAACCCAATGGTGGCAATATTCTTGTGACAGAAGAAAACAAGGAG
 GAATACATCAGGATGGTAGCTGAGTGGAGTTGTCTCGAGGTGTTGAAGAACAGACACAAGCTTTCTTTG
 AGGGCTTTAATGAAATTCCTCAGCAATATTTGCAATATTTTGATGCGAAGGAATTAGAGGTTCTTCT
 GTGTGGGATGCAGGAGATTGATTGAATGACTGGCAGAGACATGCCATCTACCGCCACTACACCAGAACA
 AGCAAGCAGATCATGTGGTTTTGGCAGTTTGTAAAGAAATTGATAATGAGAAGAGGATGAGACTTCTGC
 AGTTTTGTACTGGAACCTGCCGATTGCCAGTGGGAGGATTTGCTGACCTTATGGGGAGTAATGGACCACA
 GAAGTTCTGCATCGAAAAAGTTGGCAAAGAAAATTGGTTACCCAGAAGCCATACTGTTTTAACCGCCTG
 GACCTCCCACCTACAAGAGCTATGAGCAACTGAAGGAAAAGCTGTTATTTGCCATTGAAGAAACTGAAG
 GATTTGGACAAGGTAATTGTTTAGACCTTAAGCCACCAGAGGCCAGGGACTTGCTGCAGTGTCTGTCC
 CCTTCCTTCTCTGCTGTGCACATCTTATTGAAACTTGGACTGTGACTAGAGAGTTACCTGAGAGTAA
 GTAATTAATGTTATCGTTGAGATCTTCCAGTCATTCTGGATTTCTACTCAACGTTTCCAGAAAAGCAGAT
 CTACAAACTGTAGTCAGAACTTAACATGAGATTTAACACAGCGAGGAAATTTCCCTCGTCTTATCCAC
 TAGATTGTTCCCTTAACAACAGTTTGTGTATGTCCGAAGTCTCACTTGGGCATAGGTCTCTTAGTGGGT
 ATTGTAAGGATTCTGCAGGGACATCTCGGAAACGCAATACACAAGGCTTCTGTAAAGCCTCGCTCAG
 AGGTGCAAGCTTAACTCAGTGTCTGGGCACATGAGCAGCTGTGCTTGTGCTCTCCGCTCGTCCCAGCCT
 GGCCTGACTGTTGTTTTCTCCTGGAGCATGAATCAGTGCACCATTCTGATGCTATTCTGGAAGTGA
 TGCAGGACTTGCATTTTCTACAAGTAGTTTTGTCTATTTGAATTCAGGGAAAACCTGGTCCCCGCCAA
 CATATGACCATACTCTCTTCAATCAGTTTGTAAATGTTCTATTGCTTGCAAAATACTAACTTTACAAA
 CAGTATCAGCACTGTGGTTCCTTCCAGTCTTTAGAAAATTAACCTAGAATTAATAAAGTTTCAGATGAAT
 CATCTAAGATCATTCTTGATTTTTTAAATCCTACACATAAATTGAAGCTTTATGGTGTGAAGTAAATCC
 AACACCTTAGTTACATTTTCTTTGCTAAACTATTCAAGTTGCAACCATTTCTAACACAAATGGAGGT
 CAGTGGTGCAGACTCTGCAGTCACAACAGCGTCCAGCAGCCACACAGCTGCGCTGTCTTACACTCCACT
 CCTGACACAGGAGCAGCCGTGTCTACCCTTACATGGTCTGATCTACAATATTTTTCTCTCCCCTAAA
 AATTGTAGATTTCCCTTTCTTTCCATGACTCCTTTATCTTAGGCTGCTCCTTTAGTAACTGATGAATGC
 ACTTTGACCTTCTGTAGGTCAATTTACCTTGGCTTAGCATTAGACTGTGAGGATGGTTGCTGCCAGAC
 TTTATGGGCAGCAAGATGAAACCTCAGCCAGGTGAGTCCCTATTGTAGCCAAATCCCAAATTAGCCTTA
 TTTCTCTAATGGGACCTTGAAATGTGTTGGTGGCATAGCATAAAGCCAAGAACCAAGTGTGACAAC
 CCCTGTCCCATAGGAAAGAAAGTGTCTGTGTCCCTAGCTGCTCATCCTGTTCTCATCCTGGGACAGTT
 TGAACCTGTCAGCTGTGCTCCTAACACTGCCATCCTCAGCAGAGACGTGACAGACGGGTTGCCTCATG
 AAGAAGTGATCAGTGAAGGGAGAGCTCGGCTCCTCCCCAGCCCTTTTTACCCTTATACCACAAGAAAT
 ACATGTCACTCTAGAAGCCCTAGTTCTTTCCAAAGTAGGAAATCTCTGCCTTTTTGTTGGTAGGGTTAA
 AAAAAATGTATATGCTAATTTGCTTTGCTTACAGAGCGAATGTCTGCCAACTATCCATTCACTACATAG
 GCCTGAACCTTTGGTAATAAATGGCTATAAATATTAAGCCTTCTACAAAGACTTCTATTGAATCCAATC
 TTGTACTAAAACATAGTTATCTACCATATTCAGTATGAGATTTATGAGATTAATAAAGAGATAATGTAAG
 AAAATAGACTTTGTTGATTCTGCATAATGCTTCAATGATTCAATTTAGGGACCTAGAAATATTATGTAAAA
 TGTATAAATATCATCCAAAAGGCTTTCTGCCCTATATTTTTAAAAATACAGAAGTTATATTTGAAGTAGTC
 CTGGCCCTAGTTCTATAGGGCTTGGCTATTTAATATTTTTATGGAAGAAACGTTTAGTTCTGAAAAAGGT
 AAATGCTTGTATATTTTTGCAGCCCTGGAGTCTCCCAACTCCATTTCTTCTTTAATTTAATTGATCA
 CATGTATATGCTTCCCTGCTGTGTTAGAAAAACGGGGCTGGATATCCAGGAGTCAGAGCGTATATAA
 GACAATGCACCTAAACAGCAGGCACATTGACCAGATGCTCTCAAATTTGGTCCAAAATGAGTATTTGGG
 AATAGATTTATTGTAATGTTAATTAGCGATTTTCTTAAATCTGGATGGACTAAGTTGCTTTTAAAGAC
 CTTTTTCTGTGAAGCATCGTAAATGCTAATCAACCTGTTAAGTTTTTTTTTTTCTTACTGCATGTTACA
 TTGAAATAAAAACAGAGTAAAATGAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA

Restriction Sites:

Ascl-NotI

ACCN:

NM_008395

Insert Size:	2595 bp
OTI Disclaimer:	Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none"> 1. Centrifuge at 5,000xg for 5min. 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. 3. Close the tube and incubate for 10 minutes at room temperature. 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	<u>BC062934</u> , <u>AAH62934</u>
RefSeq Size:	5163 bp
RefSeq ORF:	2595 bp
Locus ID:	16396
UniProt ID:	<u>Q8C863</u>
Cytogenetics:	2 76.94 cM

Gene Summary:

Acts as an E3 ubiquitin-protein ligase which accepts ubiquitin from an E2 ubiquitin-conjugating enzyme in the form of a thioester and then directly transfers the ubiquitin to targeted substrates (PubMed:15358865, PubMed:16446428, PubMed:17592138, PubMed:18628966, PubMed:20392206, PubMed:25632008). It catalyzes 'Lys-29', 'Lys-48'- and 'Lys-63'-linked ubiquitin conjugation (By similarity). Involved in the control of inflammatory signaling pathways (By similarity). Is an essential component of a ubiquitin-editing protein complex, comprising also TNFAIP3, TAX1BP1 and RNF11, that ensures the transient nature of inflammatory signaling pathways (By similarity). Promotes the association of the complex after TNF stimulation (By similarity). Once the complex is formed, TNFAIP3 deubiquitinates 'Lys-63' polyubiquitin chains on RIPK1 and catalyzes the formation of 'Lys-48'-polyubiquitin chains (By similarity). This leads to RIPK1 proteasomal degradation and consequently termination of the TNF- or LPS-mediated activation of NFkB1 (By similarity). Ubiquitinates RIPK2 by 'Lys-63'-linked conjugation and influences NOD2-dependent signal transduction pathways (By similarity). Regulates the transcriptional activity of several transcription factors involved in immune response (PubMed:15358865, PubMed:11828324). Ubiquitinates NFE2 by 'Lys-63' linkages and is implicated in the control of the development of hematopoietic lineages (By similarity). Mediates JUN ubiquitination and degradation (PubMed:15358865). Mediates JUNB ubiquitination and degradation (PubMed:11828324, PubMed:15358865). Critical regulator of type 2 helper T (Th2) cell cytokine production by inducing JUNB ubiquitination and degradation (PubMed:11828324). Involved in the negative regulation of MAVS-dependent cellular antiviral responses (By similarity). Ubiquitinates MAVS through 'Lys-48'-linked conjugation resulting in MAVS proteasomal degradation (By similarity). Following ligand stimulation, regulates sorting of Wnt receptor FZD4 to the degradative endocytic pathway probably by modulating PI42KA activity (By similarity). Ubiquitinates PI4K2A and negatively regulates its catalytic activity (By similarity). Ubiquitinates chemokine receptor CXCR4 and regulates sorting of CXCR4 to the degradative endocytic pathway following ligand stimulation by ubiquitinating endosomal sorting complex required for transport ESCRT-0 components HGS and STAM (By similarity). Targets DTX1 for lysosomal degradation and controls NOTCH1 degradation, in the absence of ligand, through 'Lys-29'-linked polyubiquitination (PubMed:18628966). Ubiquitinates SNX9 (By similarity). Ubiquitinates MAP3K7 through 'Lys-48'-linked conjugation (PubMed:25632008). Involved in the regulation of apoptosis and reactive oxygen species levels through the ubiquitination and proteasomal degradation of TXNIP (By similarity). Mediates the antiapoptotic activity of epidermal growth factor through the ubiquitination and proteasomal degradation of p15 BID (PubMed:20392206). Ubiquitinates BRAT1 and this ubiquitination is enhanced in the presence of NDFIP1 (By similarity).[UniProtKB/Swiss-Prot Function]

Transcript Variant: This variant (1) represents the shorter transcript. Variants 1 and 2 encode the same protein.