

Product datasheet for **MC205314**

Map2k6 (NM_011943) Mouse Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Map2k6 (NM_011943) Mouse Untagged Clone
Tag:	Tag Free
Symbol:	Map2k6
Synonyms:	MEK6; MKK6; Prkmk6; SAPKK3
Mammalian Cell Selection:	Neomycin
Vector:	PCMV6-Kan/Neo (PCMV6KN)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)

Fully Sequenced ORF: >BC075652
TACCATTCTGATGTTGGAGCGGCCCTGCCCTGGCCCATCATGTAGCTGCAGCACAGCCTTCCTAACG
TTGCAACTGGGGGAAAAATCACTTTCTAGACTGTTTTGCAAGGTGTGCAATTCACCTTGACTCCCTGAA
AGTCCATCTGCTGCATCGGTCAAGAGAACTCCACTTGCATGAAGATTGCACGCCCTGCAGCTTGCATCTT
TGTTGCAAAACTAGCTACAGAAGAGAAGCAAGGCAAAGTCTTTGTGCTCCCTCCCCATCAAAGGAAA
GGGGAAAATGTCTCAGTCGAAAGGCAAGAAGCGAAACCCGGGCCTTAAGATTCCAAAAGAAGCGTTTGAA
CAGCCTCAGACCAGTCCACGCCCTCGGGATTTAGACTCCAAGGCTTGCATATCTATTGGAAACCAGA
ACTTTGAGGTGAAGGCAGATGACCTGGAGCCGATAGTGGAGCTGGGACGAGGTGCCGTACGGGTGGTGGA
GAAGATGCGTACGTGCCAGCGGGCAGATCATGGCAGTGAAGCGGATACGGGCCACAGTTAATAGCCAG
GAACAGAAACGGCTGCTGATGGATTTGGATGTCTCCATGAGGACGGTGGACTGTCCATTCACCGTGACCT
TCTACGGTGCCTTCCGGGAGGGCGACGTGTGGATCTGCATGGAGCTCATGGATACGTCACTAGATAA
ATTCTACAAACAAGTTATTGATAAAGGCCAAACAATTCCAGAGGATATCTTAGGAAAGATAGCAGTTTCT
ATTGTAAGCGTTAGAACATTTACACAGTAAGCTGTCTGTTATCCATCGAGACGTCAAGCCTTCTAATG
TGCTCATTAAACACTGGCCAGGTGAAGATGTGTGACTTTGGAATCAGTGGCTACCTGGTCGACTCTGT
TGCTAAAACGATCGATGCCGGTTGCAAACCATAACATGGCTCCTGAACGAATAAATCCAGAGCTCAACCAG
AAGGGGTACAGTGTGAAGTCTGACATTTGGAGCCTGGGCATACCATGATCGAGCTGGCCATCCTTCGGT
TTCTTATGATTCTTGGGGAACGCCCTCCAGCAGCTAAAGCAGGTGGTGAAGAGCCCTCTCCTCAGCT
CCCAGCAGACAAGTTCTCCGCGGACTTTGTTGACTTTACCTCACAGTGCTTGAAGAAAAATTCAAAAGAA
CGGCCACATATCCAGAGCTTATGCAACATCCATTTTTACCGTACATGAATCCAAAGCAGCAGACGTGG
CATTTTTGTAAGTACTTGGGGACTAAAAAGCCATGGACTTAAGTGGTCCGACCCTACTGTGGATT
GGTGGGTTACAGGGTGAAGAAAGTTCACTACAGAGCCAAACAGAAAGTCACTTGGAGTCAATGAACCT
GCCTTTCTGAGGGTTTCTCTCCCGTTTTCTTTTTCTCTCCAAAGGGGGCCTTGAATCTCTAGCG
TAGGCTGAACCTCTAGATGGATGAAATACAACAAGGCTTAGGACTTGAATGGTGATTAATATTTAA
TGGCAAGTCATACGGGTGGTCCCTCGAGTCTCAGATCTCTCGTCTTTACGAAATGAATGCAATTG
GCCCTGGTAACAAGGTGCTACAGTAGTGAAGAGATTGTGAAGTAGATTTGTAGCGTATCCCACTTATTAT
TTAATATTTATGTTTCAGTGCTTGGTTGGAAATATTCCATTTTATGCAAGAAGGGAGATACAGAGACAG
GGCTGACTCGGCAGTATTATAGGGCTTTATTTTTTTGAGTTCAATCATGTCTGTGGTCCAGAGGAAG
TTATTTAATATGCATTTTAAGGATATTAAAAATCTCCAGCAAAGGGCTCTTCTGTACAGTGTGGC
TTGCAGCTCTCATGGCTGCTGCTCCGACTGTCAACTCAACCGTGGCTGATCATCGCATCGTTTGAATGA
ACTGTCAAAGTTAATGTCCCCCGCTCCCTCCCCCAACTTTGAAAACCATGAAAGTCACTTGTATCAG
GCTCAAAGAGTAAAAAATACAATGGTTCTCTTCAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA A

Restriction Sites: Ascl-NotI

ACCN: NM_011943

Insert Size: 1005 bp

OTI Disclaimer: Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [BC075652](#), [AAH75652](#)

RefSeq Size: 2101 bp

RefSeq ORF: 1005 bp

Locus ID: 26399

UniProt ID: [P70236](#)

Cytogenetics: 11 E1- E2

Gene Summary: Dual specificity protein kinase which acts as an essential component of the MAP kinase signal transduction pathway. With MAP3K3/MKK3, catalyzes the concomitant phosphorylation of a threonine and a tyrosine residue in the MAP kinases p38 MAPK11, MAPK12, MAPK13 and MAPK14 and plays an important role in the regulation of cellular responses to cytokines and all kinds of stresses. Especially, MAP2K3/MKK3 and MAP2K6/MKK6 are both essential for the activation of MAPK11 and MAPK13 induced by environmental stress, whereas MAP2K6/MKK6 is the major MAPK11 activator in response to TNF. MAP2K6/MKK6 also phosphorylates and activates PAK6. The p38 MAP kinase signal transduction pathway leads to direct activation of transcription factors. Nuclear targets of p38 MAP kinase include the transcription factors ATF2 and ELK1. Within the p38 MAPK signal transduction pathway, MAP3K6/MKK6 mediates phosphorylation of STAT4 through MAPK14 activation, and is therefore required for STAT4 activation and STAT4-regulated gene expression in response to IL-12 stimulation. The pathway is also crucial for IL-6-induced SOCS3 expression and down-regulation of IL-6-mediated gene induction; and for IFNG-dependent gene transcription. Has a role in osteoclast differentiation through NF-kappa-B transactivation by TNFSF11, and in endochondral ossification and since SOX9 is another likely downstream target of the p38 MAPK pathway. MAP2K6/MKK6 mediates apoptotic cell death in thymocytes. Acts also as a regulator for melanocytes dendricity, through the modulation of Rho family GTPases.[UniProtKB/Swiss-Prot Function]

Transcript Variant: This variant (1) represents the longest transcript and encodes the longest isoform (1).