

## Product datasheet for **MC205980**

### Mfn2 (NM\_133201) Mouse Untagged Clone

#### Product data:

Product Type:	Expression Plasmids
Product Name:	Mfn2 (NM_133201) Mouse Untagged Clone
Tag:	Tag Free
Symbol:	Mfn2
Synonyms:	D630023P19Rik; Fzo
Mammalian Cell Selection:	Neomycin
Vector:	PCMV6-Kan/Neo (PCMV6KN)
E. coli Selection:	Kanamycin (25 ug/mL)

#### Fully Sequenced ORF:

>BC046503  
 GATGGCCGCCGAGGCCGGGAAGGTGAAGAAGCTTGGACAGGTGGAGTCAACACCATCAGGGGCCAAC  
 TGGACCTGAATCAGCACAGAGGAGACCTCGAGTCTTTTCATCTTCTGACTCCAGCCATGTCCACGATG  
 CCCAACCTGTGAAGGTCTTTACCAGCTAGAAACGAGATGTCCTGCTCTTTTCTCGATGCAACTCCATC  
 GTCACCGTCAAGAAGGATAAGCGACACATGGCTGAAGTGAATGCTTCCCCTCTCAAGCACTTTGTCACTG  
 CCAAGAAAAAGATCAATGGAATCTTTGAGCAGCTGGGGCCACATCCAAGAGAGCGCCAGCTTCCTTGA  
 AGACACCCACAGGAACACAGAAGTGGACCCGGTTACCACGGAAGAGCAGGTCTGGACGTCAAAGGGTAC  
 CTGTCCAAGGTCAAGGGTATCAGCGAAGTGTGGCCAGGCGGCACATGAAGGTGGCTTTTTTTGGCCGGA  
 CGAGCAATGGGAAGAGCACCGTGATCAATGCCATGCTCTGGGACAAAGTCTGCTATCTGGGATTGGTCA  
 TACCACCAATTGCTTCTGCGGGTTGGGGGCACAGATGGCCATGAGGCCCTTCTCCTCACAGAGGGCTCA  
 GAAGAGAAGAAGAGTGTCAAGACTGTGAACCAACTGGCCCATGCCCTCCATCAGGACGAGCAGTTGCATG  
 CAGGCAGCATGGTGAGTGTGATGTGGCCCAACTCCAAGTGTCCGCTCCTGAAGGATGACCTCGTGCTGAT  
 GGACAGCCCTGGGATCGATGTTACCACGGAGCTGGACAGCTGGATTGATAAGTTTTGCTGGATGCTGAT  
 GTGTTTGTGCTGGTGGCCAACTCAGAGTCCACGCTGATGCAGACGGAGAAGCAGTTCTTCCACAAAGTGA  
 GTGAACGTCTCTCCCGCCCAACATCTTCATCCTGAACAACCGCTGGGATGCGTCTGCCTCGGAGCCTGA  
 GTACATGGAGGAGGTGCGGCGGCAGCACATGGAGCGTGCACCAGCTTTCTGGTGGATGAGCTGGGCGTG  
 GTGGATCGAGCTCAGGCTGGGGACCGGATCTTCTTCGTGTCTGCCAAGGAGGTTCTCAGCGCCAGGGTCC  
 AGAAAGCCAGGGCATGCCAGAAGGAGGCGCGCTCTCGCAGAAGTTTTCAAGTGAGGATGTTTGAGTT  
 TCAGAAATTCGAGAGGCAGTTTGAGGAGTGCATTTCCAGTCTGCAGTAAAGACCAATTTGAGCAGCAC  
 ACAGTCCGGGCCAAGCAGATTGCAGAGGCGGTTGCTCTCATCATGGATTCCCTGCACATCGCAGCTCAGG  
 AGCAGCGGGTTTTATTGCCTAGAAATGCGGGAAGAGCGGCAAGACCGGCTGAGTTTTATTGACAAGCAGCT  
 GGAGCTCCTGGCTCAAGACTACAAGCTGCGAATTAAGCAGATTACGGAGGAAGTGAAAGGCAGGTGTC  
 ACAGCCATGGCTGAAGAGATCAGGCGCCTCTGTGCTAGTTGACGAGTACCAGATGGACTTCCACCCAT  
 CCCCAGTTGTCTCAAGTTTTATAAGAACGAGCTGCACCGCCATATAGAGGAAGGTCTGGGCCGGAACCT  
 GTCTGACCCTGCTCCACTGCCATTGCCAGTTCAGTGCAGACTATGCAGCAGGACATGATAGACGGCTTG  
 AAGCCCTTCTTCTGTATCTATGCGGAATCAGATAGACATGCTGGTCCCTCGACAGTGTCTCCCTCA  
 GCTATGACCTGAATTGTGACAAGCTGTGTGCTGACTTTCAGGAGGACATCGAGTTCACCTTCTCCCTTG



[View online »](#)

ATGGA CTATGCTAGTGAACAGGTTCTGGGCCCAAGAATAGCCGCCGGGCTTGTAGGCTACAGTGAT  
 CAGGTTACAGCTCCTCTCCCTCTGACACCTGCCAACCCAGCATGCCCCCTTGCCACAGAGCTCCCTCA  
 CCCAGGAGGAGCTCATGGTCTCCATGGTACTGGCCTGGCCTCTCTGACGTCTAGGACCTCCATGGGCAT  
 TCTTGTGGTGGGAGGAGTGGTGTGGAAGGCAGTGGGCTGGAGACTCATCGCCCTCTCCTTTGGACTGTAT  
 GGCCTCCTGTACGTCTATGAGCGACTGACCTGGACCACCAAGCCAAAGAGAGGGCCCTTCAAGCGCCAGT  
 TTGTGGAATACGCCAGTGAAGCTACAGCTCATCATCAGTTACACCGGCTCTAACTGCAGCCACCAAGT  
 CCAGCAGGAATTGTCTGGGACATTTGCTCATCTGTGCCAGCAAGTTGACATCACCCGAGATAATCTGGAG  
 CAGGAAATTGCTGCCATGAACAAGAAAGTCGAGGCTCTGGATTCACTTCAGAGCAGAGCCAAACTGCTCA  
 GGAATAAAGCTGGCTGGTTGGACAGCGAACTCAACATGTTACACACCAGTACCTGCAGCCAGCAGATA  
 GTGGGCAGCCAGGGCGGACCTGCACGAAGAAGAGGCAGGGCCGCACCTCCCATCAGCTCTAGTCCTTGGC  
 CGCTGCAGAGAGAAGGAAAGCACCCAGTCTTGTACCAGTTACTCCCTACCCCTGCAGGAAGACCCCTGG  
 CTCATACCCTAATGGAGACCAACAAGGACTGGACAGCTCGGCTCCAAGGAGTTATGCATGTGTCTGTGTC  
 TGCTCCTCAGCTCACCCGGTTGAAAGTACTGTGCATTTGATAAAGTTTTCTCAGAATGGCACCTGTC  
 AGAATGACTGATGGGCGCCTTACAGGCATCAGGCAGCCACTCTACTTTCTCCAGCCTGAGCACACCTA  
 CAGAGAGACAGTGTGGGGGTGACAGGATGCCCCAGAAAATTCAGGATACTTCTGAAATGCCATGTTT  
 GTCTCAGAACTTGATCTTGCCTTTGGCCCTCAGCTTTAGCACTTTTCCCACTTGACAGAGCTTTTCAGT  
 TGTGCTTGGTAGCCAGGCTCAACACACCCGGGGCTTAGACTCAAGCAGCTTATATGGGAAGCTGGAGACC  
 CCTGCCAGCCAGAGCACAGTAAGGGCTCGGAGAAGGTATGTGAACTAGGGTATCTGATGTGGTAGTGACG  
 TTGGTGTCTGGCATTGTGACGACAAGGGACTTGCCTCCCTTCTTGCCACTGAGGCCCTTGCTTTTCTTC  
 AGCTCTTGGCCTGTTGGTCCGGTTTATTAGTGAGAGCTAGTTTGTCCAGGTGGTTAAAGGATGTAGCAG  
 GAGGAATGGTGAAGATGGGAGCTGCCCGGTTAGTACAGAAGAGGTCTGTCTATCTGACCTAGCACTGA  
 GGGGTTCAACAACCTGTGAGGTGCACCTACTAATTTGGCTCATCCCTGCCTTGCTACAAGCTCCCTGT  
 GGCCACCATTCTCTGACTGTACCGTGTGATGACTGCAGCTGGCTACAAAACAGCATGAGAACCCTGGCC  
 GCTGTTCTCCTACTGCCTCCACCCTCAGGCAGGCTCCTCCTCTTCTGCCCTGAAGCCTCCTGCTGCTT  
 GCTCCTCCTGCCTCCACCCTCAGGCAGGCTCCTCCTCTTCTGCCCTGAAGCCTCCTGCTGCTGCTCCT  
 CCACCTCAGTCAGTGCTGAACTTCTCACTGTTGAGTGTGAAATTGTTAATGGTCAAAGCAGGGAGGATG  
 CCAGTCACCAAGTTGATTGTCTTGGGAAAGCAGTTTTAGAGTGATGAATCCTTTGTAGGACAGGTAGAG  
 AGTATCTTAGAGATAAAAAATGGGCTATGTCCTCCTGCCATGTCTTGTGCTCACTCGCCCTCAGT  
 CTACCCTTTTGTGGGACAGTGTGGTCTTGGCCAAGGTCAGCATGTAATGGAAAGACAGTGTATTGCC  
 AGGCTGGATAGATGGGTCATCTCACAGTGGGTCACGTGAAAATCAGTGTACGTAGTCCAGTGAATGT  
 TGTGTTCTTCTGGGGGAGGGGGAATAGAATAAACTCAAATCTTTTTCAGTATAGCCCTGAGTAAT  
 GAATGAAAATTTGAGCTTATGTAAGTAAAGATTATTTATGCCACCAGGGAGAGCCTGTATCTGAGAGAC  
 ATTTAGCAGAGACACTTTAGTTTTTGTGCTAACTGTTGTGTGATCCTTTGCTGGGGTGCAAAAGGCA  
 CCGGACACAGTGTGTTTCTTCTGGTATATTTAGGTGATGCATCCGCTGGGTTACCTGTATCTCTGCTG  
 ATCATATTGAAAATAAAATAAGCCCCATTTGTGACCCTGAAAAAAAAAAAAAAAAAAAA

**Restriction Sites:**

RsrII-NotI

**ACCN:**

NM\_133201

**Insert Size:**

2274 bp

**OTI Disclaimer:**

Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).

**Components:**

The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:**

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

**RefSeq:** [BC046503](#), [AAH46503](#)

**RefSeq Size:** 4258 bp

**RefSeq ORF:** 2274 bp

**Locus ID:** 170731

**UniProt ID:** [Q80U63](#)

**Cytogenetics:** 4 E1

**Gene Summary:** Mitochondrial outer membrane GTPase that mediates mitochondrial clustering and fusion (PubMed:12527753, PubMed:23921378, PubMed:23620051). Mitochondria are highly dynamic organelles, and their morphology is determined by the equilibrium between mitochondrial fusion and fission events. Overexpression induces the formation of mitochondrial networks. Membrane clustering requires GTPase activity and may involve a major rearrangement of the coiled coil domains (By similarity). Plays a central role in mitochondrial metabolism and may be associated with obesity and/or apoptosis processes. Plays an important role in the regulation of vascular smooth muscle cell proliferation (By similarity). Involved in the clearance of damaged mitochondria via selective autophagy (mitophagy). Is required for PRKN recruitment to dysfunctional mitochondria (PubMed:23620051). Involved in the control of unfolded protein response (UPR) upon ER stress including activation of apoptosis and autophagy during ER stress (PubMed:23921556). Acts as an upstream regulator of EIF2AK3 and suppresses EIF2AK3 activation under basal conditions (PubMed:23921556).[UniProtKB/Swiss-Prot Function]

Transcript Variant: This variant (2) differs in the 5' UTR compared to variant 1. All variants (1 through 7) encode the same protein.