

Product datasheet for **MC206095**

Ddx11 (BC079656) Mouse Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Ddx11 (BC079656) Mouse Untagged Clone
Tag:	Tag Free
Symbol:	Ddx11
Synonyms:	CHL1, KRG2, CHLR1
Mammalian Cell Selection:	Neomycin
Vector:	PCMV6-Kan/Neo (PCMV6KN)
E. coli Selection:	Kanamycin (25 ug/mL)

Fully Sequenced ORF: >BC079656
 GGGGCGTGGCCACGTGGAGGGTTTTCTGCGTGC GCGCATGCTCCTTCAGTAAAACGCGATTTAAATTCAGCCGCGGCCAGGCTCGCTTCCGGCCTCAGTGAGGCGGCTCCTGCGGTGGCGATCGAGTTCGGTGCTGTGTTGGGAGAAGCGCTGCGACCGAAGGCAGAGAGGCAATGGCTGACGAAAACCAGGAGATTGGTGGCATCATTTTTCTTTCCCTTCCCGCCCTATCCTATCCAGAAAGACTTCATGGCAGAGCTACAAAGTTTTGG AAGGTGGCAAGATTGGGATATTTGAAAGTCCAACGGCACGGGAAAGTCTTAAGTCTGATTTGTGGGGC CTTTTCTGGCTGCGTGACTTTGAAAAGAAGAAATTGCAAGCAGAGGCTCTTCTCCTTGCACCTGGATCC GGCCCTCAAAGTAGTGAGAAGAACTCGCTCCTGACTTCTCATCTTGCCAAGAACCTACGGACACCCCGA GGCCTGCTGGAGAGCCTGACTGGGTACCGAATTTGTGCAGAAGAAAGAAGAAAGGGACCTGGTGGAGAG GCTAAGGGAGGAGCAGAAACATGAGGAAGAGGAGACTGAGGCTCTCCTGCGCCTCAGCAGGGAGATGCTG ATGCAGGGACAGGACCAGAGCAGCTGGAGCAGCTGGAGTGTGGGAGGAGCACCTGGTTCTGCCAGAAT ATGAGAGTGATGAGGAGAGAAGAGGCAGCAGGGTGGACGAGGCTGAGGATGACTTGGAGGAAGAACATAT AACCAAGATTTACTGCAAGTCCGACACACTCACAGCTGGCCAGTTTTGTGCGGGAAGTACTGAAGAGC CTTTTGGCAAGGAGACCCGGCTAGTCTCACTTGGCTCTAGGCAGACCTTTGTGTGAATGAAGATGTGA AAAACCTGGGTTCTGTGCAACTATGAATGACCCTGTGTGGACATGCAAAGAAGCAAACGCGAAAAGAA CGGGACTGGGGAAGACAAGCCAAAGAGAAAAGAGACAGAAGATCCAGACCTTGGCCCTTCTACAACCAC GAGCAGATGGAGCTTCTCCGGATGAGATTCTGCTGGAAGTGAAGGACATGGAACAACCTGTGGCCCTTG GAAAGGAGGCCCGGGCTGCCCCATTACGGAAGCCGCTTTGCCATCCCTGCAGCCAGCTAGTGGTGTCT ACCCTACCCAATGTTGCTGCATGCAGTACCCGACAGGCTGCGGGAATCCGGCTACAAGGTGAGGTGGTCT ATTATTGACGAGGCTCACAACTGATCGACACCATCACCAACATCCACAGCACAGAGGTCAATGGTTCCC AGCTCTGCCAGGCCATTCCAGTTGCTCCAGTACATGGAAGATACAGGAAGCGTTTTAAAGGCCAAGAA CTTGATGTACATCAAGCAGATCCTGACTTGTGGAGAAGTTTGTGGCTTTTTGGGAGGTAATGTTAAG CAAAATCCTACTACACAGAGCCTGTCTCAAACAGGGTCTGAGCTGAAGAGCATCAACGACTTTCTTTT AGAGCCAGGTGGACAACATCAACCTCTTCAAGGTGCAGCGTACTTGGAGAAGAGCATGCTCAGCAGGAA GCTTTTTGGCTTACAGAATGTTTCGGAGTGGTTCTTCCATCCCTCTCAGACTCTCAGGAAAACCGAGGT CTGGCTGGCTTCCAGCAGTTCCTGAAGAGCCTGCAGTCAGGGCCTACTGAGGACTCCCCGGAGGAGGCC AGGCTGTAGCCCTGCGGCTGCCTCTCCACTGATGCACATCGAGGCTTCTGCGAGCTCTCACCACAGC



[View online »](#)

```

CAATCAGGATGGCAGGGTATTGTGAACCGCCAAGGCAGTGTGGGTGTCAGAGCAGCCTTAAATTCTTACTC
TTGAACCCAGCTGTGCACTTTGCCAGGTGGTGAAGGAATGCCGAGCAGTGGTCATTGCAGGTGGCACCA
TGCAGCCGATGTCTGACTTTCCGGAGCAGCTGCTGGCATGTTCTGGAGTAGAAGCGGGGCGAGTGGTGG
GTTTTCTGTGGTACGTGATCCCTCCAGACAACATCTTGCCCTTATTATATGCAGTGGGCCCTTAAC
CAGCAGCTGGAATTCACCTACCAGAGAAGAGAGCTGCCTCAGATGGTGGAGGAGACAGGCCGCATTCTCT
GTAACCTGTGCAATGTGGTCCCTGGAGGTGTGGTATGCTTCTCCCTTCTATGAGTACCTGCGCCAGGT
ACATGCTCACTGGGACAAGACTGGCCTGCTGACACGTTTGTCTGTCAGGAAAAAGATATTTCAAGAGCCC
AAAAGAGCGAGCCAGGTGGAGCAGGTGCTGATGGCGTATTCCAAGTGCATTATGAGCTGCAGTCACTCAG
AAGGCCATCTGACAGGGGCTTGTCTCTCTGTGGTGGAGGGAAGATGAGTGAAGGGATCAATTTCTC
TGATGACCTGGGCCGGTGTGTGGTGTGGTGGGATGCCATATCCAACATTAAGTCTCCAGAGCTGCAA
GAGAAGATGGCCTACTTGAATCAGACACTTCTAGGACACAAGGTGAGCCCTGCCAGGGACGGTATTGA
TAGAGAATCTGTGTATGAAGGCTATAAACCAATCCATAGGCAGGGCCATTAGGCACCAGAGGGACTTTGC
CAGCATTGTGCTCCTGGATCACCAGTATGCGCGTCTTCTATTCTGGCGAAGCTGCCAGCCTGGATACGA
GACCGAGTGGAGGTCAAAGCTACCTTTGGGCTGCATTTGCTGCTGTGCGGAAGTTTCATCGAGAGAAGT
CACACCAAGTCTGGTATAAGCGTCTCATACCCTGCTTACCTGGCCTTTGTATTTGGCCTAAGAAGATA
GAAACCATATGCAGACTGCCAAGTGTACCCAGCCTTCCAGAGGCAAGTGGACTCTAGTGTCAACTTGCA
TAGAAAAGCCAGCAGAACATCCTGAAGGAACCTGGCCCGAGACACCTTATTCCCTGCTCAGGTTCAACTT
TCCGCCTGGCTTCCAGGAGCTGTGCTAGCAGCAGCTTTCTGCCTGTTCTGAGGTGAGACCCACCTGCCTC
TGCCCTTTCTGGAGACAGTTAGCTTTTCTGGCCTTTGACTCCCATCTCAGGCACCGATGTCCCGTTTC
AAGCATCATTGCCTGACCCTGCGAGTATGACACACACACCATCTGTGCAGAAGAGAGTTTTGAGAAAAA
ACTAGGACATACATAATTTGAAAGAGCTGACATGAATTTTGACTTTTCTGAAGGACCATCACAAGACT
TGGACCTGGCCATAGACCTTTCTGTGCCACAATTTTTCTCCTTCTACTTTTCTCATAAATAAGA
GGCATTGATCCTGTCCATGGCTGTTGAGGACTCTGTGCTCAGAACATCTACCTGAAGACATGTCATTGGG
CAAAAGTGTCTCCGTGTTTTTTCATTTTTTCTGCTGTCCCATGAAGGAGAACCCAGTTAAGAGTCCAGC
TCTTTTATATTCAACTGTGGCTGTCCCTTGTGTGAGCTTACGCAACCTCAGGGGCGAGTGCCTTGCATT
TAGGCAATACACTGGTTGCATACTGCTTGCAAACTGAGAGGAGCCATAGAAGAGGACTTCTTTTTACAG
TTCTTGTGCCGTTACAGCTCAAAAGAATTCCATTCTTGAATCTTCTCAGATTGAAATGGTAAGGCTTC
TCCAAGCAGTGGTGGCCACGCCTTAAATCCCAGCACTGGGAAGCAGAGGCAGGTGAATTTCTGAGTTC
GAGGCCAGCCTGGTCTACAAAGTGAATTCAGGGCAGCCAAGGCTATACAGAGAAACCTGTCTTAAAA
CAAAACAAACAAACAAATGGTAAGGCCTCATACCTGAGGGATAGTGTGTTAGAGACAGGACTCCTGTA
GGGAGGTAGGGACAGATTTTTTGTCACTAGTGTAGGGCTTTAGCATACTAAAGTGCAGCTAGAAGTC
CCCATCATAGGAGGACCCAGAGAATGGCAGCCTCTGTAACCTTGAAGGGTTGCTACTGGGAATCCACTC
ATCTGTTACCTGTTATAGCAGAGTTCCTAGGCTTACATCTAGGAATGTCATCCATGTGTGTCATGGCCGAT
TAAAAGAACAACTGAACCTAAAAAAAAAAAAAAAAAAAA

```

- Restriction Sites:** Ascl-NotI
- ACCN:** BC079656
- Insert Size:** 2643 bp
- OTI Disclaimer:** Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).
- Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [BC079656](#), [AAH79656](#)

RefSeq Size: 4167 bp

RefSeq ORF: 2643 bp

Locus ID: 320209

Cytogenetics: 17 E1.1

Gene Summary: DNA-dependent ATPase and ATP-dependent DNA helicase that participates in various functions in genomic stability, including DNA replication, DNA repair and heterochromatin organization as well as in ribosomal RNA synthesis. Its double-stranded DNA helicase activity requires either a minimal 5'-single-stranded tail length of approximately 15 nt (flap substrates) or 10 nt length single-stranded gapped DNA substrates of a partial duplex DNA structure for helicase loading and translocation along DNA in a 5' to 3' direction. The helicase activity is capable of displacing duplex regions up to 100 bp, which can be extended up to 500 bp by the replication protein A (RPA) or the cohesion CTF18-replication factor C (Ctf18-RFC) complex activities. Shows also ATPase- and helicase activities on substrates that mimic key DNA intermediates of replication, repair and homologous recombination reactions, including forked duplex, anti-parallel G-quadruplex and three-stranded D-loop DNA molecules. Plays a role in DNA double-strand break (DSB) repair at the DNA replication fork during DNA replication recovery from DNA damage. Recruited with TIMELESS factor upon DNA-replication stress response at DNA replication fork to preserve replication fork progression, and hence ensure DNA replication fidelity (By similarity). Cooperates also with TIMELESS factor during DNA replication to regulate proper sister chromatid cohesion and mitotic chromosome segregation (PubMed:17611414). Stimulates 5'-single-stranded DNA flap endonuclease activity of FEN1 in an ATP- and helicase-independent manner; and hence it may contribute in Okazaki fragment processing at DNA replication fork during lagging strand DNA synthesis. Its ability to function at DNA replication fork is modulated by its binding to long non-coding RNA (lncRNA) cohesion regulator non-coding RNA DDX11-AS1/CONCR, which is able to increase both DDX11 ATPase activity and binding to DNA replicating regions (By similarity). Plays also a role in heterochromatin organization (PubMed:21854770). Involved in rRNA transcription activation through binding to active hypomethylated rDNA gene loci by recruiting UBTF and the RNA polymerase Pol I transcriptional machinery (By similarity). Plays a role in embryonic development and prevention of aneuploidy (PubMed:17611414). Involved in melanoma cell proliferation and survival. Associates with chromatin at DNA replication fork regions. Binds to single- and double-stranded DNAs (By similarity).[UniProtKB/Swiss-Prot Function]