

Product datasheet for MC206177

Tnfaip3 (BC054806) Mouse Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Tnfaip3 (BC054806) Mouse Untagged Clone
Tag:	Tag Free
Symbol:	Tnfaip3
Synonyms:	A20; Tnfip3
Mammalian Cell Selection:	Neomycin
Vector:	PCMV6-Kan/Neo (PCMV6KN)
E. coli Selection:	Kanamycin (25 ug/mL)
Fully Sequenced ORF:	>BC054806

```

GTTGGCAAAGCATACAACCTGAAAGGCAAAAAAGGGAAGTCCCGAGTCTGTAGTCTTCGGAGCCGGAGGGC
GAGCGGTGAGCCAGGCCGCCGAAAGACGTGCACACCCCTCAGCCAGCGAGCCCGATCGGGTGTCCATGG
GGCTCCGCCTCGGCCCGACCCACCACGACCCGACCAGATCCCGGGCTGCGGCGCGCCAGTGACG
GCCGGCCGGCCACTTGGGCTCTGCGAGGGCTCCGCGCGGCCCAAGAGGCCTTGTGAGGACCATGGCTG
AACAACTTCTTCTCAGGCTTTGTATTTGAGCAATATGCGGAAAGCTGTGAAGATACGAGAGAGAACCC
AGAAGACATTTTCAAACCTACCAATGGGATCATCTATCACTTTAAAACCATGCACCGATACACGCTGGAG
ATGTTCCAGAACATGCCAGTTTGGCCACAGTCCGAGAGATCATCCACAAAGCACTTATTGACAGAAAGT
TCCAGGCTTCCCTGAAAGCCAGAAGAAGCTCAACTGGTGTGCGAAGTCAGGAAGCTCGTGGCTCTGAA
AACCAATGGTGATGAAACTGCCTCATGCATGCAGCTTGTGAGTACATGTGGGTGTTCCAGGATACTGAC
CTGGTCTGAGGAAGGCCCTCTGCAGCACCCCTAAGGAGACAGACACTCGGAACCTTTAAATTCGGCTGGC
AGCTGGAATCTCTGAAATCTCAGGAATTTGTGAAACAGGACTTTGCTACGACACTCGGAACCTGGAATGA
CGAATGGGACAACCTTGGTCAAAATGGCATCAGCAGACACACCTGCAGCCCGAAGTGGACTTCAGTACAAT
TCCCTGGAAGAAATCCACATATTTGTCCTCAGCAACATCCTCAGAAGACCCATCATTGTCAATTCAGACA
AAATGCTAAGAAGTTTGGAACTGGTCCAAATTTGTCCTTTGAAAGTGGGTGGGATTTATCTGCCTCT
TCACTGGCCTGCCAGGAGTGTACAGATATCCCATCGTCTAGGCTATGACAGCCAGCACTTTGTACCC
CTGGTGACCTGAAGGACAGTGGACCTGAACTTCGCGCTGTTCCACTTGTAAACAGAGACCCGGGTAGGT
TTGAAGACTTAAAAGTTCACTTCTTGACAGATCCTGAGAATGAGATGAAGGAAAAGCTTCTAAAGGAGTA
CTTGATAGTGATGGAGATCCCTGTGCAAGGCTGGGACCAGGCAGCACTCACCTGATCAACGCTGCAAAA
TTGGATGAAGCTAACTTACCCAAAAGAAATAAATTTGGTAGACGATTACTTTGAGCTTGTTCAGCAGGAAT
ACAAGAAATGGCAGGAGAACAGCGATCAGGCCAGGAGAGCGGCACATGCGCAGAACCCTTGGAGCCTTC
CACACCCAGCTATCACTCATGGATATAAAATGTGAGACACCCAACTGTCTTTCTTCATGTCCGTGAAC
ACTCAGCCTTTATTCCACGAATGCTCAGAGAGGCGCCAAAAGAATCAGAGCAAGCTCCCAAAGCTGAACT
CGAAGCTAGGCCCTGAAGGACTCCAGGCGTGGGACTTGGCTCCTCAAACCTGGAGCCCGAGGAAACCGC
TGGAGGACCTCATTAGCCCCACCCACAGCACCCAGCCTTTTTCTTTCAGTGAGACCACTGCAATGAAG
TGCAGGAGTCTGGGTGCCCTTTACTTTGAATGTGCAGCATAATGGATTCTGTGAGCGTTGCCACGCC
GGCAGATTAATGCCAGCCACACCCGAGACCTGAAAAGTGCCAAGCTGCCTTCAGGATGCTACTCGGAC

```



[View online »](#)

```

CTTTAATGGCATCTGCAGTACCTGTTTCAAAGGACTACAGCAGAGCCCAGCTCCAGCCTCACTTCCAGT
ATCCCTGCCTCCTGTACCAACGCTCCAAGTCTGACCCCTCACAACCTCATCCAAAGTCTCACTCCACACT
CTTGCCACCGGACTGAAATGTCTCTCCTTCTGGCTGCCTCTCCCAGGCTGCACGGACTCCAGGAGACAG
AGCAGGGACAAGCAAGTGCAGGAAAGCTGGCTGCATGTATTTGGGACTCCAGAAAACAAGGGCTTTTGC
ACTCTATGTTTCATCGAATACAGAGAAAATAAGCAGTCTGTTACTGCCTCTGAGAAAAGCTGGTCCCCGG
CCCCCAGGTTCCAGAACAATGTCCCGTGCCTGGCAGGGAGTGGGCACACTCGGAAGCACCATGTTTGA
AGGGTACTGTGAGAAGTGTTCATCGAAGCTCAGAACCAGAGATCCATGAAGCAAGAAGAACGGAAGAA
CAGCTGAGATCAAGCCAGCATAGAGACATGCCTCGAACTACACAGGTAGCCTCAAGGCTGAAATGTGCC
GGGCTCCTGCAAGAACATTCTGGCTGTGCGAGTGAGGAACTCTGTATGGAGTGCCAGCACCTAAGCCA
ACGAGTAGGTTCTGTGGCCACCGGGTGGAGCCACGCCTGAAGAGCCCCCTAAACAGCGCTGCCGGCC
CCTGCTTGTGATCACTTTGGCAATGCCAAGTGTAAATGGTACTGCAATGAGTGCTACCAGTTCAAGCAGA
TGTATGGCTAAGTGCGAACACATTGACAGGTCCAGCAAGAAGGAGCCTCAAAGTCCATTACAGTGTA
CTGTGATCCAGACCCCTGAGTGCCACAGGAAGGGTAGGCCCTGGGACAGTGGCTTCAAGTGTCTTTGAGC
AAGTAGGCAAGATAAGCTCTTCCCTTCGTACAGCCATGACCATCAGGTTAGTAACCGAGACTTTGCCCTG
GTGAGCTGAGAGTAGACCTGGTTACCGGCAGTGCATGATGTCAGGGTCAGCCTGAAGCTATTGCTGCTCG
TCTACCAGGAGGATGTGGAGATCTTAGACACGAAATGCGTGCTAGGACTGGCAGCAGTTCCTGAGCCTG
GCTGCCAGGCAACAGGAAGAAAGCGTATGGGAAAGTAGGATGGAGACTGGAACCATCTACTGCTGCCA
GCTGGAAGCTTTTCTCAGAGAGCAAAGCTGAATTCTCAGAGCTCCAAGGCCCTCCACAAGATGCTAGAG
GAAGCTCAGGGAAAAACAGGACGTAGGCGGAGCACATCTGTGGTCAATGGGCTTCCCTATCTGCCGACTT
GGCTCCCAAGGTTCTGCAGGAAAGCAGACCTGCACACAGATCCCGTGGCTGCTGAAAAGACACATGTTCA
CATGGAGACAAACCAAGCTGCTCGCTCTCGGCTGTATGCACCTTCTAGACAGCAGAACGCTGGTGGGAA
GACATGCCAGTGTGGCCATTGTCTCCATTCCAAAGAGAATAACTTTGAACTGAGGGTGTGTATCAGAG
TATGTACATATGTAATATACCCTTATATTATGTATGAGGGATTTAAAATATTGAAATGGTTTCCCTAGTGG
TAGTAGGAAGACTGAATAAGAACAACCTATTTTCTGGTTGTGTCAGCTTGCCCTGTCTATACAGCTTG
TTACGTGAATTAACAAGCTGTCTTCTAACGGGAGCCCTCATTCTGGTTATTTATTATGAACTTCCAA
GTTATTTAAATGAAGATTTCTTCTGCAGTATTTTCTTGAGATAACATATTTGCTTTCCACCATGCTCTG
GGGGCCTGGTTAGTCCCTGGCCATGGAGTGTGGTGGGATGGCTGTCTTCTCTCCTTGTACCTCCCTA
GGAAAGAAGGGTTGCTTTATGGATAAGCCTGTAGAATCGGCTGCTTCTATGACTCCCTGGCTGCACAA
GAAGAAATGTCTGTCTCCATATATGCTTCTAAGTATCCTACCTCTTTGAAGAAAAGATAGGGATGGAG
TGAGGTGACAGTGGGAAGGGACACAACACTACATGGCCTTTCATGACCTGGCTTACTGTGTAATGCTGTG
CCCTTGGTACTGGATAGGAACACTGAGAAAGCAAAGCCAATAGCCGTGAGGACGAGGAAGTTTCTGCCA
CTGCTTGACGCTTTTCTGTGTGCTTTGGACTTGCTTTAGGAGGGAATATAGCTTTGTAGAGATAAAGGC
TGACATCTGGGGTCTAGCCTAGCACCTGAAGATACTTGTGATGTCTAACTCTGCATAGCCTTTTCTCTTC
ATATCTGCGGCCTATCTTTCCCTTACATATGCTTTGTCTTCTTTCCAAAGATGTCAAATACAATG
CAGCATTTTCATCTTGTCTTTCAAAGTTAATAGTCTATTATTTATGCTATTGATTTTTCATTGTTAAT
GTGAAATGGTTATTTATACTTATAGAAAGTTTGTGAAATTTGCACAGTTGCTTTCAAAGGATAGGATCT
ATCTTTTTTGGACTTCAGATTGTTTTAAAGAAGTGAACCTCACAAAAGTCAATATTAATAAATAAATTA
TTAAGAAACAAAAAAAAAAAAAAAAAAAAA
    
```

- Restriction Sites:** AscI-NotI
- ACCN:** BC054806
- Insert Size:** 2328 bp
- OTI Disclaimer:** Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).
- Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [BC054806](#), [AAH54806](#)

RefSeq Size: 4437 bp

RefSeq ORF: 2328 bp

Locus ID: 21929

Cytogenetics: 10 8.08 cM

Gene Summary: Ubiquitin-editing enzyme that contains both ubiquitin ligase and deubiquitinase activities. Involved in immune and inflammatory responses signaled by cytokines, such as TNF-alpha and IL-1 beta, or pathogens via Toll-like receptors (TLRs) through terminating NF-kappa-B activity. Essential component of a ubiquitin-editing protein complex, comprising also RNF11, ITCH and TAX1BP1, that ensures the transient nature of inflammatory signaling pathways. In cooperation with TAX1BP1 promotes disassembly of E2-E3 ubiquitin protein ligase complexes in IL-1R and TNFR-1 pathways; affected are at least E3 ligases TRAF6, TRAF2 and BIRC2, and E2 ubiquitin-conjugating enzymes UBE2N and UBE2D3. In cooperation with TAX1BP1 promotes ubiquitination of UBE2N and proteasomal degradation of UBE2N and UBE2D3. Upon TNF stimulation, deubiquitinates 'Lys-63'-polyubiquitin chains on RIPK1 and catalyzes the formation of 'Lys-48'-polyubiquitin chains. This leads to RIPK1 proteasomal degradation and consequently termination of the TNF- or LPS-mediated activation of NF-kappa-B. Deubiquitinates TRAF6 probably acting on 'Lys-63'-linked polyubiquitin. Upon T-cell receptor (TCR)-mediated T-cell activation, deubiquitinates 'Lys-63'-polyubiquitin chains on MALT1 thereby mediating disassociation of the CBM (CARD11:BCL10:MALT1) and IKK complexes and preventing sustained IKK activation. Deubiquitinates NEMO/IKBKG; the function is facilitated by TNIP1 and leads to inhibition of NF-kappa-B activation. Upon stimulation by bacterial peptidoglycans, probably deubiquitinates RIPK2. Can also inhibit I-kappa-B-kinase (IKK) through a non-catalytic mechanism which involves polyubiquitin; polyubiquitin promotes association with IKBKG and prevents IKK MAP3K7-mediated phosphorylation. Targets TRAF2 for lysosomal degradation. In vitro able to deubiquitinate 'Lys-11'-, 'Lys-48'- and 'Lys-63' polyubiquitin chains. Inhibitor of programmed cell death. Has a role in the function of the lymphoid system. Required for LPS-induced production of proinflammatory cytokines and IFN beta in LPS-tolerized macrophages.[UniProtKB/Swiss-Prot Function]