

## Product datasheet for **MC206598**

### Fmo2 (BC031415) Mouse Untagged Clone

#### Product data:

Product Type:	Expression Plasmids
Product Name:	Fmo2 (BC031415) Mouse Untagged Clone
Tag:	Tag Free
Symbol:	Fmo2
Synonyms:	MGC28212
Mammalian Cell Selection:	Neomycin
Vector:	PCMV6-Kan/Neo (PCMV6KN)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)

**Fully Sequenced ORF:**

```

>BC031415
CTCTTCTGCCAAGAGGACAGTGCTAAGAAGCACAAATAAAGGAGACAATGGCAAAGAAGTTGTGGTGAT
TGGAGCAGGGGTCAAGTGGCCTAATCTCTCTGAAGTGTGCGTGGACGAGGGTCTGGAGCCCACTGCTTC
GAAAGGACTGAAGATATAGGGGACTGTGGAGATTCAAAGAAAACGTGGAAGATGGCCGCGCTAGCATCT
ACCGCTGTGTCATTACCAACTAGCAAAGAAATGTCTGTTTCAGTGACTTCCCGATGCCGGAGGACTT
CCCCAATTCCTGCACAACCTCTAACTCCTGGAATATTTTCAGGATCTTTGCCAAGAAATTTGATCTCCTA
AAATATATTCAGTTTCAGACAACCTGTCTTAGTGTGAAAAAACGCCCGGATTTCCGATCTTCTGGGCAAT
GGGAAGTTTATACTCAGAGCAACGGAAAGGAGCAACGCACTGTCTTTGACGCTGTTATGGTTTGCAGCGG
CCATCACATCCAGCCTCACCTGCCACTCAAGTCATTCCAGGTATTGAGAGGTTCCGAGGCCAGTATTTTC
CATAGCCGCGAATACAAGCACCCAGTGGGGTTTGGGGGAAACGCATCCTGGTGGTTGGAATAGGAAATT
CAGCTGCAGATATTGCCTCTGAAGTGAAGACGGCCGACAGGTGTTTGTGAGCACCAGACATGGATC
CTGGGTGATGAGTCGAATCTCTGAAGATGGCTACCCTGGGACATGGTGTCCACACTAGATTTAGTCC
ATGCTCCGAAATGCTCTGCCCGCACGGTCGCAAGTGGATGATGGAACAACAGATGAATCGATGGTTCA
ACCATGAAATATGGTCTGGTGCCTCAGAACAATACCTTATGAAAGAACCTGTCTAAACGACGACCT
CCCCAGCCGCTGCTCTACGGAGCCATCAAAGTAAAAACACGGGTGAAGGAGCTCACGGAGACAGCTGTG
GTCTTCGAGGATGGCACGGTGGAGGAAGACGTGGATATCATTGTCTTTGCCACGGGGTATACGTTCTCTT
TTCTTTCTGGAAGACTCACTTGTAAAGTGGAGGATAATAGGGTTTCCCTGTACAAAGCCATGTTTCC
CCCTCACCTGGAGAAGCCAACCCCTTGCCTGCATAGGTCTCATCCAGCCTTAGGCTCCATCTTCCCAACC
GTAGAGCTTCAGGCGCGCTGGGCAACAAGATTTTCAAAGGCTTGTGTAGCTTGCCTTCGGAGACGACTA
TGATGGCAGACATTGTTGAAAGAAATGAAAAAGAGTTAACCTGTTTGGGAAAAGCCAGAGTCAGATACT
GCAGACCAACTACGTTGACTACCTGGATGAACTCGCCTGGAGATAGGTGCAAAGCCAGATTTCTGCTCT
CTCTTTTCAAAGACCCTAACTGGCTGTGAACTCTACTTCGGACCCTGTAATTCCTACCAGTACCGCC
TGTTTGGACCTGGGCAGTGGGAAGGAGCCAGAACGCCATCCTCACCCAGAAGCAGAGGATCCTGAAACC
CTTAAAGACCCGACTCTCCAGTCTCTGATAGTGCCCAAGTGTCTTTCTGCTCAAGATCCTGGGGCTG
CTCGCTGTTGTTCTGGCCTTCTTTTTCCAACTCAGGGGTTTTAATCAGTCACATGACAGTTTTCTTCAT
CACTGCCTCTTTGAAAGGAAACTGGAGAAATTCATCCTCATTATAATTTTACTTTAGGGGAATAAGTA
GGGGGACTAATTGTAGGGAGATCAGAAAATCTAGGTCTAGATATAAACTAAGTTAAGGTTACAGGATGT
TCTTATCATTGTTTCCCAAATTCATCAGTCTCCACATGGTATTCTATAATAACACCAGCACAGGTAGAT
AGTACTATCAGCCATGGCAGGTTTTGAGTTACAAGATTTAAAAAAATCAATAAAATATGTAGAATAAA
AAGTAAGTCATAGTTGAGCATGTTAGAACATGGCTTTAATCTTAGCACTTGAAGGCAGATGGATCTCTG
TGAGTTCAAAGAAAAAAAAGGCAAGACTGAAGAACTGAAATTTGATGATAGATATTTACATCTGTAC
ACTATGATGCTCAGTGTCTTCTATGCACTCTGGTACAGTTCACCTTCTGATGCAAAAATGAAAA
CAATATCCCTAGCTACAACATATAGATAGATACTGTTTCTCATAGACTAGACATTGTGCTGTGTGATA
TTATGTATTTTATTGGATTTAATTTCTCACAGCAACTGTGTGATGGGTAGAGCTATATATACACCCATTC
TACAGATGGCACTGAGGAGGGGACATTATAGAGCATGTCTAAACAGCTGGTCTTGAGATGAGGCTTCAA
TTGAAGCCCAATTTGTTAACTCAGGAATTTAGCTCATGACCTCCCATGCAATATGCTTATTAATGAA
TAGTCCACTCTTGACGAAGTACTTCTAATCACTTATTTTAGTCATTATAAACTCACACAATAGCTCTAT
TCATTTACAATATTAGGTCTGTATGTCGCTGGAATTTAAAAAGCACTTGGGATAAGCACAGTAGTACA
GACCTTTAATCCAGCACTAAGGAGTCAAGACAGGCAGATTACTACCAGTTTGGGCTGGTTGCTCTAC
ATAGCAAAATCTGGGCCAGCCAGGGCTACATGGTGACAACCTGTCTCAAAAGAAAAATAATTACAAGAG
ATTTAGTATTAATAATAGCTATGCAAGTATTTAATCATCACCATGTGAAAGTATAAGAAATGAAGTGA
AGTGCATCTCCCAAGCAGATGAACTCTACAATGGCTGAGGTTATAGGGTTATAGGGTTAACATTATAGG
TAAGAAAAGCAAATCTCAGCAATGCTGTCTTTGTCATCTGATAAGGGGCAGGGGGAGGTTGTCAGTTA
TGAGAGACATTTTCTGGAACGGAAAATAAAGGAGACACCAGCAGTTTGTGTCACAAACATTGAGCA
ACATAGCAAACACCAGGCTACAAACACTCTGATAGCATCTTTCCATGAACCCGACTGCAAAAAGATAA
GCTATGCCAGAGACCAGACCAGAGCCTCTGCAGAGGGGACAAAGCCAGGATACTGAAGGTTTAAAGTAA
ATAGCTCTTCTTAGCCCTCCGAGCAGTGGTTCTCAGTTTTCTAATGCTACACCCCTTAAAACAATCC
CTCATGTTGTGGTGACCTCAACCATAAAAGTATCTCATTGCTGCTTCATAAAAAAAAAAAAAAAAAA
    
```

**Restriction Sites:**

EcoRI-NotI

<b>ACCN:</b>	BC031415
<b>Insert Size:</b>	1608 bp
<b>OTI Disclaimer:</b>	Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).
<b>Components:</b>	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
<b>Reconstitution Method:</b>	<ol style="list-style-type: none"><li>1. Centrifuge at 5,000xg for 5min.</li><li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li><li>3. Close the tube and incubate for 10 minutes at room temperature.</li><li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li><li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li></ol>
<b>RefSeq:</b>	<a href="#">BC031415</a> , <a href="#">AAH31415</a>
<b>RefSeq Size:</b>	3357 bp
<b>RefSeq ORF:</b>	1608 bp
<b>Locus ID:</b>	55990
<b>Cytogenetics:</b>	1 H2.1
<b>Gene Summary:</b>	This protein is involved in the oxidative metabolism of a variety of xenobiotics such as drugs and pesticides. Shows catalytic activity towards methimazole, thiourea, trimethylamine, and the insecticide phorate.[UniProtKB/Swiss-Prot Function]