

Product datasheet for MC206950

Isca2 (BC022589) Mouse Untagged Clone

Product data:

Product Type: Expression Plasmids

Product Name: Isca2 (BC022589) Mouse Untagged Clone

Tag: Tag Free Symbol: Isca2

Synonyms: 0710001C05Rik; 5730594E03Rik; Hbld1

Mammalian Cell Neomycin

Selection:

Vector:pCMV6-Entry (PS100001)E. coli Selection:Kanamycin (25 ug/mL)

Fully Sequenced ORF: >MC206950 representing BC022589.

Blue=ORF Red=Cloning site Green=Tag(s)

GATCCGGTACCGAGGAGATCTGCCGCCGCGATCGCC

AGTCACCCGTCCCGTTATCTCCGCTTGCTTGGCATTCTTGATCCTCTTTCCTGA

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGAT

TACAAGGATGACGACGATAAGGTTTAAACGGCCGGC

Restriction Sites: Sgfl-Mlul


OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Plasmid Map:



ACCN: BC022589
Insert Size: 261 bp

OTI Disclaimer: Our molecular clone sequence data has been matched to the reference identifier above as a

point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative

RNA splicing form or single nucleotide polymorphism (SNP).

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).



Reconstitution Method:

- 1. Centrifuge at 5,000xg for 5min.
- 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
- 3. Close the tube and incubate for 10 minutes at room temperature.
- 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

 RefSeq:
 BC022589

 RefSeq Size:
 1614 bp

 RefSeq ORF:
 260 bp

 Locus ID:
 74316

 Cytogenetics:
 12 D1

MW: 9.2 kDa

Gene Summary: Involved in the maturation of mitochondrial 4Fe-4S proteins functioning late in the iron-sulfur

cluster assembly pathway. May be involved in the binding of an intermediate of Fe/S cluster

assembly.[UniProtKB/Swiss-Prot Function]