

Product datasheet for MC207316

Ldha (NM_010699) Mouse Untagged Clone

Product data:

Product Type: Expression Plasmids

Product Name: Ldha (NM_010699) Mouse Untagged Clone

Tag: Tag Free Symbol: Ldha

Synonyms: 17; I7R2; LDH; Ldh-; Ldh1; Ldhm

Mammalian Cell

Selection:

Neomycin

Vector: pCMV6-Entry (PS100001) **E. coli Selection:** Kanamycin (25 ug/mL)

Fully Sequenced ORF: >MC207316 representing NM_010699

Red=Cloning site Blue=ORF Orange=Stop codon

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT

ACAAGGATGACGACGATAAGGTTTAA

Chromatograms: https://cdn.origene.com/chromatograms/ja2082-e08.zip



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com

Ldha (NM_010699) Mouse Untagged Clone - MC207316

Restriction Sites: Sgfl-Mlul
ACCN: NM_010699
Insert Size: 999 bp

OTI Disclaimer: Due to the inherent nature of this plasmid, standard methods to replicate additional amounts

of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at customercom or by

calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

Note: Plasmids are not sterile. For experiments where strict sterility is required, filtration with

0.22um filter is required.

RefSeq: <u>BC094019</u>, <u>AAH94019</u>

 RefSeq Size:
 1661 bp

 RefSeq ORF:
 999 bp

 Locus ID:
 16828

 UniProt ID:
 P06151

 Cytogenetics:
 7 30.6 cM

Gene Summary: The protein encoded by this gene catalyzes the conversion of L-lactate and NAD to pyruvate

and NADH in the final step of anaerobic glycolysis. The protein is found predominantly in muscle tissue and belongs to the lactate dehydrogenase family. Mutations in this gene have been linked to hemolytic anemia and early postimplantation death in mice. Multiple transcript variants encoding different isoforms have been found for this gene. The mouse genome

contains multiple pseudogenes of this gene. [provided by RefSeq, May 2013] Transcript Variant: This variant (1) encodes the predominant isoform (1).