

Product datasheet for MC207330

Mapt (NM_010838) Mouse Untagged Clone

Product data:

Product Type: Expression Plasmids
 Product Name: Mapt (NM_010838) Mouse Untagged Clone
 Tag: Tag Free
 Symbol: Mapt
 Synonyms: AI413597; AW045860; Mtapt; Tau
 Mammalian Cell Selection: Neomycin
 Vector: pCMV6-Entry (PS100001)
 E. coli Selection: Kanamycin (25 ug/mL)
 Fully Sequenced ORF: >MC207330 representing NM_010838
 Red=Cloning site Blue=ORF Orange=Stop codon

TTTTGTAATACGACTCACTATAGGGCGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGGATCGCC**

ATGGCTGACCCTCGCCAGGAGTTTGACACAATGGAAGACCATGCTGGAGATTAACTCTGCTCCAAGACC
 AAGAAGGAGACATGGACCATGGCTTAAAAGCCGAAGAAGCAGGCATCGGAGACACCCGAACCAGGAGGA
 CCAAGCCGCTGGGCATGTGACTCAAGCTCGTGTGGCCAGCAAAGACAGGACAGGAAATGACGAGAAGAAA
 GCCAAGGGCGCTGATGGCAAACCGGGGCAAGATCGCCACACCTCGGGGAGCAGCCTCTCCGGCCAGA
 AGGGCAGTCCAACGCCACCAGGATCCCGCCAAGACCACGCCAGCCCTAAGACTCCTCCAGGGTCAGG
 TGAACCACCAAAATCCGGAGAACGAAGCGCTACAGCAGCCCGGCTCTCCCGGAACGCCTGGCAGTCGC
 TCGCGCACCCATCCCTACCAACACCGCCACCCGGGAGCCCAAGAAGGTGGCAGTGGTCCGCACTCCCC
 CTAAGTACCATCAGCTAGTAAGAGCCGCTGCAGACTGCCCTGTGCCATGCCAGACCTAAAGAATGT
 CAGGTCGAAGATTGGCTCTACTGAGAACCTGAAGCACCAGCCAGGAGGTGGCAAGGTGCAGATAATTAAT
 AAGAAGCTGGATCTTAGCAACGTCCAGTCCAAGTGTGGCTCGAAGGATAATATCAAACACGTCCCGGGTG
 GAGGCAGTGTGCAAAATAGTCTACAAGCCGGTGGACCTGAGCAAAGTGACCTCAAAGTGTGGCTCGTTAGG
 GAACATCCATCACAAGCCAGGAGGTGGCCAGGTGGAAGTAAAATCAGAGAAGCTGGACTTCAAGGACAGA
 GTCCAGTCGAAGATTGGCTCCTTGATAATATCACCCAGTCCCTGGAGGAGGAATAAGAAGATTGAAA
 CCCAAGCTGACCTTCAGGGAGAATGCCAAAGCCAAGACAGACCATGGAGCAGAAATTTGTGTATAAGTC
 ACCCGTGGTGTCTGGGGACATCTCCACGGCACCTCAGCAATGTGTCTTCCACGGGCAGCATCGACATG
 GTGGACTCACCACAGCTTCCACACTAGCCGATGAAGTGTCTGCTTCTTGGCCAAGCAGGGTTT**GTGA**

ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
 ACAAGGATGACGACGATAAGGTTTAA

Restriction Sites: Sgfl-MluI



ACCN:	NM_010838
Insert Size:	1119 bp
OTI Disclaimer:	<p>Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at custsupport@origene.com or by calling 301.340.3188 option 3 for pricing and delivery.</p> <p>The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info</p>
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none"> 1. Centrifuge at 5,000xg for 5min. 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. 3. Close the tube and incubate for 10 minutes at room temperature. 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_010838.4 , NP_034968.3
RefSeq Size:	5222 bp
RefSeq ORF:	1119 bp
Locus ID:	17762
UniProt ID:	P10637
Cytogenetics:	11 E1
Gene Summary:	<p>Promotes microtubule assembly and stability, and might be involved in the establishment and maintenance of neuronal polarity. The C-terminus binds axonal microtubules while the N-terminus binds neural plasma membrane components, suggesting that tau functions as a linker protein between both. Axonal polarity is predetermined by tau localization (in the neuronal cell) in the domain of the cell body defined by the centrosome. The short isoforms allow plasticity of the cytoskeleton whereas the longer isoforms may preferentially play a role in its stabilization.[UniProtKB/Swiss-Prot Function]</p> <p>Transcript Variant: This variant (2) lacks two consecutive exons in the coding region, compared to variant 1. The resulting isoform (b) lacks an internal segment, compared to isoform a.</p>