

Product datasheet for MC207483

E2f6 (NM_033270) Mouse Untagged Clone

Product data:

Product Type: Expression Plasmids

Product Name: E2f6 (NM_033270) Mouse Untagged Clone

Tag: Tag Free Symbol: E2f6

Synonyms: Al462434; E2F6a; E2F6b; EMA

Mammalian Cell Neomycin

Selection:

Vector:pCMV6-Entry (PS100001)E. coli Selection:Kanamycin (25 ug/mL)

Fully Sequenced ORF: >MC207483 representing NM_033270

Red=Cloning site Blue=ORF Orange=Stop codon

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

ATGAGTCAGCAGCGGACGGCGGGAGACAGCCCAGCCTGCTGGTGGACCCGGCGCAGGAAACGGTGCGCC
GGCGTTGCCGAGACCCCATCAACGTGGAAAAACCTACTGCCATCAAAAATAAGGATTAATCTAGAAGAAAA
TGTACAGTATGTGTCCATGAGAAAAAGCTCTGAAAGTGAAGAGGCCCCGGTTTGATGTGTCACTGGTATAC
TTAACTCGGAAGTTTATGGATCTCGTCAGATCTGCCCCTGGGGGCATTCTTGACTTAAACAAAGTTGCCA
CAAAACTGGGTGTTCGGAAGAGGCGAGTGTATGACATCACCAATGTCTTGGATGGCATCGAACTGGTGGA
AAAGAAATCTAAGAACCACATTCGGTGGATAGGATCTGACCTGAACAACTTTGGGGCCGCACCCCAGCAG
AAGAAGCTGCAGGCAGAACTCTCCGACCTGTCGGCCATGGAAGACGCCTTGGACGAGTTGATTAAAGATT
GTGCTCAGCAACTGTTGGAGTTAACAGATGACAAGAAATGAAAGACTAGCGTATGTAACCTATCAGGA
TATTCACGGCATTCAAGCTTTCCATGAACAGATTGTCATTGCAGTGAAGGCTCCCAGAGGAAACCAGACTG
GATGTTCCAGCTCCCAGAGAACCATTCAAATGGTAAAACCAATGATGGAATAGGAGCCCCTTCCATCTAA

AAGCAGCCATCCACAATGCCCAGAGAAAGAAGACGAGCCTCCTCAGTGA

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT

ACAAGGATGACGACGATAAGGTTTAA

Restriction Sites: Sgfl-Mlul

ACCN: NM_033270

Insert Size: 819 bp



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



OTI Disclaimer:

Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at customer.com or by calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info

Components:

The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

- 1. Centrifuge at 5,000xg for 5min.
- 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
- 3. Close the tube and incubate for 10 minutes at room temperature.
- 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
- 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

Note:

Plasmids are not sterile. For experiments where strict sterility is required, filtration with 0.22um filter is required.

·

RefSeq: <u>NM 033270.2</u>, <u>NP 150373.2</u>

 RefSeq Size:
 2446 bp

 RefSeq ORF:
 819 bp

 Locus ID:
 50496

 UniProt ID:
 054917

 Cytogenetics:
 12 8.04 cM

Gene Summary:

Inhibitor of E2F-dependent transcription. Binds DNA cooperatively with DP proteins through the E2 recognition site, 5'-TTTC[CG]CGC-3'. Has a preference for the 5'-TTTCCCGC-3' E2F recognition site. E2F6 lacks the transcriptional activation and pocket protein binding domains. Appears to regulate a subset of E2F-dependent genes whose products are required for entry into the cell cycle but not for normal cell cycle progression. May silence expression via the recruitment of a chromatin remodeling complex containing histone H3-K9 methyltransferase activity. Overexpression delays the exit of cells from the S-phase (By similarity).

[UniProtKB/Swiss-Prot Function]

Transcript Variant: This variant (1) represents the protein-coding transcript.