

Product datasheet for **MC207577**

Ndufc1 (NM_025523) Mouse Untagged Clone

Product data:

Product Type: Expression Plasmids
Product Name: Ndufc1 (NM_025523) Mouse Untagged Clone
Tag: Tag Free
Symbol: Ndufc1
Synonyms: 2310016K22Rik; KFYI
Vector: pCMV6-Entry (PS100001)
E. coli Selection: Kanamycin (25 ug/mL)
Cell Selection: Neomycin
Fully Sequenced ORF: >MC207577 representing NM_025523
Red=Cloning site Blue=ORF Orange=Stop codon

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**GCGATCGCC**

ATGGCGCCGTCCGTAGTGTGCTGCGCTCGTTTTCGCGGCTGTGGCCCCGCGCGGCTGCCGAGCTGCTCTT
CAACACGGTCGAAGTTCTATGTCCGGGAGCCAGTCAATGCCAAACCTAACTGGTTGCCAGTTGGACTGTC
CGTGGGCGCTCGGTTTTTCATGTGGATTATCTCATCCAAACACACAATGAAGATGTTTTGGAGTATAAA
AGAAGAAATGGATTGGAAT**AA**

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
ACAAGGATGACGACGATAAGGTTTAA

Restriction Sites: Sgfl-Mlul
ACCN: NM_025523
Insert Size: 231 bp

OTI Disclaimer: Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).



[View online »](#)

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_025523.1](#), [NP_079799.1](#)

RefSeq Size: 414 bp

RefSeq ORF: 231 bp

Locus ID: 66377

UniProt ID: [Q9CQY9](#)

Cytogenetics: 3 C

Gene Summary: Accessory subunit of the mitochondrial membrane respiratory chain NADH dehydrogenase (Complex I), that is believed not to be involved in catalysis. Complex I functions in the transfer of electrons from NADH to the respiratory chain. The immediate electron acceptor for the enzyme is believed to be ubiquinone.[UniProtKB/Swiss-Prot Function]