

Product datasheet for **MC208033**

Neurod1 (NM_010894) Mouse Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Neurod1 (NM_010894) Mouse Untagged Clone
Tag:	Tag Free
Symbol:	Neurod1
Synonyms:	BETA2; BHF-1; bHLHa3; Nd1; Neurod
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
Fully Sequenced ORF:	>MC208033 representing NM_010894 Red=Cloning site Blue=ORF Orange=Stop codon

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGATCGCC**

ATGACCAATCATACAGCGAGAGCGGGCTGATGGGCGAGCCTCAGCCCCAAGGTCCCCAAGCTGGACAG
ATGAGTGTCTCAGTTCTCAGGACGAGGAACACGAGGCAGACAAGAAAGAGGACGAGCTTGAAGCCATGAA
TGCAGAGGAGGACTCTCTGAGAAACGGGGGAGAGGAGGAGGAAAGATGAGGATCTAGAGGAAGAGGAG
GAAGAAGAAGAGGAGGAGGAGGATCAAAAGCCCAAGAGACGGGGTCCAAAAAGAAAAGATGACCAAGG
CGCGCCTAGAACGTTTTAAATTAAGGCGCATGAAGGCCAACGCCCGCAGCGGAACCGCATGCACGGGCT
GAACGCGGCGCTGGACAACCTGCGCAAGGTGGTACCTTGCTACTCCAAGACCCAGAACTGTCTAAAATA
GAGACTGCGCTTGGCCAAGAACTACATCTGGGCTCTGTGAGAGATCCTGCGCTCAGGCAAAAGCCCTG
ATCTGGTCTCCTTCGTACAGACGCTCTGCAAGGTTTGTCCCAGCCCACTACCAATTTGGTGCAGCGGCTG
CCTGCAGCTCAACCCTCGGACTTCTTGCTGAGCAGAACCCGGACATGCCCCGCATCTGCCAACCGCC
AGCGCTTCTTCCCGGTGCATCCCTACTCCTACCAGTCCCTGGACTGCCAGCCCGCCCTACGGCACCA
TGGACAGCTCCCACGTCTCCACGTCAAGCCGCCACACGCCTACAGCGCAGCTCTGGAGCCCTTCTT
TGAAAGCCCCCTAACTGACTGCACCAGCCCTTCTTTGACGGACCCCTCAGCCCGCCGCTCAGCATCAAT
GGCAACTTCTTTCAAACACGAACCATCCGCCGAGTTTGAAAAAATTATGCCTTTACCATGCACACTACC
CTGCAGCGAGCTGGCAGGGCCCCAAAGCCACGGATCAATCTTCTTCCGGTGCCGCTGCCCTCGCTG
CGAGATCCCATAGACAACATTATGTCTTTCGATAGCCATTTCGCATCATGAGCGAGTCATGAGTGCCAG
CTTAATGCCATCTTTCACGATTAG

ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
ACAAGGATGACGACGATAAGGTTTAA

Chromatograms: https://cdn.origene.com/chromatograms/ja2660_a08.zip



[View online »](#)

Restriction Sites:	Sgfl-Mlul
ACCN:	NM_010894
Insert Size:	1074 bp
OTI Disclaimer:	<p>Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at custsupport@origene.com or by calling 301.340.3188 option 3 for pricing and delivery.</p> <p>The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info</p>
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none"> 1. Centrifuge at 5,000xg for 5min. 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. 3. Close the tube and incubate for 10 minutes at room temperature. 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	BC018241 , AAH18241
RefSeq Size:	2494 bp
RefSeq ORF:	1074 bp
Locus ID:	18012
UniProt ID:	Q60867
Cytogenetics:	2 47.58 cM

Gene Summary:

Acts as a transcriptional activator: mediates transcriptional activation by binding to E box-containing promoter consensus core sequences 5'-CANNTG-3'. Associates with the p300/CBP transcription coactivator complex to stimulate transcription of the secretin gene as well as the gene encoding the cyclin-dependent kinase inhibitor CDKN1A. Contributes to the regulation of several cell differentiation pathways, like those that promote the formation of early retinal ganglion cells, inner ear sensory neurons, granule cells forming either the cerebellum or the dentate gyrus cell layer of the hippocampus, endocrine islet cells of the pancreas and enteroendocrine cells of the small intestine. Together with PAX6 or SIX3, is required for the regulation of amacrine cell fate specification. Also required for dendrite morphogenesis and maintenance in the cerebellar cortex. Associates with chromatin to enhancer regulatory elements in genes encoding key transcriptional regulators of neurogenesis.[UniProtKB/Swiss-Prot Function]