

Product datasheet for MC208335

Crkl (NM_007764) Mouse Untagged Clone

Product data:

Product Type: Expression Plasmids

Product Name: Crkl (NM_007764) Mouse Untagged Clone

Tag: Tag Free Symbol: Crkl

Synonyms: 1110025F07Rik; AA589403; Al325100; Cr; Crkol; snoop

Mammalian Cell

Selection:

Neomycin

Vector:pCMV6-Entry (PS100001)E. coli Selection:Kanamycin (25 ug/mL)

Fully Sequenced ORF: >MC208335 representing NM_007764

Red=Cloning site Blue=ORF Orange=Stop codon

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT

ACAAGGATGACGACGATAAGGTTTAA

Restriction Sites: Sgfl-Mlul ACCN: NM_007764



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com ORIGENE

Insert Size: 912 bp

OTI Disclaimer: Our molecular clone sequence data has been matched to the reference identifier above as a

point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative

RNA splicing form or single nucleotide polymorphism (SNP).

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

Note: Plasmids are not sterile. For experiments where strict sterility is required, filtration with

0.22um filter is required.

RefSeq: <u>NM 007764.5</u>, <u>NP 031790.2</u>

16 A3

 RefSeq Size:
 5050 bp

 RefSeq ORF:
 912 bp

 Locus ID:
 12929

 UniProt ID:
 P47941

Cytogenetics:

Gene Summary: This gene is part of a family of adapter proteins that mediate formation of signal transduction

complexes in response to extracellular stimuli, such as growth and differentiation factors. Protein-protein interactions occur through the SH2 domain, which binds phosphorylated tyrosine residues, and the SH3 domain, which binds proline-rich peptide motifs. These interactions promote recruitment and activation of effector proteins to regulate cell migration, adhesion, and proliferation. In certain mouse genetic backgrounds this protein is essential for embryonic development. It is important for neural crest cell differentiation and survival and is proposed to play an important role in transducing the oncogenic signal of Bcr/Abl. Deletion of this gene in mouse mimics the phenotype of DiGeorge/velocardiofacial syndrome in human. Alternative splicing results in multiple transcript variants that encode

different protein isoforms. [provided by RefSeq, Mar 2013]

Transcript Variant: This variant (1) represents the longer transcript and encodes the longer

isoform (1).