OriGene Technologies, Inc.
9620 Medical Center Drive, Ste 200
Rockville, MD 20850, US
Phone: +1-888-267-4436
https://www.origene.com
techsupport@origene.com
EU: info-de@origene.com
CN: techsupport@origene.cn

Product datasheet for MC208940

Max (NM_008558) Mouse Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Max (NM_008558) Mouse Untagged Clone
Tag:	Tag Free
Symbol:	Max
Synonyms:	AA960152; AI875693; bHLHd4; bHLHd5; bHLHd6; bHLHd7; bHLHd8
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
Fully Sequenced ORF:	>MC208940 representing NM_008558 Red=Cloning site Blue=ORF Orange=Stop codon TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC GCCGCGATCGCC ATGAGCGATAACGATGACATCGAGGTGGAGAGCGACGAAGAGCAACCGAGGTTTCAATCTGCGGCTGACA AGCGGGCTCACCATAATGCACTGGAACGAAAACGTAGGGACCACATCAAAGACAGCTTTCACAGTTTGCG GGACTCAGTCCCATCACTCCAAGGAGAGAAGGCATCCCGGGCCCAAATCCTAGACAAAGCAACAGAGTAT ATCCAGTATATGCGAAGGAAAAACCATACGCACCAGCAAGACATTGATGACCTCAAGCGGCAGAATGCTC TTCTGGAGCAACAAGTCCGTGCACTGGAGAAGGCAAGATCAAGTGCCCAACTGCAGACCAACTACCCCTC CTCAGACAACAGCCTCTACACCAACGCCAAGGGCGGCACCATCTCTGCCTTCGATGGGGGTTCAGACTCC AGCTCAGAATCCGAGCCTGAAGAGCCCCAGAGCAGGAAGAAACTCCGGATGGAGGCCAGCTAA ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT ACAAGGATGACGACGATAAGGTTTAA
Restriction Sites:	SgfI-MluI
ACCN:	NM_008558
Insert Size:	483 bp

View online »

OTI Disclaimer: Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at custsupport@origene.com or by calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:
1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: NM_008558.2, NP_032584.2

RefSeq Size: 2005 bp

RefSeq ORF: 483 bp

Locus ID: 17187

UniProt ID: P28574

Cytogenetics: 12 33.78 cM

Gene Summary: Transcription regulator. Forms a sequence-specific DNA-binding protein complex with MYC or MAD which recognizes the core sequence 5'-CAC[GA]TG-3'. The MYC:MAX complex is a transcriptional activator, whereas the MAD:MAX complex is a repressor. CpG methylation of the recognition site greatly inhibits DNA binding, suggesting that DNA methylation may regulate the MYC:MAX complex in vivo. May repress transcription via the recruitment of a chromatin remodeling complex containing H3 'Lys-9' histone methyltransferase activity. Represses MYC transcriptional activity from E-box elements (By similarity).[UniProtKB/Swiss-Prot Function]
Transcript Variant: This variant (1) encodes the longest isoform (1). Sequence Note: This RefSeq record was created from transcript and genomic sequence data to make the sequence consistent with the reference genome assembly. The genomic coordinates used for the transcript record were based on transcript alignments.