

Product datasheet for MC208999

Mxi1 (NM_001008543) Mouse Untagged Clone

Product data:

Product Type: Expression Plasmids

Product Name: Mxi1 (NM_001008543) Mouse Untagged Clone

Tag: Tag Free
Symbol: Mxi1

Synonyms: bHLHc11; Gm10197; Mad2

Mammalian Cell Neomycin

Selection:

Vector:pCMV6-Entry (PS100001)E. coli Selection:Kanamycin (25 ug/mL)

Fully Sequenced ORF: >MC208999 representing NM_001008543

Red=Cloning site Blue=ORF Orange=Stop codon

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

ACTCTCCTTCGCGTCCTAG

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT

ACAAGGATGACGACGATAAGGTTTAA

Restriction Sites: Sgfl-Mlul

ACCN: NM_001008543

Insert Size: 579 bp



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



OTI Disclaimer:

Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).

Components:

The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

- 1. Centrifuge at 5,000xg for 5min.
- 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
- 3. Close the tube and incubate for 10 minutes at room temperature.
- 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

Note: Plasmids are not sterile. For experiments where strict sterility is required, filtration with

0.22um filter is required.

RefSeq: <u>NM 001008543.2, NP 001008543.1</u>

 RefSeq Size:
 4843 bp

 RefSeq ORF:
 579 bp

 Locus ID:
 17859

 UniProt ID:
 P50540

Cytogenetics: 19 47.53 cM

Gene Summary: This gene encodes a protein containing a helix-loop-helix domain characteristic of

transcription factors, which allows heterodimerization and sequence-specific DNA binding. The encoded protein is related to a family of Myc/Max/Mad proteins that are involved in the regulation of several cellular processes. The protein encoded by this gene is a transcriptional repressor thought to negatively regulate Myc function. Three alternatively spliced transcripts

encoding different isoforms have been described. [provided by RefSeq, Jul 2008]

Transcript Variant: This variant (3), also referred to as WR, differs in the 5' UTR and 5' coding region, compared to variant 1. The resulting isoform (c) is shorter and has a distinct N-terminus, compared to isoform a. This variant is supported by mRNAs and ESTs but the existence of the protein product has not been verified experimentally. Variants 3-6 encode the same protein. Sequence Note: This RefSeq record was created from transcript and genomic sequence data to make the sequence consistent with the reference genome assembly. The genomic coordinates used for the transcript record were based on transcript

alignments.