

Product datasheet for **MC209346**

S100a4 (NM_011311) Mouse Untagged Clone

Product data:

Product Type: Expression Plasmids
Product Name: S100a4 (NM_011311) Mouse Untagged Clone
Tag: Tag Free
Symbol: S100a4
Synonyms: 18A2; 42a; Cap1; FSp1; metastasin; Mts1; PeL98; pk9a
Mammalian Cell Selection: Neomycin
Vector: pCMV6-Entry (PS100001)
E. coli Selection: Kanamycin (25 ug/mL)
Fully Sequenced ORF: >MC209346 representing NM_011311
Red=Cloning site Blue=ORF Orange=Stop codon

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGATCGCC**

ATGGCAAGACCCTTGGAGGAGGCCCTGGATGTAATTGTGTCCACCTTCCACAAATACTCAGGCAAAGAGG
GTGACAAGTTCAAGCTGAACAAGACAGAGCTCAAGGAGCTACTGACCAGGGAGCTGCCTAGCTTCCTGGG
GAAAAGGACAGATGAAGCTGCATTCCAGAAGGTGATGAGCAACTTGGACAGCAACAGGGACAATGAAGTT
GACTTCCAGGAGTACTGTGTCTCCTGTCCTGCATTGCCATGATGTGCAATGAATCTTTGAGGGCTGCC
CAGATAAGGAGCCCCGAAGAAGTGA

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
ACAAGGATGACGACGATAAGGTTTAA

Chromatograms: https://cdn.origene.com/chromatograms/ja2411_a05.zip
Restriction Sites: SgfI-MluI
ACCN: NM_011311
Insert Size: 306 bp



[View online »](#)

OTI Disclaimer: Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at custsupport@origene.com or by calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_011311.2](#), [NP_035441.1](#)

RefSeq Size: 513 bp

RefSeq ORF: 306 bp

Locus ID: 20198

UniProt ID: [P07091](#)

Cytogenetics: 3 39.27 cM

Gene Summary: Calcium-binding protein that plays a role in various cellular processes including motility, angiogenesis, cell differentiation, apoptosis, and autophagy (PubMed:20519440). Increases cell motility and invasiveness by interacting with non-muscle myosin heavy chain (NMMHC) IIA/MYH9 (PubMed:8051043). Mechanistically, promotes filament depolymerization and increases the amount of soluble myosin-IIA, resulting in the formation of stable protrusions facilitating chemotaxis (PubMed:8051043). Modulates also the pro-apoptotic function of TP53 by binding to its C-terminal transactivation domain within the nucleus and reducing its protein levels (By similarity). Within the extracellular space, stimulates cytokine production including granulocyte colony-stimulating factor and CCL24 from T-lymphocytes (PubMed:20103644). In addition, stimulates T-lymphocyte chemotaxis by acting as a chemoattractant complex with PGLYRP1 that promotes lymphocyte migration via CCR5 and CXCR3 receptors (By similarity).[UniProtKB/Swiss-Prot Function]