

## Product datasheet for **MC209370**

### Cxcl12 (NM\_021704) Mouse Untagged Clone

#### Product data:

Product Type:	Expression Plasmids
Product Name:	Cxcl12 (NM_021704) Mouse Untagged Clone
Tag:	Tag Free
Symbol:	Cxcl12
Synonyms:	PB; Pbsf; PBSF/SD; Scyb1; Scyb12; Sdf; SDF-; Sdf1; TLS; Tlsf; TP; Tpar1
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
Restriction Sites:	Sgfl-Mlul
ACCN:	NM_021704
Insert Size:	270 bp
OTI Disclaimer:	Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at <a href="mailto:custsupport@origene.com">custsupport@origene.com</a> or by calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
-------------	--



[View online »](#)

**Reconstitution Method:**

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

**RefSeq:** [NM\\_021704.3](#), [NP\\_068350.1](#)

**RefSeq Size:** 1878 bp

**RefSeq ORF:** 270 bp

**Locus ID:** 20315

**UniProt ID:** [P40224](#)

**Cytogenetics:** 6 F1

**Gene Summary:** This gene encodes a member of the alpha chemokine protein family. The encoded protein is secreted and functions as the ligand for the G-protein coupled receptor, chemokine (C-X-C motif) receptor 4. The encoded protein plays a role in many diverse cellular functions, including embryogenesis, immune surveillance, inflammation response, tissue homeostasis, and tumor growth and metastasis. Alternative splicing results in multiple transcript variants. [provided by RefSeq, May 2013]

Transcript Variant: This variant (1) differs in the 3' UTR and 3' coding region compared to variant 3. The resulting isoform (alpha) is shorter at the C-terminus, compared to isoform gamma. Sequence Note: This RefSeq record was created from transcript and genomic sequence data to make the sequence consistent with the reference genome assembly. The genomic coordinates used for the transcript record were based on transcript alignments.