

Product datasheet for MC209780

Msrb1 (NM_013759) Mouse Untagged Clone

Product data:

Product Type: Expression Plasmids

Product Name: Msrb1 (NM_013759) Mouse Untagged Clone

Symbol: Msrb1

Synonyms: D17Wsu82; D17Wsu82e; S; SelR; SELX; Sep; Sepr; Sepx1

Mammalian Cell

Selection:

Neomycin

Vector:pCMV6-Entry (PS100001)E. coli Selection:Kanamycin (25 ug/mL)

Fully Sequenced ORF: >MC209780 representing NM_013759

Red=Cloning site Blue=ORF Orange=Stop codon

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

ATGTCGTTCTGCAGCTTCTTCGGAGGCGAGGTTTTCCAGAATCACTTCGAGCCAGGTGTCTACGTGTGTGCAAGTGCAGCTATGAGCTGTTCTCCAGTCACTCGAAGTACGCACACTCATCCCCGTGGCCAGCGTTCACTGAAACCATCCACCCAGACAGTGTGACCAAGTGCCCTGAGAAAAACCGACCAGAAGCTTTAAAGGTGTCCTGTGGCAAGTGTGGCAATGGGTTCGGAATCAAGATTCTGAATATTTAGCAGCTCACTGAAGTTCCTCAAAGGCAAAGAAGCTGCCTCCCAGGGGCACTA

G

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT

ACAAGGATGACGACGATAAGGTTTAA

Restriction Sites: Sgfl-Mlul

ACCN: NM_013759

OTI Disclaimer: Our molecular clone sequence data has been matched to the reference identifier above as a

point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP). The expression of this clone is

not guaranteed due to the nature of selenoproteins.

OTI Annotation: This clone encodes a selenoprotein containing the rare amino acid selenocysteine (Sec). Sec is

encoded by UGA codon, which normally signals translational termination. Expression of this

clone is not guaranteed due to the nature of selenoproteins.



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Components:

The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

- 1. Centrifuge at 5,000xg for 5min.
- 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
- 3. Close the tube and incubate for 10 minutes at room temperature.
- 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

Note: Plasmids are not sterile. For experiments where strict sterility is required, filtration with

0.22um filter is required.

RefSeq: <u>NM 013759.2</u>, <u>NP 038787.1</u>

 RefSeq Size:
 904 bp

 RefSeq ORF:
 351 bp

 Locus ID:
 27361

 UniProt ID:
 Q9]LC3

Cytogenetics: 17 12.53 cM

Gene Summary: The protein encoded by this gene belongs to the methionine-R-sulfoxide reductase B (MsrB)

family. Members of this family function as repair enzymes that protect proteins from oxidative stress by catalyzing the reduction of methionine-R-sulfoxides to methionines. This protein is highly expressed in liver and kidney, and is localized to the nucleus and cytosol. It is the only member of the MsrB family that is a selenoprotein, containing a selenocysteine (Sec) residue at its active site. It also has the highest methionine-R-sulfoxide reductase activity compared to other members containing cysteine in place of Sec. Sec is encoded by the UGA codon, which normally signals translation termination. The 3' UTRs of selenoprotein mRNAs contain a conserved stem-loop structure, designated the Sec insertion sequence (SECIS) element, that is necessary for the recognition of UGA as a Sec codon, rather than as a stop signal. Alternatively spliced transcript variants have been described for this gene. [provided

by RefSeq, Oct 2016]

Transcript Variant: This variant (1) represents the predominant 5-exon transcript. Variants 1

and 2 encode the same protein.