

## **Product datasheet for MC209980**

## Il1f5 (NM\_019451) Mouse Untagged Clone

## **Product data:**

**Product Type:** Expression Plasmids

**Product Name:** II1f5 (NM\_019451) Mouse Untagged Clone

Tag: Tag Free Symbol: II1f5

Synonyms: Al413231; Fil1delta; Il-1h3; IL-36Ra; Il1hy1; IL36RN

Vector:pCMV6-Entry (PS100001)E. coli Selection:Kanamycin (25 ug/mL)

Cell Selection: Neomycin

Fully Sequenced ORF: >MC209980 representing NM\_019451

471 bp

Red=Cloning site Blue=ORF Orange=Stop codon

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

**GCCGCGATCGCC** 

**ACGCGT**ACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT

ACAAGGATGACGACGATAAGGTTTAA

**ACCN:** Sgfl-Mlul NM\_019451

**Insert Size:** 

**OTI Disclaimer:** Our molecular clone sequence data has been matched to the reference identifier above as a

point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative

RNA splicing form or single nucleotide polymorphism (SNP).



**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

**RefSeq:** <u>NM 019451.2</u>, <u>NP 062324.2</u>

RefSeq Size: 1759 bp

RefSeq ORF: 471 bp

Locus ID: 54450

UniProt ID: Q9QYY1

Cytogenetics: 2 16.31 cM

Gene Summary: Inhibits the activity of interleukin-36 (IL36A,IL36B and IL36G) by binding to receptor IL1RL2/IL-

36R and preventing its association with the coreceptor IL1RAP for signaling. Part of the IL-36 signaling system that is thought to be present in epithelial barriers and to take part in local inflammatory response; similar to the IL-1 system with which it shares the coreceptor.

Proposed to play a role in skin inflammation. May be involved in the innate immune response to fungal pathogens. May activate an anti-inflammatory signaling pathway by recruiting

SIGIRR.[UniProtKB/Swiss-Prot Function]

Transcript Variant: This variant (2) differs in the 5' UTR compared to variant 1. Variants 1, 2

and 3 encode the same protein.