

Product datasheet for **MC210269**

Lamtor4 (NM_001081108) Mouse Untagged Clone

Product data:

Product Type: Expression Plasmids
Product Name: Lamtor4 (NM_001081108) Mouse Untagged Clone
Tag: Tag Free
Symbol: Lamtor4
Synonyms: 0910001L09Rik; AV006840
Vector: pCMV6-Entry (PS100001)
E. coli Selection: Kanamycin (25 ug/mL)
Cell Selection: Neomycin
Fully Sequenced ORF: >MC210269 representing NM_001081108
Red=Cloning site Blue=ORF Orange=Stop codon

TTTTGTAATACGACTCACTATAGGGCGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**GCGATCGCC**

ATGACTCCGCACTGACCCAAGGGCTGGAGCGAATCCAGACCAGCTTGGCTACCTGGTCTGAGCGAAG
GTGCAGTCTGGCGTCATCTGGGACCTTGAGAACGATGAGCAAGCAGCCAGTCCATCTCGGAGTTGGT
CAGCACAGCCTGTGGCTCCAGTTGCACCATGGCAGAACATCCCTTTCAAACGCCTGTCTGTGGTCTTT
GGTGAACACACGCTGCTGGTGACTGTGTCAGGACAGAGGGTGTGGTAGTGAAGAGGCAGAACCGAGGTC
GTGAACCTATTGATGCTGA

ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
ACAAGGATGACGACGATAAGGTTTAA

Restriction Sites: SgfI-MluI

ACCN: NM_001081108

Insert Size: 300 bp

OTI Disclaimer: Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).



[View online »](#)

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_001081108.2](#), [NP_001074577.1](#)

RefSeq Size: 900 bp

RefSeq ORF: 300 bp

Locus ID: 66096

UniProt ID: [Q8CF66](#)

Cytogenetics: 5 G2

Gene Summary: As part of the Ragulator complex it is involved in amino acid sensing and activation of mTORC1, a signaling complex promoting cell growth in response to growth factors, energy levels, and amino acids. Activated by amino acids through a mechanism involving the lysosomal V-ATPase, the Ragulator functions as a guanine nucleotide exchange factor activating the small GTPases Rag. Activated Ragulator and Rag GTPases function as a scaffold recruiting mTORC1 to lysosomes where it is in turn activated (By similarity).[UniProtKB/Swiss-Prot Function]