

Product datasheet for **MC210623**

N6amt1 (NM_001159331) Mouse Untagged Clone

Product data:

Product Type: Expression Plasmids
Product Name: N6amt1 (NM_001159331) Mouse Untagged Clone
Tag: Tag Free
Symbol: N6amt1
Synonyms: 5830445C04Rik; Hemk2; Pred28
Vector: pCMV6-Entry (PS100001)
E. coli Selection: Kanamycin (25 ug/mL)
Cell Selection: Neomycin
Fully Sequenced ORF: >MC210623 representing NM_001159331
Red=Cloning site **Blue**=ORF **Orange**=Stop codon

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**GCGATCGCC**

ATGGCGGCGCGGAGTGTCCACGCCGTTGTACGGCACGTGGGTCGCGGAGCCTCCGCGACGTGTACG
AGCCAGCGGAGGACACGTTCTGTACTGGACGCGCTCGAGGCGCGCGGCCGAGCTAGCAGGAGTGGA
AATATGCCTTGAAGTAGGAGCAGGATCTGGTGTGGTGTCTGCATTCTGGCCTCCATGATAGGTCCTCGG
GCCTTATACATGTGCACTGATATCAACCTGAGGCAGCCGATGTACCTTGAAAACAGCACGCTGTAACA
GAGTCCATGTTACGCCAGTGATCACAGATTTGGTGACCGCTTGCTGCCAGACTGAAGGGGAAAGTAGA
CCTGCTGGTGTTTAACCCCCCTATGTAGTGACTCCGCCTGAAGAGAGGAAATCTTTAAACAATGA

ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
ACAAGGATGACGACGATAAGGTTTAA

Restriction Sites: Sgfl-MluI

ACCN: NM_001159331

Insert Size: 417 bp

OTI Disclaimer: Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).



[View online »](#)

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_001159331.1](#), [NP_001152803.1](#)

RefSeq Size: 1649 bp

RefSeq ORF: 417 bp

Locus ID: 67768

UniProt ID: [Q6SKR2](#)

Cytogenetics: 16 C3.3

Gene Summary: Methyltransferase that can methylate both proteins and DNA, and to a lower extent, arsenic (PubMed:20606008, PubMed:26797129). Catalytic subunit of a heterodimer with TRMT112, which catalyzes N5-methylation of Glu residue of proteins with a Gly-Gln-Xaa-Xaa-Xaa-Arg motif (PubMed:26797129). Methylates ETF1 on 'Gln-185'; ETF1 needs to be complexed to ERF3 in its GTP-bound form to be efficiently methylated (PubMed:20606008, PubMed:26797129). Also acts as a N(6)-adenine-specific DNA methyltransferase by mediating methylation of DNA on the 6th position of adenine (N(6)-methyladenosine) (By similarity). N(6)-methyladenosine (m6A) DNA is significantly enriched in exonic regions and is associated with gene transcriptional activation (By similarity). May also play a role in the modulation of arsenic-induced toxicity by mediating the conversion of monomethylarsonous acid (3+) into the less toxic dimethylarsonic acid (By similarity). It however only plays a limited role in arsenic metabolism compared with AS3MT (By similarity).[UniProtKB/Swiss-Prot Function]

Transcript Variant: This variant (2) lacks an alternate coding exon compared to variant 1, that causes a frameshift. The resulting isoform (2) has a shorter and distinct C-terminus compared to isoform 1. Sequence Note: This RefSeq record was created from transcript and genomic sequence data to make the sequence consistent with the reference genome assembly. The genomic coordinates used for the transcript record were based on transcript alignments.