

Product datasheet for **MC210664**

Rpl41 (NM_018860) Mouse Untagged Clone

Product data:

Product Type: Expression Plasmids
Product Name: Rpl41 (NM_018860) Mouse Untagged Clone
Tag: Tag Free
Symbol: Rpl41
Synonyms: 1810055P16Rik; 2210411K19Rik
Vector: pCMV6-Entry (PS100001)
E. coli Selection: Kanamycin (25 ug/mL)
Cell Selection: Neomycin
Fully Sequenced ORF: >MC210664 representing NM_018860
Red=Cloning site **Blue**=ORF **Orange**=Stop codon

TTTTGTAATACGACTCACTATAGGGCGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**GCGATCGCC**

ATGAGAGCGAAGTGGCGGAAGAAGAGAATGCGCAGGCTGAAGCGCAAGAGAAGAAAGATGAGGCAGAGGT
CCAAGTAA

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
ACAAGGATGACGACGATAAGGTTTAA

Restriction Sites: SgfI-MluI
ACCN: NM_018860
Insert Size: 78 bp

OTI Disclaimer: Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).



[View online »](#)

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_018860.4](#), [NP_061348.1](#)

RefSeq Size: 459 bp

RefSeq ORF: 78 bp

Locus ID: 67945

UniProt ID: [P62947](#)

Cytogenetics: 10 D3

Gene Summary: Interacts with the beta subunit of protein kinase CKII and stimulates phosphorylation of DNA topoisomerase II alpha by CKII.[UniProtKB/Swiss-Prot Function]