

Product datasheet for MC210774

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com

CN: techsupport@origene.cn

OriGene Technologies, Inc.

Fam172a (NM_001163420) Mouse Untagged Clone

Product data:

Product Type: Expression Plasmids

Product Name: Fam172a (NM_001163420) Mouse Untagged Clone

Tag: Tag Free
Symbol: Fam172a

Synonyms: 53-E6; 1110033M05Rik; 2610318O14Rik; 9430037D06Rik; AF064782; pEN87

Vector:pCMV6-Entry (PS100001)E. coli Selection:Kanamycin (25 ug/mL)

Cell Selection: Neomycin

Fully Sequenced ORF: >MC210774 representing NM_001163420

Red=Cloning site Blue=ORF Orange=Stop codon

 ${\tt TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCCGCCGCGATCGCC}$

ACGAGGAGCTGTGA

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT

GCGGAAGCCTCGGAGGCCAAGAGCAGCTCGCAGAAGCCGGCCCTGACGCGGCGCTCGCACCGGATCAAGC

ACAAGGATGACGACGATAAGGTTTAA

Restriction Sites: Sgfl-Mlul

ACCN: NM 001163420

Insert Size: 924 bp



Fam172a (NM_001163420) Mouse Untagged Clone - MC210774

OTI Disclaimer: Our molecular clone sequence data has been matched to the reference identifier above as a

point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative

RNA splicing form or single nucleotide polymorphism (SNP).

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 001163420.1</u>, <u>NP 001156892.1</u>

RefSeq Size: 3720 bp
RefSeq ORF: 924 bp
Locus ID: 68675

UniProt ID: Q3TNH5

Cytogenetics: 13 C1

Gene Summary: Plays a role in the regulation of alternative splicing, by interacting with AGO2 and CHD7.

Seems to be required for stabilizing protein-protein interactions at the chromatin-

spliceosome interface (PubMed:29311329). May have hydrolase activity (PubMed:29311329).

[UniProtKB/Swiss-Prot Function]

Transcript Variant: This variant (3) lacks two alternate exons and uses a downstream start codon, compared to variant 1. The resulting isoform (3) has a shorter N-terminus and lacks an internal segment, compared to isoform 1. Sequence Note: The RefSeq transcript and protein were derived from genomic sequence to make the sequence consistent with the reference genome assembly. The genomic coordinates used for the transcript record were based on

transcript alignments.