

Product datasheet for MC211014

Rab43 (NM_133717) Mouse Untagged Clone

Product data:

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product Type:	Expression Plasmids
Product Name:	Rab43 (NM_133717) Mouse Untagged Clone
Tag:	Tag Free
Symbol:	Rab43
Synonyms:	1810048P08Rik; 2500004H21Rik; AW490415
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
Fully Sequenced ORF:	>MC211014 representing NM_133717 Red=Cloning site Blue=ORF Orange=Stop codon
	TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC GCC <mark>GCGATCGC</mark> C
	ATGGTGTGTTCTACAGGCTGGAGGCCATTGTTACTGTTACAGATTTGGGACACAGCTGGCCAGGAGCGGT TCCGGACCATCACCCAGAGCTACTACCGAAGTGCCAATGGGGGCTATCCTTGCGTACGACATCAGCAAGAG GAGCACCTTCTTGTCAGTGCCTCACTGGATCGAGGATGTGAGGAAGTACGCGGGTTCCAACATCGTGCAG CTGCTGATTGGGAACAAGTCAGACCTTGCCGATTTCCGGGGAGGTCCCATTGGCGGAGGCACAGAGCCTGG CTGAGCACTATGACATCCTCTGTGCCATCGAGACCTCCGCAAAGGACTCCAGCAATGTGGAGGAGGCCTT CACCAGAGTGGCCACGGAGCTCATCATGAGGCACGGAGGTCCCATGTCAGTGAGAAGAACACAGACCAC ATCCAGCTGGACAGCAAGGACATTGCGGAGAGCTGGGGGCTGTGGGTGCTGA
	ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT ACAAGGATGACGACGATAAGGTTTAA
Restriction Sites:	Sgfl-Mlul
ACCN:	NM_133717
Insert Size:	471 bp
OTI Disclaimer:	Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

CRIGENE Rab43 (NM_133717) Mouse Untagged Clone – MC211014	
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Metho	 Centrifuge at 5,000xg for 5min. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. Close the tube and incubate for 10 minutes at room temperature. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
Note:	Plasmids are not sterile. For experiments where strict sterility is required, filtration with 0.22um filter is required.
RefSeq:	<u>NM 133717.3, NP 598478.1</u>
RefSeq Size:	4311 bp
RefSeq ORF:	471 bp
Locus ID:	69834
Cytogenetics:	6 D1
Gene Summary:	The small GTPases Rab are key regulators of intracellular membrane trafficking, from the formation of transport vesicles to their fusion with membranes. Rabs cycle between an inactive GDP-bound form and an active GTP-bound form that is able to recruit to membranes different set of downstream effectors directly responsible for vesicle formation, movement, tethering and fusion. The low intrinsic GTPase activity of RAB43 is activated by USP6NL. Involved in retrograde transport from the endocytic pathway to the Golgi apparatus. Involved in the transport of Shiga toxin from early and recycling endosomes to the trans-Golgi network. Required for the structural integrity of the Golgi complex. Plays a role in the maturation of phagosomes that engulf pathogens, such as S.aureus and Mycobacterium. [UniProtKB/Swiss-Prot Function] Transcript Variant: This variant (2) contains an alternate 5' terminal exon and initiates translation at an alternate start codon, compared to variant 1. It encodes isoform b, which is shorter and has a distinct N-terminus, compared to isoform a. Sequence Note: The RefSeq transcript and protein were derived from genomic sequence to make the sequence consistent with the reference genome assembly. The genomic coordinates used for the transcript record were based on transcript alignments.

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US