

Product datasheet for MC212165

Lin7a (NM_001033223) Mouse Untagged Clone

Product data:

Product Type: Expression Plasmids

Product Name: Lin7a (NM_001033223) Mouse Untagged Clone

Tag: Tag Free Symbol: Lin7a

Synonyms: Al848705; LIN-7A; MALS-1; TIP-33; Veli; Veli1

Vector:pCMV6-Entry (PS100001)E. coli Selection:Kanamycin (25 ug/mL)

Cell Selection: Neomycin

Fully Sequenced ORF: >MC212165 representing NM_001033223

Red=Cloning site Blue=ORF Orange=Stop codon

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

TTCAGCAGCAGCAACAGCAGCAGCAACAACAACAACAAAACCACATGTCATAG

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT

ACAAGGATGACGACGATAAGGTTTAA

Restriction Sites: Sgfl-Mlul

ACCN: NM_001033223

Insert Size: 336 bp

OTI Disclaimer: Our molecular clone sequence data has been matched to the reference identifier above as a

point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative

RNA splicing form or single nucleotide polymorphism (SNP).

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Reconstitution Method:

- 1. Centrifuge at 5,000xg for 5min.
- 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
- 3. Close the tube and incubate for 10 minutes at room temperature.
- 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
- 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: <u>NM 001033223.2</u>, <u>NP 001028395.1</u>

RefSeq Size: 5845 bp
RefSeq ORF: 336 bp
Locus ID: 108030
Cytogenetics: 10 D1

Gene Summary: Plays a role in establishing and maintaining the asymmetric distribution of channels and

receptors at the plasma membrane of polarized cells. Forms membrane-associated multiprotein complexes that may regulate delivery and recycling of proteins to the correct membrane domains. The tripartite complex composed of LIN7 (LIN7A, LIN7B or LIN7C), CASK and APBA1 may have the potential to couple synaptic vesicle exocytosis to cell adhesion in brain. Ensures the proper localization of GRIN2B (subunit 2B of the NMDA receptor) to neuronal postsynaptic density and may function in localizing synaptic vesicles at synapses where it is recruited by beta-catenin and cadherin. Required to localize Kir2 channels, GABA transporter (SLC6A12) and EGFR/ERBB1, ERBB2, ERBB3 and ERBB4 to the basolateral

membrane of epithelial cells.[UniProtKB/Swiss-Prot Function]

Transcript Variant: This variant (2) lacks an exon in the 5' region, has an additional exon in a downstream region, and initiates translation at a downstream start codon, compared to variant 1. The resulting isoform (2) has a shorter N-terminus, compared to isoform 1. Variants

2 and 3 encode the same isoform 2.