

Product datasheet for MC212237

Erc1 (NM 178085) Mouse Untagged Clone

Product data:

Product Type: Expression Plasmids

Product Name: Erc1 (NM_178085) Mouse Untagged Clone

Tag: Tag Free Symbol: Erc1

Synonyms: 4930404L01Rik; 5033405M01Rik; 9630025C19Rik; B430107L16Rik; CAST2; ELKS; Elks1

Mammalian Cell Ne

Selection:

Neomycin

Vector: pCMV6-Entry (PS100001)

E. coli Selection: Kanamycin (25 ug/mL)

Fully Sequenced ORF: >MC212237 representing NM_178085

Red=Cloning site Blue=ORF Orange=Stop codon

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

ATGGATCTGCAGACACAGCTGAAGGAAGTATTAAGAGAAAACGATCTTTTGAGGAAAGATGTGGAAGTAA GGCCTTGAGAAAAGATGAAGCTTCCAAAATCACCATTTGGAAGGAGCAGTACCGAGTTGTACAGGAGGAA AACCAGCACATGCAGATGACAATCCAGGCTCTCCAGGATGAGCTGCGGATCCAGAGGGACTTGAATCAGC TGTTTCAGCAAGATAGCAGCAGTAGGACTGGGGAGCCTTGCGTGGCAGAGCTCACAGAGGAGAACTTCCA GAGGCTGCATGCTGAGCACGAGAGGCAAGCCAAAGAGCTGTTTCTTCTGCGGAAGACCCTGGAGGAAATG GAGCTGAGGATTGAGACTCAGAAGCAGACCCTAAATGCTCGGGATGAGTCCATCAAGAAGCTTCTGGAGA TGCTCCAGAGCAAAGGACTTTCTGCCAAAGCTACAGAGGAAGACCATGAGAGAACGCGACGGCTCGCAGA GGCGGAGATGCACGTCCACCACCTCGAGAGTCTTTTGGAGCAGAAGGAAAAAGAGAATAATATGTTGAGA GAGGAGATGCACCGGAGATTTGAAAATGCCCCTGATTCTGCCAAGACAAAAGCCTTGCAAACTGTTATTG AAATGAAGGATTCAAAAATTTCTTCCATGGAGCGTGGGCTCCGAGACCTGGAAGAGGAAATTCAGATGCT GAAGTCAAATGGGGCTTTGAGTAGTGAGGAGCGGGAGGAAGATGAAGCAAATGGAGGTGTACAGGAGC CACTCAAAGTTTATGAAAAATAAGATTGGCCAGGTGAAACAGGAACTGTCCAGAAAGGACACAGAATTAC TAGCCTTACAAACAAAGCTAGAAACTCTCACGAACCAATTCTCAGACAGTAAGCAACATATTGAGGTGCT GAAAGAGTCCCTCACTGCTAAGGAGCAAAGGGCTGCCATCCTACAGACTGAGGTAAAGAGTTTTTGTGAT TTGTGTAGAATCCAGTCCATACCTAGTTTCATTTTGTTATATTTTGTTATGTTTAG

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT

ACAAGGATGACGACGATAAGGTTTAA

Chromatograms: https://cdn.origene.com/chromatograms/ja1906-e03.zip



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Restriction Sites: Sgfl-Mlul

ACCN: NM_178085

Insert Size: 1107 bp

OTI Disclaimer: Due to the inherent nature of this plasmid, standard methods to replicate additional amounts

of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at customercom or by

calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. <u>More info</u>

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 178085.3</u>, <u>NP 835186.1</u>

 RefSeq Size:
 2351 bp

 RefSeq ORF:
 1107 bp

 Locus ID:
 111173

 UniProt ID:
 Q99MI1

Cytogenetics: 6 F1

Gene Summary: Regulatory subunit of the IKK complex. Probably recruits IkappaBalpha/NFKBIA to the

complex (By similarity). May be involved in the organization of the cytomatrix at the nerve terminals active zone (CAZ) which regulates neurotransmitter release. May be involved in vesicle trafficking at the CAZ. May be involved in Rab-6 regulated endosomes to Golgi

transport.[UniProtKB/Swiss-Prot Function]

Transcript Variant: This variant (2) lacks several exons and its 3' terminal exon extends past a

splice site that is used in variant 1. This results in a novel 3' coding region and 3' UTR, compared to variant 1. It encodes isoform 2 which is shorter and has a distinct C-terminus,

compared to isoform 1.