

Product datasheet for **MC212526**

Taar4 (NM_001008499) Mouse Untagged Clone

Product data:

| | |
|---------------------------|--|
| Product Type: | Expression Plasmids |
| Product Name: | Taar4 (NM_001008499) Mouse Untagged Clone |
| Tag: | Tag Free |
| Symbol: | Taar4 |
| Synonyms: | Gm226; Ta2; taR-4 |
| Mammalian Cell Selection: | Neomycin |
| Vector: | pCMV6-Entry (PS100001) |
| E. coli Selection: | Kanamycin (25 ug/mL) |
| Fully Sequenced ORF: | >MC212526 representing NM_001008499 Red=Cloning site Blue=ORF Orange=Stop codon |

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGATCGCC**

ATGAATACACCCGACCCCTGGAGCTCCCCAGAAGTACAGTTTTGCTTTGCTGCTGCAAACAGTTCTTGCC
CAAGGAAGGCGAGGCCTGCGCTCGTTGTCTGTGCCATGTACCTCATCATGATTGGAGCGATAGTGATGAC
CATGCTGGGAAACATGGCTGTGATCATCTATTGCCACTTCAAGCAGCTCCACTCCCCAACCACTTC
CTTATTCTCTCCATGGCTACCACAGACTCCTGTTGAGTTGCGTGGTCATGCCCTCAGTATGATCCGGT
CCATCGAGTCATGCTGGTACTTCGGAGACCTCTTTGCAAAGTTCACAGCTGCTGTGACATCATGCTCTG
TACCACATCCATTTCCACCTCTGCTTCATCTCAGTTGACCGCCACTATGCCGTCTGCGACCCCTTGAC
TACGTCACCCAAATCACGACCCGGTGGTAGGGTCTTTCTACTCATCAGTTGGTCTGTTCCCATCTTTT
TTGCCCTTTGGCTTGGTATTCTCAGAATTAATCTGATTGGTGTGAGGATTTTGTGCGAGCCATTGACTG
TACAGGTTTGTGTGTTGATATTTAACAAGCTCTGGGGAGTTCTGGCTTCCTTCATAGCTTTCTTTCTG
CCTGGGACAGTCATGGTAGGGATTTACATACACATTTTACAGTTGCCAGAAACATGCCAGGCAGATTG
GTACAGGTCCTAGGACAAAACAGGCCCTCTCAGAAAGCAAATGAAGGCCACATCAAAAAGGAAAGCAA
GGCCACCAAGACTTTAAGCATTGTATGGGAGTGTGTTGTGTTGGCTACCCCTTTTGTCTTGACA
ATCACAGACCCCTTTCATTGATTTTACAACCCCTGAAGATTTGTATAATGTTTTCCCTTTGGCTTGGTTATT
TTAATTCACCTTTCAATCCCATATATGGCATGTTCTATCCCTGGTTTCGAAAAGGCCCTGAGGATGAT
AGTCACAGGAACGATCTCCGCTCTGACTCTTCTACCTCAAGCCTGCATCCTGCACATCCT**TAG**

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
ACAAGGATGACGACGATAAGGTTTAA

Chromatograms: https://cdn.origene.com/chromatograms/ja1931_a08.zip



[View online »](#)

| | |
|-------------------------------|--|
| Restriction Sites: | Sgfl-Mlul |
| ACCN: | NM_001008499 |
| Insert Size: | 1044 bp |
| OTI Disclaimer: | <p>Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at custsupport@origene.com or by calling 301.340.3188 option 3 for pricing and delivery.</p> <p>The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info</p> |
| Components: | The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water). |
| Reconstitution Method: | <ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C. |
| RefSeq: | NM_001008499.1 , NP_001008499.1 |
| RefSeq Size: | 1044 bp |
| RefSeq ORF: | 1044 bp |
| Locus ID: | 209513 |
| UniProt ID: | Q5QD15 |
| Cytogenetics: | 10 A4 |
| Gene Summary: | Olfactory receptor specific for 2-phenylethylamine, a trace amine present at high concentration in the urine of carnivore species, playing a key role in fear and avoidance responses. 2-phenylethylamine acts as a kairomone in the chemical detection of carnivore odor and triggers fear in mice. This receptor is probably mediated by the G(s)-class of G-proteins which activate adenylate cyclase.[UniProtKB/Swiss-Prot Function] |