

Product datasheet for **MC212819**

Cstf3 (NM_001037326) Mouse Untagged Clone

Product data:

Product Type: Expression Plasmids
Product Name: Cstf3 (NM_001037326) Mouse Untagged Clone
Tag: Tag Free
Symbol: Cstf3
Synonyms: 4732468G05Rik; C79532; CstF-77
Vector: pCMV6-Entry (PS100001)
E. coli Selection: Kanamycin (25 ug/mL)
Cell Selection: Neomycin
Fully Sequenced ORF: >MC212819 representing NM_001037326
Red=Cloning site **Blue**=ORF **Orange**=Stop codon

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**GCGATCGCC**

ATGTCAGGAGACGCAGCCGCGGAGCAGGCAGCGGAATATGTCCCAGAGAAGGTGAAGAAAGCGGAAAAGA
AATTAGAAGAAAATCCATATGACCTTGATGCTTGGAGCATTCTCATTGAGAGGCACAGGTTAG

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
ACAAGGATGACGACGATAAGGTTTAA

Restriction Sites: SgfI-MluI
ACCN: NM_001037326
Insert Size: 135 bp

OTI Disclaimer: Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).



[View online »](#)

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_001037326.2](#), [NP_001032403.1](#)

RefSeq Size: 778 bp

RefSeq ORF: 135 bp

Locus ID: 228410

Cytogenetics: 2 54.84 cM

Gene Summary: One of the multiple factors required for polyadenylation and 3'-end cleavage of mammalian pre-mRNAs.[UniProtKB/Swiss-Prot Function]