

## Product datasheet for **MC212827**

### Smox (NM\_001177840) Mouse Untagged Clone

#### Product data:

**Product Type:** Expression Plasmids  
**Product Name:** Smox (NM\_001177840) Mouse Untagged Clone  
**Tag:** Tag Free  
**Symbol:** Smox  
**Synonyms:** B130066H01Rik; PAO; PAOh1; SMO  
**Vector:** pCMV6-Entry (PS100001)  
**E. coli Selection:** Kanamycin (25 ug/mL)  
**Cell Selection:** Neomycin  
**Fully Sequenced ORF:** >MC212827 representing NM\_001177840  
Red=Cloning site Blue=ORF Orange=Stop codon

TTTTGTAATACGACTCACTATAGGGCGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
GCC**CGATCGC**C

ATGCAAAGTTGTGAATCCAGTGGCGACAGTGCGGATGACCCTCTCAGTCGTGGCCTACGGAGAAGGGGAC  
AGCCTCGTGTGGTGGTATCGGTGCTGGCTGGCTGGCTGCAGCTAGAGCCCTTCTGGAGCAGGG  
CTTCACGGATGCACTGTGCTTGGAGCTTCCAGCCACATTGGGGCCGTGTGCAGAGTGTGAGGCTTGA  
GACACCACCTTTGAGCTGGGAGCCACCTGGATCCATGGATCCCACGGGAATCCTATCTATCAACTAGCAG  
AAGCCAATGGCCTTTTGAAGAGACAACAGATGGGGAGCGCAGTGTGGCCGCATCAGCCTTTACTCCA  
GAATGGCGTGGCCTGCTACCTTACCAACCGTGGCTGCCGCATCCCCAAGGACGTGGTTGAGGAATTCAGC  
GATTTATACAACGAGCCCATGCAGGTGCTCTTCTCCGGGGAGGCCACACCCGCAAGTACTACTCCACCA  
CCCACGGTGTCTGTCTCTGGCCAGCGCGAGGCCCGCCGGCTCATCGAGATGTACCGAGACCTCTTCCA  
GCAGGGGCCCTGA

**ACGCGT**ACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT  
ACAAGGATGACGACGATAAGGTTTAA

**Restriction Sites:** SgfI-MluI  
**ACCN:** NM\_001177840  
**Insert Size:** 573 bp

**OTI Disclaimer:** Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).



[View online »](#)

<b>Components:</b>	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
<b>Reconstitution Method:</b>	<ol style="list-style-type: none"><li>1. Centrifuge at 5,000xg for 5min.</li><li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li><li>3. Close the tube and incubate for 10 minutes at room temperature.</li><li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li><li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li></ol>
<b>RefSeq:</b>	<u>NM_001177840.1, NP_001171311.1</u>
<b>RefSeq Size:</b>	1095 bp
<b>RefSeq ORF:</b>	573 bp
<b>Locus ID:</b>	228608
<b>UniProt ID:</b>	<u>Q99K82</u>
<b>Cytogenetics:</b>	2 F1
<b>Gene Summary:</b>	<p>Flavoenzyme which catalyzes the oxidation of spermine to spermidine. Can also use N(1)-acetylspermine and spermidine as substrates, with different affinity depending on the isoform (isozyme) and on the experimental conditions. Plays an important role in the regulation of polyamine intracellular concentration and has the potential to act as a determinant of cellular sensitivity to the antitumor polyamine analogs. May contribute to beta-alanine production via aldehyde dehydrogenase conversion of 3-amino-propanal. [UniProtKB/Swiss-Prot Function]</p> <p>Transcript Variant: This variant (9) lacks four alternate exons but maintains the reading frame, compared to variant 1. The resulting protein (isoform i) is shorter when it is compared to isoform a. This transcript has also been called 'splice variant delta'.</p>