

Product datasheet for MC214364

H3c10 (NM_178206) Mouse Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	H3c10 (NM_178206) Mouse Untagged Clone
Tag:	Tag Free
Symbol:	H3c10
Synonyms:	H3-291; H3c1; H3c8; H3c11; Hist1h; Hist1h3h
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
Fully Sequenced ORF:	>MC214364 representing NM_178206 Red=Cloning site Blue=ORF Orange=Stop codon

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGATCGCC**

ATGGCTCGTACTAAGCAGACCGCTCGCAAGTCCACCGCGGCAAGGCCCGCGCAAGCAGCTGGCCACCA
 AGGCCGCCCGCAAGAGCGCCCGGCCACCGCGGCGTGAAGAAGCCTCACCGCTACCGTCCCGGCACCGT
 GGCGCTGCGGAGATCCGGCGTACCAGAAGTCGACCGAGCTGCTGATCCGCAAGCTGCCGTTCCAGCGC
 CTGGTGCAGGAGATCGCGCAGGACTTCAAGACCGACCTGCGCTTCCAGAGCTCGGCCGTCATGGCTCTGC
 AGGAGGCCTGTGAGGCCTACCTCGTGGGTCTGTTTGAGGACACCAACCTGTGCGCCATCCACGCCAAGCG
 TGTCAACATCATGCCCAAGGACATCCAGCTGGCCCGCGCATCCGCGGGAGAGGGCT**TAA**

ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
 ACAAGGATGACGACGATAAGGTTTAA

Restriction Sites:	Sgfl-MluI
ACCN:	NM_178206
Insert Size:	411 bp
OTI Disclaimer:	Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).


[View online »](#)

Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none"> 1. Centrifuge at 5,000xg for 5min. 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. 3. Close the tube and incubate for 10 minutes at room temperature. 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
Note:	Plasmids are not sterile. For experiments where strict sterility is required, filtration with 0.22um filter is required.
RefSeq:	<u>NM_178206.2, NP_835513.1</u>
RefSeq Size:	488 bp
RefSeq ORF:	411 bp
Locus ID:	319152
UniProt ID:	<u>P68433</u>
Cytogenetics:	13 A3.1
Gene Summary:	Histones are basic nuclear proteins that are responsible for the nucleosome structure of the chromosomal fiber in eukaryotes. Two molecules of each of the four core histones (H2A, H2B, H3, and H4) form an octamer, around which approximately 146 bp of DNA is wrapped in repeating units, called nucleosomes. The linker histone, H1, interacts with linker DNA between nucleosomes and functions in the compaction of chromatin into higher order structures. This gene is intronless and encodes a replication-dependent histone that is a member of the histone H3 family. Transcripts from this gene lack polyA tails but instead contain a palindromic termination element. [provided by RefSeq, Aug 2015]