

Product datasheet for MC214562

Birc7 (NM_001163247) Mouse Untagged Clone

Product data:

Product Type: Expression Plasmids
Product Name: Birc7 (NM_001163247) Mouse Untagged Clone
Tag: Tag Free
Symbol: Birc7
Synonyms: E130019N06; KIAP; Livin; ML-IAP
Vector: pCMV6-Entry (PS100001)
E. coli Selection: Kanamycin (25 ug/mL)
Cell Selection: Neomycin
Fully Sequenced ORF: >MC214562 representing NM_001163247
 Red=Cloning site Blue=ORF Orange=Stop codon

TTTTGTAATACGACTCACTATAGGGCGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGGATCGCC**

ATGTTCTCACCTGCAGACTTATTCAGAGCTGCTGTCTTTCCATGGGCCTGAGAGTAGGGCCAGGGACT
 CGGTCCGTGGCCAGAATAAGCCACAGGAAGATGGCAGTGGCCGCACACAGGAACAGGATAAACCCCA
 CTGTCCGTGTAACCATGTCTGGCCAGGACTGCCTAGATGGGCAGATCTTAGGCCAGCTTCGGCCTCTG
 TCAGAAGAGGAAGAATCCTCTGGGGCTGCCTTCCTGGGGAGCCTGCCTTCCTGAGATGGACTCAGAGG
 ATCTCCGGCTAGCCTCCTTCTACGACTGGCCATCTACTGCAGGGATTAGCCTGAGCCATTGGCTGCTGC
 TGGGTTCTTCCACACAGGCCAGCAGGACAAGGTGAGATGTTTTCTTCTGCTATGGGGTCTACAGAGCTGG
 GAGCGTGGGGATGACCCCTGGACAGAGCATGCCGATGGTTTTCCAGGTGTCAAGTTCCTGCTACGGTCAA
 AAGGAAGGGACTTTGTGGAAGAATCCAGACCTACACCCCTTTGCTGGGATCCTGGGATCAGCGAGAAGA
 ACCAGAAGATGCAGTCTCTGCCACTCCCTCAGCTCCTGCCATGGAAGCCCTGAGTTACTCAGATCCAGA
 AGAGAGACCCAGCCTGAAGATGTCAGTGAGCCAGGAGCCAAGGATGTTTCCAGAACAGCTGCCACAGCTGC
 AGGAAGAGAGGAGATGCAAGGTGTCCTGGACCGAGCCGTCTCCATAGTCTTCGTGCCCTGTGCCACTT
 CGTCTGCACCGAGTGTGCTCCCAACCTGCAGCTGTGCCCTATCTGCAGGGTGCCTATCTGTAGCTGTGTA
 CGCACATTCTGTCC**TAA**

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
 ACAAGGATGACGACGATAAGGTTTAA

Restriction Sites: SgfI-MluI
ACCN: NM_001163247
Insert Size: 858 bp



[View online »](#)

OTI Disclaimer:	Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	<u>NM_001163247.1</u> , <u>NP_001156719.1</u>
RefSeq Size:	1178 bp
RefSeq ORF:	858 bp
Locus ID:	329581
UniProt ID:	<u>A2AWP0</u>
Cytogenetics:	2 H4
Gene Summary:	Apoptotic regulator capable of exerting proapoptotic and anti-apoptotic activities and plays crucial roles in apoptosis, cell proliferation, and cell cycle control. Its anti-apoptotic activity is mediated through the inhibition of caspase-3, -7, and -9, as well as by its E3 ubiquitin-protein ligase activity. As it is a weak caspase inhibitor, its anti-apoptotic activity is thought to be due to its ability to ubiquitinate DIABLO/SMAC targeting it for degradation thereby promoting cell survival. May contribute to caspase inhibition, by blocking the ability of DIABLO/SMAC to disrupt XIAP/BIRC4-caspase interactions. Protects against apoptosis induced by TNF or by chemical agents such as adriamycin, etoposide or staurosporine. Suppression of apoptosis is mediated by activation of MAPK8/JNK1, and possibly also of MAPK9/JNK2. This activation depends on TAB1 and NR2C2/TAK1.[UniProtKB/Swiss-Prot Function]