

Product datasheet for MC214667

Lin28b (NM_001031772) Mouse Untagged Clone

Product data:

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product Type:	Expression Plasmids
Product Name:	Lin28b (NM_001031772) Mouse Untagged Clone
Tag:	Tag Free
Symbol:	Lin28b
Synonyms:	2810403D23Rik; D030047M17Rik; Lin-28.2
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
Fully Sequenced ORF:	>MC214667 representing NM_001031772 Red=Cloning site Blue=ORF
	TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC GCC <mark>GCGATCGC</mark> C
	ATGGCCGAAGGCGGGGCAAGCAAAGGTGAAGAGCCAGAAAAACTGCCCGGGCTGGCAGAGGACGAACCCC AGGTTCTGCATGGCACTGGCCACTGTAAATGGTTCAACGTGCGCATGGGATTCGGATTCATCTCCATGAT AAGTCGAGAGGGAAATCCCTTGGATATTCCAGTGGATGTATTTGTACACCAAAGCAAACTATTCATGGAA GGATTTAGAAGCTTGAAAGAAGGAGAGCCAGTGGAATTTACATTTAAAAAATCCCCCCAAAGGCCTTGAGT CAATACGGGTAACAGGCCCAGGTGGGAGCCCCTGCTTAGGAAGTGAAAGAAGACCTAAAGGGAAGACCCT GCAAAAGAGAAAGCCAAAGGGAGATAGGTGGAGACCGGCAGGATTTACTGTGGATCAGATGTGGACTGTG CGAGAAGAAGAGCCCAGGGAGATAGGTGGAGACGGCAGGATTTACTGATGGATCAGATGTGGACTGTG CGAGAAGAAGAGTCCAGGATGATTCCAAGATGCTACAACTGTGGTGGTCTCGACCATCATGCTAAAGAAT GCAGTCTACCTCCTCAGCCAAAGAAGTGCCATTACTGTCAGAGCATCATGCACATGGTGGCCAACTGCCC ACACAAGCTTGCCGCTCAGCTGCCCGCCAGTTCTCAGGGAAGACAGGAGGCAGAATCCCAGCCATGCACG TCTGCGGCACCAAGAGAAGTGGGAGGGGGGCATGGCTGCACAGTACTGTTTCCTCAGGAGGTGAAGTCAG AAATGGCAAGAACTCAGGTCACCCCAAGAAGTTTCTTCCACGAAAGCGTTTGCAGCAATAGGAGA GCAAAACAAAA
Restriction Sites:	ACAAGGATGACGACGATAAGGTTTAA Sgfl-Mlul
ACCN:	NM_001031772
Insert Size:	816 bp



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

Service Lin28b (NM_001031772) Mouse Untagged Clone – MC214667	
OTI Disclaimer:	Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	 Centrifuge at 5,000xg for 5min. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. Close the tube and incubate for 10 minutes at room temperature. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
Note:	Plasmids are not sterile. For experiments where strict sterility is required, filtration with 0.22um filter is required.
RefSeq:	<u>BC089037</u> , <u>AAH89037</u>
RefSeq Size:	5411 bp
RefSeq ORF:	816 bp
Locus ID:	380669
UniProt ID:	<u>Q45KJ6</u>
Cytogenetics:	10 B2
Gene Summary:	Suppressor of microRNA (miRNA) biogenesis, including that of let-7 and possibly of miR107, miR-143 and miR-200c. Binds primary let-7 transcripts (pri-let-7), including pri-let-7g and pri- let-7a-1, and sequester them in the nucleolus, away from the microprocessor complex, hence preventing their processing into mature miRNA. Does not act on pri-miR21. The repression of let-7 expression is required for normal development and contributes to maintain the pluripotent state of embryonic stem cells by preventing let-7-mediated differentiation. When overexpressed, recruits ZCCHC11/TUT4 uridylyltransferase to pre-let-7 transcripts, leading to their terminal uridylation and degradation. This activity might not be relevant in vivo, as LIN28B-mediated inhibition of let-7 miRNA maturation appears to be ZCCHC11-independent. Interaction with target pre-miRNAs occurs via an 5'-GGAG-3' motif in the pre-miRNA terminal loop (By similarity). Mediates MYC-induced let-7 repression (PubMed:19211792). When overexpressed, may stimulate growth of carcinoma cell lines (By similarity).[UniProtKB/Swiss-Prot Function]

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US