

## Product datasheet for **MC214769**

### Hist3h2bb (NM\_206882) Mouse Untagged Clone

#### Product data:

**Product Type:** Expression Plasmids  
**Product Name:** Hist3h2bb (NM\_206882) Mouse Untagged Clone  
**Tag:** Tag Free  
**Symbol:** Hist3h2bb  
**Synonyms:** 4930534G10Rik; 4933432H21; B2Hist3h2bb; Hist3h2bb; R75370  
**Vector:** pCMV6-Entry (PS100001)  
**E. coli Selection:** Kanamycin (25 ug/mL)  
**Cell Selection:** Neomycin  
**Fully Sequenced ORF:** >MC214769 representing NM\_206882  
Red=Cloning site Blue=ORF Orange=Stop codon

TTTTGTAATACGACTCACTATAGGGCGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
GCC**GCGATCGCC**

ATGCTGATCCTTCATTTGAATGCAAGGCATACAATATTCTTGCTACAGGGCGTCCGCGTTCCGTAG  
TACAAGTACAGATTATGCCTGATCCATCCAATCAGCTCCAGCCCCAAGAAAGGCTCCAAAAGGCGGT  
CACCAAGGCGCAGAAAAAGGATGGCAAGAAACGCAAACGGGGCCGCAAGGAGAGCTACTCCATCTACGTG  
TACAAGGTGCTGAAGCAGGTGCATCCGGACACCGGCATCTCGTCTAAGGCCATGGGCATCATGAACCTCGT  
TCGTCAATGACATCTTCGAGCGCATCGCCAGCGAGGCCTCCCGCCTGGCGCATTACAACAAGCGCTCGAC  
CATCACGTCCCAGGAGGTGCAGACAGCCGTGCGCCTGCTGCTGCCCGGGGAGCTGGCCAAGCATGCTGTG  
TCCGAGGGCACCAAGGCAGTCACCAAATACACCAGCTCCAAG**TGA**

**ACGCGT**ACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT  
ACAAGGATGACGACGATAAGGTTTAA

**Restriction Sites:** Sgfl-MluI  
**ACCN:** NM\_206882  
**Insert Size:** 465 bp  
**OTI Disclaimer:**

Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).



[View online »](#)

<b>Components:</b>	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
<b>Reconstitution Method:</b>	<ol style="list-style-type: none"><li>1. Centrifuge at 5,000xg for 5min.</li><li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li><li>3. Close the tube and incubate for 10 minutes at room temperature.</li><li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li><li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li></ol>
<b>RefSeq:</b>	<u>NM_206882.1, NP_996765.1</u>
<b>RefSeq Size:</b>	465 bp
<b>RefSeq ORF:</b>	465 bp
<b>Locus ID:</b>	382522
<b>Cytogenetics:</b>	11 B1.3
<b>Gene Summary:</b>	Histones are basic nuclear proteins responsible for nucleosome structure of the chromosomal fiber in eukaryotes. Two molecules of each of the four core histones (H2A, H2B, H3, and H4) form an octamer, around which approximately 146 bp of DNA is wrapped in repeating units, called nucleosomes. The linker histone, H1, interacts with linker DNA between nucleosomes and functions in the compaction of chromatin into higher order structures. This gene encodes a replication-dependent histone that is a member of the histone H2b family. [provided by RefSeq, Feb 2021]