

Product datasheet for MC216037

Slc16a11 (NM_153081) Mouse Untagged Clone

Product data:

Product Type: Expression Plasmids

Tag: Tag Free

Symbol: Slc16a11

Synonyms: AB041591; MCT 11; MNCb-2717

Mammalian Cell Neomycin

Selection:

Vector: pCMV6-Entry (PS100001)

E. coli Selection: Kanamycin (25 ug/mL)

Restriction Sites: Sgfl-Mlul

ACCN: NM_153081

Insert Size: 1344 bp

OTI Disclaimer: Due to the inherent nature of this plasmid, standard methods to replicate additional amounts

of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at customercone care team at customercone or by

calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com

EU: info-de@origene.com CN: techsupport@origene.cn



Sic16a11 (NM_153081) Mouse Untagged Clone | MC216037

Reconstitution Method:

- 1. Centrifuge at 5,000xg for 5min.
- 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
- 3. Close the tube and incubate for 10 minutes at room temperature.
- 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

Note: Plasmids are not sterile. For experiments where strict sterility is required, filtration with 0.22um

filter is required.

RefSeq: <u>NM_153081.3</u>, <u>NP_694721.2</u>

RefSeq Size: 1773 bp

RefSeq ORF: 1344 bp

Locus ID: 216867

UniProt ID: Q5NC32

Cytogenetics: 11 B3

Gene Summary: Proton-linked monocarboxylate transporter. It catalyzes the transport of pyruvate across the

plasma membrane. Probably involved in hepatic lipid metabolism: overexpression results in an increase of triacylglycerol(TAG) levels, small increases in intracellular diacylglycerols and

decreases in lysophosphatidylcholine, cholesterol ester and sphingomyelin lipids.

[UniProtKB/Swiss-Prot Function]