

## Product datasheet for **MC216043**

### Tfap2d (NM\_153154) Mouse Untagged Clone

#### Product data:

Product Type:	Expression Plasmids
Product Name:	Tfap2d (NM_153154) Mouse Untagged Clone
Tag:	Tag Free
Symbol:	Tfap2d
Synonyms:	Tcfap2d
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
Restriction Sites:	Sgfl-Mlul
ACCN:	NM_153154
Insert Size:	1359 bp
OTI Disclaimer:	Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none"><li>1. Centrifuge at 5,000xg for 5min.</li><li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li><li>3. Close the tube and incubate for 10 minutes at room temperature.</li><li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li><li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li></ol>
RefSeq:	<u><a href="#">NM_153154.2</a></u> , <u><a href="#">NP_694794.1</a></u>
RefSeq Size:	1761 bp
RefSeq ORF:	1359 bp



[View online »](#)

**Locus ID:** 226896

**UniProt ID:** [Q91ZK0](#)

**Cytogenetics:** 1 A3

**Gene Summary:** Sequence-specific DNA-binding protein that interacts with inducible viral and cellular enhancer elements to regulate transcription of selected genes. AP-2 factors bind to the consensus sequence 5'-GCCNNGGC-3' and activate genes involved in a large spectrum of important biological functions including proper eye, face, body wall, limb and neural tube development. They also suppress a number of genes including MCAM/MUC18, C/EBP alpha and MYC.[UniProtKB/Swiss-Prot Function]