

Product datasheet for **MC216243**

Chrm2 (NM_203491) Mouse Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Chrm2 (NM_203491) Mouse Untagged Clone
Tag:	Tag Free
Symbol:	Chrm2
Synonyms:	AChR-M2; Chrm-2; M2
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)

Fully Sequenced ORF: >MC216243 representing NM_203491
 Red=Cloning site Blue=ORF Orange=Stop codon

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCCGCGATCGCC

ATGAATAACTCAACTAATCCTCGAACAATGGTTGGCTATTACCAGTCCTTACAAGACATTTGAAGTGG
 TATTTATTGTCCCTTGTGGCTGGATCCCTCAGTCTGGTGACCATCATTGGGAACATTCTAGTCATGGTTTC
 CATTAAAGTCAACCGCCACCTTCAGACTGTCAACAATTACTTCTTGTTCAGCCTGGCCTGTGCTGACCTC
 ATCATAGGTGTTTTCTCCATGAACCTGTATACCTCTACACTGTGATTGGCTACTGGCCTTTGGGACCTG
 TAGTGTGCGACCTTTGGCTAGCCTTGGACTATGTTGTCAGCAATGCCTCCGTTATGAATCTTCTCATCAT
 CAGCTTTGATAGATACTTCTGTGTACAAAACTCTAACCTACCCAGTTAAGCGGACCACAAAAATGGCA
 GGCATGATGATTGCAGCTGCGTGGGTTCTTTCCTTCATCCTCTGGGCCCCAGCCATTCTCTTCTGGCAGT
 TCATCGTAGGGTAAGGACTGTGAAGACGGGGAGTGCTACATTCAGTTCTTTTCCAACGCTGCCGTCAC
 CTTTGGCACTGCCATTGGGCTTCTATCTGCCTGTCATCATCATGACTGTGCTCTATTGGCACATATCC
 CGGGCGAGCAAGAGCAGAATAAAGAAAGAAAAGAAAGGAACCAAGTGGCCAACCAAGACCCGGTGTCTCCGA
 GTCTAGTGCAAGGAAGAATTGTAAGGCCAAACAACAACATGCCTGGTGGTGTGTTGGCCTGGAGCA
 CAACAAGATCCAGAATGGCAAGGCTCCGCGGGACGGTGGGACTGAAAAGTGCCTCAGGGGGAGGAGAAA
 GAAAGCTCCAACGACTCCACGCTGTGTCAGTGCCGTGGCCTCCAACATGAGAGATGATGAGATAACCCAGG
 ATGAAAACACGGTTTCCACTTCCCTGGGCCACTCCAAAGATGACAACCTTAGGCAGACATGCATCAAAAT
 TGTCACCAAGACCCAAAAGGGTGACGCATGCACACCAACAAGTACCACAGTAGAACTAGTGGGATCGTCA
 GGTCAGAATGGTATGAAAAGCAGAACATTGTAGCCCGCAAAATGTGAAGATGACCAAGCAGCCTGCCA
 AAAAGAAGCCTCCTCCATCCCGGAAAAGAAAGTGACCAGGACAATCTTGGCTATCCTGTTGGCTTTTCAT
 CATCACGTGGGCCCATACAATGTCATGGTGTCTCATCAATACCTTCTGTGCACCCTGCATCCCAATACA
 GTGTGGACAATTGGCTACTGGCTCTGTTACATTAAATAGCACCATCAACCCTGCCTGCTATGCACTTTGTA
 ACGCCACCTTCAAAAAGACTTTTAAACACCTCCTATGTGTCATTACAAGACATAGGCGCTACAAGGTA
 A

ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
 ACAAGGATGACGACGATAAGGTTTAA

Chromatograms: https://cdn.origene.com/chromatograms/ja2246_h07.zip

Restriction Sites: SgfI-MluI

ACCN: NM_203491

Insert Size: 1401 bp

OTI Disclaimer: Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at custsupport@origene.com or by calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	<u>NM_203491.1, NP_987076.1</u>
RefSeq Size:	2036 bp
RefSeq ORF:	1401 bp
Locus ID:	243764
UniProt ID:	<u>Q9ERZ4</u>
Cytogenetics:	6 B1
Gene Summary:	The muscarinic acetylcholine receptor mediates various cellular responses, including inhibition of adenylate cyclase, breakdown of phosphoinositides and modulation of potassium channels through the action of G proteins. Primary transducing effect is adenylate cyclase inhibition. Signaling promotes phospholipase C activity, leading to the release of inositol trisphosphate (IP3); this then triggers calcium ion release into the cytosol (By similarity).[UniProtKB/Swiss-Prot Function]